



MONTERRA OPTIONS - MY 2022

CODE	OPTION	DESCRIPTION
44G	4x4 Acela Monterra GL Chassis Cab	
66G	6x6 Acela Monterra GL Chassis Cab (SWB)	
92A	GVWR 23,600 Lbs. (10,705 kg) Package - 4x4	Front GAWR: 13,000 lbs. (5,897 kg), Rear GAWR: 10,600 lbs. (4,536 kg), GCWR: 35,600 lbs. (16,148 kg)
2LL	GVWR 32,000 Lbs. (14,515 kg) Package - 4x4	Front GAWR: 14,000 lbs. (6,350 kg), Rear GAWR: 18,000 lbs. (8,165 kg), GCWR: 44,000 lbs. (19,958 kg)
92P	GVWR 25,990 Lbs. (11,789 kg) Package - 4x4	De-Rates GVWR to 25,990 lbs. from 32,000 lbs (requires 32,000 lbs. GVWR option 2LL)
9G7	GVWR 30,750 Lbs. (13,948 kg) Package - 6x6	Front GAWR: 13,000 lbs. (5,897 kg), Int. GAWR: 8,875 lbs. (4,026 kg), Rear GAWR: 8,875 lbs. (4,026 kg), GCWR: 51,750 lbs.(23,473 kg)
3N8	GVWR 44,650 Lbs. (20,253 kg) Package - 6x6	Front GAWR: 13,000 lbs. (5,897 kg), Int. GAWR: 16,661 lbs. (7,557 kg), Rear GAWR: 16,661 lbs. (7,557 kg), GCWR: 65,650 lbs. (29,778 kg)
83F	High-Speed Gearing (4x4 Models)	Provides final gear ratio of 6.14:1 and top speed of 74MPH
2C2	High-Speed Gearing (6x6 Models)	Provides final gear ratio of 6.14:1 and top speed of 74MPH
4EN	Additional Rear Axle Locker (6x6 Models)	Includes one (1) additional axle locker in intermediate axle (6x6 models only)
737	Deep Water Fording Kit (4x4)	Increases water fording capabilities from 30 inches (762 mm) to 50 inches (1,168 mm) - 4x4 Chassis
3BK	Deep Water Fording Kit (6x6)	Increases water fording capabilities from 30 inches (762 mm) to 50 inches (1,168 mm) - 6x6 Chassis
8R6	Upper Frame Rails	Includes a pair of custom tapered and pre-drilled 110,000PSI frame rails, painted and installed
4CT	Central Tire Inflation System (CTIS) (4x4)	Includes complete mechanical reset of vehicle's CTIS system and includes programming for high-speed gears (if applicable) and new wheel valves and hoses for all wheels (including spare)
6CT	Central Tire Inflation System (CTIS) (6x6)	Includes complete mechanical reset of vehicle's CTIS system and includes programming for high-speed gears (if applicable) and new wheel valves and hoses for all wheels (including spare)



CODE	OPTION	DESCRIPTION
6B3	Safety-Style Cab Entry Steps	Includes MSHA-compliant exterior entry steps
5FW	Center Passenger Seat	Includes standard center seat and seat belt. Air-ride seats not available for center seating position. Upgraded seating options available.
3D9	Back-Up Alarm	Includes 100db waterproof commercial back-up alarm (temporary-mounted for custom body placement).
6TW	Back-Up Camera System	Includes infrared commercial back-up camera, 70-foot of cable, 6.2-inch monitor (temporary-mounted for custom body placement).
4W6	Seat Armrests	Includes adjustable, durable, black ABS armrest. Designate position for each seat. (Inside only for driver/pass seats - Left & Right for center seat). Price per armrest.
2XM	SiriusXM Satellite Radio	Includes SiriusXM-equipped stereo and roof-mounted satellite radio antenna. *Requires customer subscription.
4C7	Cruise Control	Cruise control, dash-mounted controls
8N3	Power/Heated Mirrors	Power/heated side mirrors, driver controlled
9CS	Power Door Locks	Power door locks with (2) remote key fobs, driver door keypad and audible confirmation chirp
55Y	Upfitter Auxiliary Dash Switch Pre-Wire	Provides eight (8) backlit rubber push buttons on instrument panel, each programmable to On/Off or Momentary action. Remote 12VDC power module is pre-wired with three (3) fused 10A outputs and five (5) 0.2A outputs.
8P2	PTO Prep Package	Includes engine and transmission pre-wiring, 12VDC PTO signal wire to PTO area (terminated) and dash-mounted PTO switch and PTO engaged indicator. Does NOT include throttle control.
7SV	Custom Exterior Paint Color	Match cab paint color to customer specification.
5P4	Doors Keyed Alike (Fleet Only)	Includes door keys cut to specific fleet code.
7PX	Ignition Keyed Alike (Fleet Only)	Includes ignition keys cut to specific fleet code.
KG2	Knapheide Cargo Bed, 12-foot Length - 4x4	Includes stripped, painted 12-foot cargo bed with all panels and fold-down seats, non-skid floor, installed. Does not include any lighting.
KRX	Knapheide Cargo Bed, 14-foot Length - 6x6	Includes stripped, painted 14-foot Army cargo bed with all panels and fold-down seats, non-skid floor, installed.
H4L	NFPA Warning Package - Black	NFPA-1901-compliant warning light/siren/chevron package, black lightbar frame and black surface-mount light bezels (detailed list POR).



CODE	OPTION	DESCRIPTION
BX7	NFPA Warning Package - Silver	NFPA-1901-compliant warning light/siren/chevron package, aluminum lightbar frame and chrome surface-mount light bezels (detailed list POR).
36K	Mount Customer-Provided Warning/ Scene/LED Light/Speaker	Includes mounting of a single warning, scene, LED "bar" light or siren speaker and running wiring to a specific location inside cab
2HS	Mount Customer-Provided Lightbar (Roof Mounted)	Includes mounting of a single roof-mounted lightbar and running wiring to a specific location inside cab (cables must be 25+ feet)
8R2	Mount Customer-Provided Siren/Controller	Includes mounting of a single siren controller and remote head and wiring to adequate 12VDC main power source
6QB	NMO-Style 2-Way Radio Antenna Mount, Pre-Wired	Includes NMO-style antenna base installed on cab roof, non-terminated RG58 cables run to dash area. Priced each.
57A	Front License Plate Bracket	License plate bracket permanently mounted to front grille.
4DY	Temporary Rear STT/ICC Lighting	Includes C/FMVSS-compliant rear DOT lighting and mud flaps, mounted as temporary device to rear of truck for drive-away.
H62	Tire Studding	Includes approximately (110) 5.3mm tungsten-carbide studs. Priced per tire.
R8C	Snow Plow: SnowEx PowerPlow, 8'-6" to 11", Complete	Includes complete PowerPlow kit with lights, controller guides, installed - Includes custom mount
WT9	Snow Plow: SnowEx HDV V-Blade Plow, 9'-6", Complete	Includes complete HDV V-plow kit with lights, controller guides, installed -Includes custom mount
FRB	Flood Rescue Body Package with Lift Gate	14 or 16-foot custom aluminum body, staircase, staircase rails bulkhead side uprights, folding aluminum searing, 4 rear rails (2 can be moved to liftgate, fullst mount floor cargo tie-downs (98"W bed, 102" OAW (bare smooth aluminium
FRC	Flood Rescue Sliding Canopy	Sliding Canopy (with bulkhead-mounted upward facing scene light, forward plastic window, side screen/velcro closure window.

S=Standard

O=Optional

NA=Not Available

ACELATRUCK.COM

TAKING YOU FURTHER.