

# BYSTOLIC

---

## Products Affected

### Step 2:

- BYSTOLIC 10 MG TABLET
- BYSTOLIC 2.5 MG TABLET
- BYSTOLIC 20 MG TABLET
- BYSTOLIC 5 MG TABLET

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug within the past 120 days, then authorization for a Step 2 drug may be given. Step 1 Drug(s): generic beta-blockers, Sorine. Step 2 Drug(s): Bystolic.
-----------------	--

---

# DIFICID

---

## Products Affected

### Step 2:

- DIFICID 200 MG TABLET

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug within the past 120 days, then authorization for a Step 2 drug may be given. Step 1 Drug(s): metronidazole, vancomycin. Step 2 Drug(s): Dificid
-----------------	--

# DPP-4

---

## Products Affected

### Step 2:

- ALOGLIPTIN 12.5 MG TABLET
- ALOGLIPTIN 12.5 MG-METFORMIN 1,000 MG TABLET
- ALOGLIPTIN 12.5 MG-METFORMIN 500 MG TABLET
- ALOGLIPTIN 25 MG TABLET
- ALOGLIPTIN 6.25 MG TABLET
- KAZANO 12.5 MG-1,000 MG TABLET
- KAZANO 12.5 MG-500 MG TABLET
- KOMBIGLYZE XR 2.5 MG-1,000 MG TABLET,EXTENDED RELEASE
- KOMBIGLYZE XR 5 MG-1,000 MG TABLET,EXTENDED RELEASE
- KOMBIGLYZE XR 5 MG-500 MG TABLET,EXTENDED RELEASE
- NESINA 12.5 MG TABLET
- NESINA 25 MG TABLET
- NESINA 6.25 MG TABLET
- ONGLYZA 2.5 MG TABLET
- ONGLYZA 5 MG TABLET

## Details

---

Criteria	
	If the patient has tried a Step 1 drug within the past 120 days, then authorization for a Step 2 drug may be given. Step 1 Drug(s): Januvia, Janumet, Janumet XR, Tradjenta, Jentadueto, Jentadueto XR. Step 2 Drug(s): Onglyza, Kombiglyze, Nesina, Kazano, Alogliptin, and Alogliptin/metformin.

---

# OPHTHALMIC PROSTAGLANDINS

---

## Products Affected

### Step 2:

- *bimatoprost 0.03 % eye drops*
- LUMIGAN 0.01 % EYE DROPS
- TRAVATAN Z 0.004 % EYE DROPS
- ZIOPTAN (PF) 0.0015 % EYE DROPS  
IN A DROPPERETTE

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug within the past 120 days, then authorization for a Step 2 drug may be given. Step 1 Drug(s): latanoprost. Step 2 Drug(s): Lumigan, Travatan Z, Zioptan, Bimatoprost.
-----------------	---

---

# ULORIC

---

## Products Affected

### Step 2:

- ULORIC 40 MG TABLET
- ULORIC 80 MG TABLET

## Details

---

<b>Criteria</b>	If the patient has tried a Step 1 drug within the past 120 days, then authorization for a Step 2 drug may be given. Step 1 Drug(s): allopurinol. Step 2 Drug(s): Uloric.
-----------------	--

---

## Index

### A

ALOGLIPTIN 12.5 MG TABLET .....	3
ALOGLIPTIN 12.5 MG-METFORMIN 1,000 MG TABLET .....	3
ALOGLIPTIN 12.5 MG-METFORMIN 500 MG TABLET .....	3
ALOGLIPTIN 25 MG TABLET .....	3
ALOGLIPTIN 6.25 MG TABLET .....	3

### B

bimatoprost 0.03 % eye drops.....	4
BYSTOLIC 10 MG TABLET .....	1
BYSTOLIC 2.5 MG TABLET .....	1
BYSTOLIC 20 MG TABLET .....	1
BYSTOLIC 5 MG TABLET .....	1

### D

DIFICID 200 MG TABLET .....	2
-----------------------------	---

### K

KAZANO 12.5 MG-1,000 MG TABLET ..	3
KAZANO 12.5 MG-500 MG TABLET .....	3
KOMBIGLYZE XR 2.5 MG-1,000 MG TABLET,EXTENDED RELEASE .....	3

KOMBIGLYZE XR 5 MG-1,000 MG TABLET,EXTENDED RELEASE .....	3
KOMBIGLYZE XR 5 MG-500 MG TABLET,EXTENDED RELEASE .....	3

### L

LUMIGAN 0.01 % EYE DROPS.....	4
-------------------------------	---

### N

NESINA 12.5 MG TABLET .....	3
NESINA 25 MG TABLET .....	3
NESINA 6.25 MG TABLET .....	3

### O

ONGLYZA 2.5 MG TABLET .....	3
ONGLYZA 5 MG TABLET .....	3

### T

TRAVATAN Z 0.004 % EYE DROPS .....	4
------------------------------------	---

### U

ULORIC 40 MG TABLET .....	5
ULORIC 80 MG TABLET .....	5

### Z

ZIOPTAN (PF) 0.0015 % EYE DROPS IN A DROPPERETTE.....	4
--	---