



Living Vehicle[®]

2021 Feature Comparisons



Living Vehicle[®]

Features Comparison by Model

	CORE	MAX	PRO
Sleeps	4 (6 OPT)	4 (6 OPT)	4 (6 OPT)
Off-Grid Energy Supply (Time Est.)	1-2 weeks	2-4 weeks	4 weeks - ∞
Energy Capacity	9 kWh	24 kWh	48 kWh
Total Hybrid inverter Power	2,400 watts	4,000 watts	8,000 watts 16,000 watts opt
Total Solar Power	1,320 watts	2,640 watts	3,080 watts
Solar Awning	OPT	STD	STD
Solar Powered Primary A/C	STD	STD	STD
Auto-Leveling	OPT	OPT	STD
Off-Grid Temperature Rating	20°-90°F	10°-100°F*	0°-110°F
On-Grid Temperature Rating	10°-100°F	0°-110°F*	-10°-120°F
GVWR (lbs.)	16,000 ²	17,000 ²	18,000 ²
Estimated Base Weight (lbs.)	11,500 ²	12,500 ²	13,500 ²
Brakes	Electric Drum	4-Wheel Disc	4-Wheel Disc
Required Tow Vehicle Min. Payload/ Towing (lbs.)	2,500/ 16,000	3,000/ 17,000	3,500/18,000

1 Ratings with 4-season package installed.

2 Weights are estimated and will change based on final design weight and configuration.

