

# Living Vehicle<sup>®</sup>

## 2022 Feature Comparisons

## Features Comparison by Model

	CORE	MAX	PRO	PRO-EV
Sleeps	4 (6 OPT)	4 (6 OPT)	4 (6 OPT)	4 (6 OPT)
Off-Grid Energy Supply (Time Est.)	1-2 weeks	2-4 weeks	4 weeks - ∞	4 weeks - ∞
Energy Capacity	14.4 kWh	28.8 kWh	43.2 kWh	57.6 kWh
Total inverter Power	5 kW	10 kW	15 kW	20 kW
Total Solar Power	1,320 watts	2,640 watts	3,080 watts	3,080 watts
Solar Awning	N/A	STD	STD	STD
Solar Powered Primary A/C	STD	STD	STD	STD
Solar Powered OPT A/C	N/A	N/A	STD	STD
Auto-Leveling	OPT	OPT	STD	STD
Off-Grid Temperature Rating	20°-90°F	10°-100°F*	0°-110°F	0°-110°F
On-Grid Temperature Rating	10°-100°F	0°-110°F*	-10°-120°F	-10°-120°F

	CORE	MAX	PRO	PRO-EV
GVWR (lbs.)	16,000 <sup>2</sup>	17,000 <sup>2</sup>	18,000 <sup>2</sup>	18,000 <sup>2</sup>
Estimated Base Weight (lbs.)	12,000 <sup>2</sup>	13,000 <sup>2</sup>	14,000 <sup>2</sup>	14,500 <sup>2</sup>
Brakes	Electric Drum	4-Wheel Disc	4-Wheel Disc	4-Wheel Disc
Required Tow Vehicle Min. Payload/ Towing (lbs.)	2,500/ 16,000	3,000/ 17,000	3,500/18,000	3,500/18,000

1 Ratings with 4-season package installed.

2 Weights are estimated base weights and will change based on final design weight and configuration.

