2023 T29 Living Vehicle Specifications

Weights & Capacity

_	ints & Capacity		
Standard/	Specification	Info	Package
STD	Sleeping Capacity	4	
OPT	Sleeping Capacity Option	6	Automatic Euroloft
STD	Length	29' 0"	
STD	Length Overall (Hitch to Bumper)	32' 8"	
STD	Exterior Width	8' 6"	
STD	Interior Width	8' 0"	
STD	Exterior Height w/ AC	12'-0"	
OPT	Exterior Height w/ AC Lifted	12'-4"	Off-Road Capability
STD	Interior Ceiling Height	6' 8"	
STD	Est. Hitch Weight (lbs) 1 (10% UVW)	1,200/ 1,300/ 1,400/ 1,450	CORE/ MAX/ PRO/ PRO-
STD	Est. Unit Dry Weight - UVW (lbs) 1	12k/ 13k/ 14k/ 14.5k	CORE/ MAX/ PRO/ PRO-
STD	Est. GVWR - Maximum Trailer Capacity (lbs) 1	16k/ 17k/ 18k/ 18k	CORE/ MAX/ PRO/ PRO-
STD	Temperature Rating	20° \ 90°	
OPT	4-Season Temperature Rating	10° \ 100°	4-Season Performance
OPT	PRO Temperature Rating	0° \ 110°	PRO/ PRO-EV
STD	Est. Net Carrying Capacity (lbs)	4,000	CORE/ MAX/ PRO
STD	Est. Net Carrying Capacity (lbs)	3,500	PRO-EV
STD	Ball Height	23"	
STD	Ball Size	2-5/16"	
STD	Under-Skin Ground Clearance	16"	
STD	Departure Ground Clearance	22"	
STD	Removable Off-road Bumper	Aluminum w/ Dual-pin Attachment	
SYST	EMS (MEP)		
	Specification	Info	Package
STD	Electrical Line-In (amps)	50	
STD	Concealed Propane Tanks LPG (lbs.)	80 - (2) 20 w/ (2) 20 Reserve	
STD	Fresh Water Tank (gal)	100	
STD	Gray Water Tank (gal)	62	
STD	Black Water Tank (gal)	45	
STD	A/C (btu.)	15,000	
OPT	Secondary A/C (btu)	15,000 with heat strip	4-Season Performance
STD	Ventilation Fans	Bathroom	
STD	Heating (btu)	35K Floor Propane FAU	
OPT	Electric Heat	(3) Lounge, bathroom and bedroom. Thermostat control.	4-Season Performance
STD	Lighting (Interior)	Warm LED & Dimmable	
STD	Water Heater	Tankless	
OPT	Air Purifier	Dual-filtered	Air & Water Quality
OPT	Air Quality Monitor	App-based	Air & Water Quality
OPT	Water Filter	3-stage	Air & Water Quality
OPT	Water Sterilization	UV purifier	Air & Water Quality
OPT	Water Generation	Atmospheric Water Generation System	Water Generation
CI II			
	, Chassis & Frame		
Standard/	Specification	Info	Package
STD	Chassis	Aluminum w/ steel mains	
STD	Heated Subfloor	Passive heating design	
STD	Leveling and Stabilization	5-point Auto leveling system	
STD	Raised Subfloor Material	All-Aluminum .125"	
STD	Frame (Walls and Ceiling)	All-Aluminum, welded	
STD	Insulation Ceiling (R-Value)	Rigid Closed Cell Foam. R25	
STD	Insulation Floor (R-Value)	Rigid Closed Cell Foam. R13	
STD	Insulation Walls (R-Value)	Rigid Closed Cell Foam. R13	
STD	Windows	Frameless, Single Pane	
OPT	Window Option	Frameless, Dual Pane	4-Season Performance
STD	Window Screens	All Operable Window Openings	
STD	Patio Slider Screen	Aluminum Slider w/ Screen	
STD	Roof	Seamless Aluminum Sheet	
STD	Roof Profile	1" Bow Truss	
OPT	Lifted Axles	4" Off-Road Lift kit	Off-Road Capability

STD	Wheels	19.5" Commercial Grade Steel, Matte Black	I
STD	Tires	Commercial Grade	
OPT	Tires	Off-Road All-Terrain Commercial Grade	Off-Road Capability
STD	Brakes	4-Wheel Independent Electric	
OPT	Disc Brakes	4-Wheel Independent Electric-Hydraulic Disc Brakes	MAX, PRO, PRO-EV
STD	Entry Door	2" Aluminum w/ Screen	
OPT	PRO Night Edition	Protective Coated A-Frame, Wheel Wells, Fenders, and Lower Trim.	PRO Night Edition
OPT	Rear Hitch Receiver	2" Receiver rated at 500 lbs	Off-Road Capability
. .		10001701 74104 41 000 100	on read supusme,
Kitch	ien		
Standard/	Specification	Info	Package
STD	Refrigerator & Freezer	13 cu.ft.	
OPT	Ice Maker	Integrated into Freezeer	Chef's Kitchen
STD	Kitchen Island	Moveable w/ Storage	
STD	Cooking	Propane Stove - Stainless	
OPT	Oven	Marine grade oven stove combo	Chef's Kitchen
STD	Ventilation	Range Hood	
OPT	Dishwasher	Stainless, 6-setting	Luxury Housekeeping
STD	Water Filter	Countertop Filtration, Matte Black	
OPT	Insta-Hot Water System	Countertop, Hot & Cold, Matte Black	Chef's Kitchen
STD	Pull-Out Trash Can	Pull-Out Trash and Recycling	
STD	Microwave	Integrated Stainless	
STD	Kitchen Faucet	Multi-Spray Pull-Out, Matte Black	
STD	Pantry	Standing Height - Multi-Drawer	
OPT	Stainless BBQ	Countertop grill, propane guick connect	Chef's Kitchen
. .		Souther top gran, propanie quiek connect	
Elect	rical, Solar & Hybrid inverter		
	Specification	Info	Package
STD	Generator Enclosure	Gen-set ready	
OPT	Generator (kW)	5.5 propane w/ auto transfer switch	Backup Power Gen
STD	CORE Energy (kWh)	14.4	
	CORE Energy (kWh) MAX Energy (kWh)	14.4 28.8	MAX
STD			
STD OPT	MAX Energy (kWh)	28.8	MAX PRO PRO-EV
STD OPT OPT	MAX Energy (kWh) PRO Energy (kWh)	28.8 43.2	PRO
STD OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh)	28.8 43.2 57.6	PRO
STD OPT OPT OPT STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry	28.8 43.2 57.6 Lithium Phosphate	PRO
STD OPT OPT STD STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts)	28.8 43.2 57.6 Lithium Phosphate 24	PRO
STD OPT OPT STD STD STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts)	28.8 43.2 57.6 Lithium Phosphate 24	PRO PRO-EV
STD OPT OPT STD STD STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5	PRO PRO-EV
STD OPT OPT STD STD STD OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10	PRO PRO-EV MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20	PRO PRO-EV MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400	PRO PRO-EV MAX PRO PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total)	PRO PRO-EV MAX PRO PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT STD OPT OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total)	PRO PRO-EV MAX PRO PRO MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT OPT OPT OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total)	PRO PRO-EV MAX PRO PRO MAX PRO
STD OPT OPT STD STD OPT OPT OPT STD OPT OPT STD OPT OPT OPT STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO
STD OPT OPT STD STD OPT OPT OPT STD OPT OPT STD OPT OPT OPT OPT OPT STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO
STD OPT OPT STD STD OPT OPT OPT STD OPT OPT STD OPT OPT OPT OPT OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT OPT STD OPT STD OPT LIVIN	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT OPT STD OPT STD OPT LIVIN	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle)	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle)	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) G AREA Specification Folding Deck Door Deck Automation	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD OPT STD STD STD STD STD STD STD STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD OPT STD STD STD STD STD STD STD STD STD	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD STD STD STD STD STD STD STD STD ST	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD STD STD STD STD STD STD STD STD ST	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD OPT	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD STD ST	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed Lounge Fabric	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen Marine grade upholstery	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD STD ST	MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed Lounge Fabric Media Center	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen Marine grade upholstery Hardwood w/ Shelving & Media Cabinets	PRO PRO-EV MAX PRO PRO PRO PRO PRO-EV Energy Integration Package Automatic Euroloft

REDE	ROOM		
	Specification	Info	Package
STD	Skylight	30" x 48" w/ Blackout Shade	
STD	Master Bed	Cool-Touch Memory Foam Queen	
OPT	3D Adjustable Slat Bed	Dual Zone (L&R) Adjustable Queen Bed. European Mattress Suspension	3D Bed Lounge
OPT	Convertible Desk & Bed	80" long walnut desk surface convertible to 60"x80" Queen	Mobile Office
STD	Nightstands	(2) Recessed Shelf and Drawer	
STD	Under-Bed Storage	Gas Support, Lift Up Storage	
STD	Dresser	Side-by-Side, 3-Drawer Each	
STD	Closet	4 ft. Floor to Ceiling - w/ Hat Shelf	
OPT	Washer and Dryer	Combo Unit, Vented	Luxury Housekeeping
BATH	HROOM		
	Specification	Info	Package
STD	Residential Shower	32" x 36" Spa-Style w/ Curtain	1 dekage
STD	Shower Fixture	Multi-Flow Shower Panel System	
STD	Shower Floor	Floor-Level Hardwood Deck Mat	
STD	Shower Skylight	Clear	
STD	Water Heater	Tankless, Gas, Freeze Protection	
OPT	Shower Interior	Rear Hardwood Slatted Wall with Shelves	Spa Bathroom
OPT	Shower Seat	Wall-mounted folding stainless & hardwood	Spa Bathroom
STD	Bathroom Sink	Glass Vessel ½" Tempered	Spa Bathi Com
STD	Toilet	Vitreous China, Full Height	
OPT	Electric Toilet	Macerator with Bidet	Spa Bathroom
OPT	Compost Toilet	Compost Toilet w/ converted black to gray tank	Off-Grid Spa Bathroom
STD	Bathroom Faucet	Vessel Style - Matte Black	On Ond Spa Bathroom
OPT	Towel Warmer	120V Electric w/ Auto Timer	Spa Bathroom
OPT	Exterior Shower	Marine Grade Pull-out (Hot & Cold)	Spa Bathroom
011	Exterior shower	Trainine Grade Fair out (Not a cola)	Spa Battiroom
TECL			
	INOLOGY, AUDIO & VIDEO		
Standard/	Specification	Info	Package
STD	Internet Hub	Mobile Router & Hub	
OPT	WIFI Antenna & Router	Private secure network	Mobile Connectivity
OPT	Cellular Antenna	Cell signal booster	Mobile Connectivity
STD	Multi-Zone AV System	Wireless dual-zone system	
OPT	Speakers	SONOS In-ceiling multi-zone system	Hi-Fi Audio
OPT	AMP	AMP	Hi-Fi Audio
OPT	LV Creative Studio	Multimedia and Technology Equipment as per Spec	Creative Studio
OPT	Subwoofer	(1) SONOS Subwoofer	Hi-Fi Audio
STD	A/V Controller	SONOS	
STD	Living Television	42" 4K Smart HDTV	
OPT	Bedroom Projector	4k Projector, Ceiling Mount	Home Theater
OPT	Internet TV Player	4K Internet TV	Home Theater
OPT	Speakers	(2) in-ceiling	Home Theater
OPT	Subwoofer	(1) SONOS Subwoofer	Home Theater
1 - Weights and	dimensions are estimated based on most current design configuration data and include	ded equipment. Weights and dimensions are subject to change without notice.	

OPT Subwoofer

(1) SONOS Subwoofer

1- Weights and dimensions are estimated based on most current design configuration data and included equipment. Weights and dimensions are subject to change without notice.