



DB75

DRILLS, BULLDOZERS AND OTHER TRACKED EQUIPMENT UP TO 75 TONNES



The Sleipner System can significantly increase the productivity of your mine.


HOW?

By moving mining drills and bulldozers quickly and safely, and saving more valuable time for productive work.

**How is this possible?
READ ON.**



DB75



INCREASED YOUR PRODUCTIVITY

The revolutionary Sleipner DB75 improves on-site mobility of your tracked equipment. Sleipner DB75 offers you fast loading and agile transporting. With DB75 you get more flexibility to your daily production planning. Drills and dozers can be picked-up and delivered right where they are working. Relocation of equipment becomes a routine part of more efficient, more reactive and therefore more productive daily planning.

COST SAVINGS

With Sleipner DB75 utilization, the drills' undercarriages last 2-3 times longer and the excessive undercarriage wear of bulldozers while traveling on tracks in 3rd gear is diminished. Moreover, the ease of relocation from the pit enables much more maintenance to be performed preventively and in the better conditions found in the workshop, resulting in large reductions in expensive and disruptive breakdowns

EASE OF USE

- Quick rear-entry loading and unloading, loading time for dozers is less than two minutes
- Agile design will go anywhere in the pit
- One person can handle the whole loading procedure
- Flat, unencumbered loading platform with load-binding points
- Maximum towing speed 15 km/h with full load and 30 km/h without load
- Multipurpose, can accommodate all kinds of pit equipment besides drills and bulldozers: excavators, wheel loaders, trucks, bucket, pumps, light towers, etc.

SAFETY


- The advanced design of the DB offers incomparable safety and stability
- Trailer bed is wider than loaded equipment tracks
- There is no risk of overturning even if the wheels drop off the road.
- Railings and stairs ensure safe operator access to the load deck
- Advanced, proven braking system well integrated with the prime mover provides safe transport in every condition
- Reversing camera system ensures manoeuvring safety

HOW DOES IT WORK?

Hydraulically lowering bed enables fast loading. Drills or dozers can be driven on Sleipner DB75 in a matter of minutes. Once loaded, the bed is risen to horizontal position for transport using hydraulics powered by the towing ADT.

Uphill performance with full load when using Cat 740 or similar as a towing vehicle is 11 % in regular on-site conditions. Transporting downhill with full load with ADT retarding is safe up to 13 %. In addition, secondary wheel brake system is connected to the ADT operating brake circuit work as additional safety feature.

Tandem axle smoothen ride and allows operation in rough terrain. Optional winch makes broken equipment rescue from the pit to the workshop easy.



Dimensions

- A 13 470 mm
- B 3 000 mm
- C 400 mm
- D 8 580 mm
- E 5 550 mm
- F 7 900 mm

Weight	42 tonnes
Max allowed payload	75 tonnes
Tyre size	21.00 - 35 ply
Towing vehicle	Any 40 tonnes plus ADT



SUITABLE FLEET

	DB75	DB120	DB120PLUS
Max payload (tonnes)	75	120	120
Recommended prime mover	Cat 740, Volvo A40, Bell B40	Cat 745, Volvo A45, Bell B45	Cat 745, Volvo A45/A60, Bell B45/B50
Turning radius	13m	11m	14m

Suitable drills	DB75	DB120	DB120PLUS
Atlas Copco Flexi ROC D65	X	X	X
Atlas Copco DM30/35	X	X	X
Atlas Copco DM45/DM50	X		X
Atlas Copco DML-SP	X	X	X
Atlas Copco PV235	X	X	X
Atlas Copco 271/275			X
Cat M6290	X	X	X
Cat MD6240	X		X
Cat MD6250	X *		X
Cat MD6310			X
Sandvik DI650 / DP1500	X	X	X
Sandvik D254S	X	X	X
Sandvik D45KS/D50KS	X	X	X
Sandvik D55SP			X
Sandvik D75KS	X		X

* May require removal of handrails, depends on the configuration.

Other equipment	DB75	DB120	DB120PLUS
Dozers	Up to D10T / D375	Up to D11T / D475A	Up to D11T / D475A
Excavators	Up to 75 tonnes	Up to 90 tonnes	Up to 120 tonnes
Mining trucks	Up to 777 / HD785	Up to 777 / HD785	Up to 777 / HD785
Wheel dozers	Up to Cat 834K	Up to Cat 834K	Up to Cat 844K
Wheel loaders	Up to Cat 988K	Up to Cat 988K	Up to Cat 990K
Graders	Up to Cat 12M	Up to Cat 12M	Up to Cat 14M

Notice; Some equipment may have some optional extras, like walkways or cable drums what can set limitations for physical suitability or operating weight. In order to ensure the equipment suitability to DB-series detailed fleet review is part of sales process.

Sleipner Finland Oy
 sleipner@sleipner.fi
 www.sleipner.fi

