


MANAGED AWS APPLICATIONS

MediaBridge
AppBridge



CUSTOMER FIREWALL

PLAYER PORTS

PORT 443

Player Synchronization
Player Firmware Updates
WebCache

PORT 2626

CRS to Player:
Triggering, Diagnostics

HTTP/PORT 80

Player Synchronization

OUTBOUND CONNECTIONS

PORT 443

PORT 2626

PORT 80 (optional)

OPTIONAL ADDITIONAL PORTS


If using external image cache, any images requiring other ports also need to be opened.

Traffic is dictated by amount of new media added to application.
MediaBridges require static IPs.
CommandCenterHD representatives may require SSH access to MediaBridges during installation and support. VPN access optional.



MANAGED AZURE APPLICATIONS

MediaBridge
AppBridge



CUSTOMER FIREWALL

PLAYER PORTS

PORT 443

Player Synchronization
Player Firmware Updates
WebCache

PORT 2626

CRS to Player:
Triggering, Diagnostics

HTTP/PORT 80

Player Synchronization

OUTBOUND CONNECTIONS

PORT 443

PORT 2626

PORT 80 (optional)

OPTIONAL ADDITIONAL PORTS

If using external image cache, any images requiring other ports also need to be opened.

Traffic is dictated by amount of new media added to application.
MediaBridges require static IPs.
CommandCenterHD representatives may require SSH access to MediaBridges during installation and support. VPN access optional.



DATA CENTER EQUIPPED WITH:

- UPS power with battery and generator backup
- Secure location with 24-hour card access
- Climate controlled environment with redundant cooling systems
- Chemical fire suppression
- Dual/redundant power across separate breakers for all server and storage devices
- SSAE-16 and SOC2 Audited facility
- 24x7x364 on-site monitoring



MANAGED IWWS APPLICATIONS

- MediaBridge
- AppBridge



PLAYER PORTS

- PORT 443**
Player Synchronization
Player Firmware Updates
WebCache
- PORT 2626**
CRS to Player:
Triggering, Diagnostics
- HTTP/PORT 80**
Player Synchronization

OUTBOUND CONNECTIONS

- PORT 443**
- PORT 2626**
- PORT 80 (optional)**



OPTIONAL ADDITIONAL PORTS

If using external image cache, any images requiring other ports also need to be opened.

Traffic is dictated by amount of new media added to application. MediaBridges require static IPs. CommandCenterHD representatives may require SSH access to MediaBridges during installation and support. VPN access optional.

