



MEZZANINE 200 SERIES

PRODUCT OVERVIEW

The Mezzanine 200 Series enables real-time collaborative content-sharing and interaction, creating a data-rich environment that engages teams in the work at hand. Purpose-built for small- to medium-sized spaces and the teams that work in them, Mezzanine 200 delivers powerful capabilities previously available only in larger meeting rooms. Create a dynamic working environment with two displays and control content using Mezzanine's spatial tracking system. Mezzanine 200 is powered by an in-room appliance and is equipped with an optical tracking system.

BENEFITS

Decide using all your data: Enable multiple streams of content providing shared context for higher quality, more efficient decision making.


Meet from anywhere: Provide multi-directional content sharing, allowing anyone to connect and contribute from anywhere—in-room, a remote room, or on the go.

Engage the power of teams: Facilitate easy, instantaneous sharing of any device, leading to more engaging, more productive meetings.

Ease of use: Start your meeting with a one-click dial from an integrated calendar. Bring your own device and integrate your existing communication and collaboration tools to start working from day one.

MEZZANINE 200 ROOM

Create a dynamic working environment with two displays and multiple configurations to match the needs of any organization. Control content using Mezzanine's spatial tracking system and wand. Or share your screen with the Mezzanine app.



- 1 WORKSPACE
- 2 VIDEO CONFERENCING CAMERA
- 3 IR TAGS
- 4 OPTICAL WAND

- 5 WHITEBOARD
- 6 WHITEBOARD CAMERA (optional)

TECHNICAL SPECIFICATIONS

	MEZZANINE APPLIANCE
Form factor	In-room mini appliance
Video Inputs	10 simultaneous inputs: <ul style="list-style-type: none"> • 3 x HDMI streams (common formats: 1080p60, 720p60) <ul style="list-style-type: none"> • 7 x Network video streams (Screencast)
Video Outputs	2 x HDMI outputs Supported Format: 1080p60
Audio Inputs	3 x audio streams (HDMI input)
Audio Outputs	1 x 3.5mm stereo output
Network Interface Connections	1 x Gigabit Network Port (LAN) 1 x USB to Gigabit Network Adapter (Private)
Other Connections	None
Hard Drives	512 GB Solid-state drive
Operating System	Ubuntu 16.04 LTS
Dimensions	211 x 116 x 28 mm (W x D x H)
Weight	0.62 kg
Power	V: 100-240 V Hz: 50-60 Hz W: 120 W
Operating Environment	0°C to 40°C (32°F to 104°F)


LOGICAL DIAGRAM

MEZZANINE 200 SERIES

CONNECT TO MEZZANINE

UP TO 9 INPUTS



TRACKING SYSTEM



OPTICAL TRACKING DIAGRAM

MEZZANINE 200 SERIES

MEZZANINE DISPLAYS



HARDWARE AND PERIPHERALS

MEZZANINE 200 SERIES KIT

COMPONENT	DESCRIPTION	QUANTITY
Mezzanine Appliance	The hub of the Mezzanine experience. Drive two displays with a Mezzanine mini appliance. Includes video input and output support.	1
Optical Wand	A gestural control device used to interact with the Mezzanine Workspace.	1
Bluetooth LE Receiver	A Bluetooth LE radio receiver used to communicate with an optical wand.	1
Tags	Display mounted array of IR LEDs used to enable the gestural control of Mezzanine.	3-4 tags / display

PERIPHERALS (sold separately)

COMPONENT	DESCRIPTION	QUANTITY
Displays & Mounts	Recommended sizes: 55" – 65" Minimum size: 55"	2
Video Teleconferencing	Standards-based VTC System Preferred integration: Cisco, Polycom, Lifesize	1
Audio System	Speakers	As Needed
Power Support	Power Distribution Unit	As Needed
Cabling	HDMI, Audio, Power, Ethernet cabling	As Needed
Whiteboard Camera	An IP camera used to stream or capture an analog whiteboard surface. (Model: Avigilon 5.0-H3-B2)	1 (Optional)
	PoE Injector in support of the IP camera	1 (Optional)

MORE INFORMATION

- Learn more about the [Mezzanine 200 Series](#).
- Visit [Oblong's Support Portal](#) and self-register for more information.