



MEZZANINE 600 SERIES

PRODUCT OVERVIEW

The Mezzanine 600 Series is the defining product in the immersive collaboration space. Built for medium- to large-sized conference rooms, Mezzanine 600 creates an immersive workspace out of six displays, delivering an unsurpassed visual impact for presentations and a data-rich environment for working teams. Mezzanine 600 is powered by in-room appliances and is equipped with an optical tracking system for gestural control over content.

BENEFITS

Decide using all your data: Enable multiple streams of content providing shared context for higher quality, more efficient decision making.


Meet from anywhere: Provide multi-directional content sharing, allowing anyone to connect and contribute from anywhere—in-room, a remote room, or on the go.

Engage the power of teams: Facilitate easy, instantaneous sharing of any device, leading to more engaging, more productive meetings.

Ease of use: Start your meeting with a one-click dial from an integrated calendar. Bring your own device and integrate your existing communication and collaboration tools to start working from day one.

MEZZANINE 600 ROOM

Create a dynamic working environment with two displays and multiple configurations to match the needs of any organization. Control content using Mezzanine's spatial tracking system and wand. Or share your screen with the Mezzanine app.



- 1 PRIMARY WORKSPACE
- 2 SECONDARY WORKSPACE
- 3 VIDEO CONFERENCING CAMERA
- 4 IR TAGS
- 5 OPTICAL WAND

- 6 WHITEBOARD
- 7 WHITEBOARD CAMERA (optional)

TECHNICAL SPECIFICATIONS


	MEZZANINE APPLIANCE	CORKBOARD APPLIANCE
Form factor	In-room mini appliance	In-room mini appliance
Video Inputs	10 simultaneous inputs: <ul style="list-style-type: none"> • 4 x HDMI streams (common formats: 1080p60, 720p60) • 1 x IP camera stream • 5 x Network video streams (Screencast) 	None
Video Outputs	3 x HDMI outputs Supported Format: 1080p60	3 x HDMI outputs Supported Format: 1080p60
Audio Inputs	4 x audio streams (HDMI input)	None
Audio Outputs	1 x 3.5mm stereo output	None
Network Interface Connections	1 x Gigabit Network Port	1 x Gigabit Network Port
Other Connections	None	None
Hard Drives	512 GB Solid-state drive	512 GB Solid-state drive
Operating System	Ubuntu 16.04 LTS	Ubuntu 16.04 LTS
Dimensions	211 x 116 x 28 mm (W x D x H)	211 x 116 x 28 mm (W x D x H)
Weight	0.62 kg	0.62 kg
Power	V: 100-240 V Hz: 50-60 Hz W: 120 W	V: 100-240 V Hz: 50-60 Hz W: 65 W
Operating Environment	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)

LOGICAL DIAGRAM

MEZZANINE 600 SERIES


CONNECT TO MEZZANINE

UP TO 10 INPUTS



OPTICAL TRACKING DIAGRAM

MEZZANINE 600 SERIES



HARDWARE AND PERIPHERALS

MEZZANINE 600 SERIES KIT

COMPONENT	DESCRIPTION	QUANTITY
Mezzanine Appliance	The hub of the Mezzanine experience. Drive three displays with a Mezzanine mini appliance. Includes video input and output support.	1
Corkboard Appliance	Extend your Mezzanine experience by adding up to three more displays using a Corkboard mini appliance.	1
Optical Wand	A gestural control device used to interact with the Mezzanine Workspace.	2
Bluetooth LE Receiver	A Bluetooth LE radio receiver used to communicate with an optical wand.	2
Tags	Display mounted array of IR LEDs used to enable the gestural control of Mezzanine.	2 tags / display
Whiteboard Camera	An IP camera used to stream or capture an analog whiteboard surface.	1

PERIPHERALS (sold separately)

COMPONENT	DESCRIPTION	QUANTITY
Displays & Mounts	Recommended sizes: 55" – 85" Minimum size: 55"	Up to 6
Video Teleconferencing	Standards-based VTC System Preferred integration: Cisco, Polycom, Lifesize	1
PoE Network Switch	8-port (minimum) PoE network switch in support of Mezzanine's Device Network	1
Audio System	Speakers, Amplifier	As Needed
Power Support	Power Distribution Unit	As Needed
Cabling	HDMI, Audio, Power, Ethernet cabling	As Needed

MORE INFORMATION

- Learn more about the [Mezzanine 600 Series](#).
- Visit [Oblong's Support Portal](#) and self-register for more information.