



MEZZANINE 300 SERIES

PRODUCT OVERVIEW

The Mezzanine 300 Series is a new offering for medium-sized spaces where teams need to see and interact with multiple content streams simultaneously. Use Mezzanine 300 to elevate your client presentations, to enable your working teams to meet, connect, and share all of their data, or to extend your Mezzanine 600 and 650 Series meetings to teams located in remote offices. Mezzanine 300 is powered by an in-room appliance and is equipped with an optical tracking system.

BENEFITS

Decide using all your data: Enable multiple streams of content providing shared context for higher quality, more efficient decision making.


Meet from anywhere: Provide multi-directional content sharing, allowing anyone to connect and contribute from anywhere—in-room, a remote room, or on the go.

Engage the power of teams: Facilitate easy, instantaneous sharing of any device, leading to more engaging, more productive meetings.

Ease of use: Start your meeting with a one-click dial from an integrated calendar. Bring your own device and integrate your existing communication and collaboration tools to start working from day one.

MEZZANINE 300 ROOM

Create a dynamic working environment with two displays and multiple configurations to match the needs of any organization. Control content using Mezzanine's spatial tracking system and wand. Or share your screen with the Mezzanine app.




- 1 PRIMARY WORKSPACE
- 2 VIDEO CONFERENCING CAMERA
- 3 IR TAGS
- 4 OPTICAL WAND

- 5 WHITEBOARD
- 6 WHITEBOARD CAMERA (optional)

TECHNICAL SPECIFICATIONS

	MEZZANINE APPLIANCE
Form factor	In-room mini appliance
Video Inputs	10 simultaneous inputs: <ul style="list-style-type: none">• 3 x HDMI streams (common formats: 1080p60, 720p60) <ul style="list-style-type: none">• 1 x IP camera stream• 6 x Network video streams (Screencast)
Video Outputs	3 x HDMI outputs Supported Format: 1080p60
Audio Inputs	3 x audio streams (HDMI input)
Audio Outputs	1 x 3.5mm stereo output
Network Interface Connections	1 x Gigabit Network Port (LAN) 1 x USB to Dual Gigabit Network Adapter (Private)
Other Connections	None
Hard Drives	512 GB Solid-state drive
Operating System	Ubuntu 16.04 LTS
Dimensions	211 x 116 x 28 mm (W x D x H)
Weight	0.62 kg
Power	V: 100-240 V Hz: 50-60 Hz W: 120 W
Operating Environment	0°C to 40°C (32°F to 104°F)




LOGICAL DIAGRAM

MEZZANINE 300 SERIES


CONNECT TO MEZZANINE

UP TO 9 INPUTS



OPTICAL TRACKING DIAGRAM

MEZZANINE 300 SERIES



HARDWARE AND PERIPHERALS

MEZZANINE 300 SERIES KIT

COMPONENT	DESCRIPTION	QUANTITY
Mezzanine Appliance	The hub of the Mezzanine experience. Drive three displays with a Mezzanine mini appliance. Includes video input and output support.	1
Optical Wand	A gestural control device used to interact with the Mezzanine Workspace.	2
Bluetooth LE Receiver	A Bluetooth LE radio receiver used to communicate with an optical wand.	2
Tags	Display mounted array of IR LEDs used to enable the gestural control of Mezzanine.	2 tags / display
Whiteboard Camera	An IP camera used to stream or capture an analog whiteboard surface. (Model: Avigilon 5.0-H3-B2)	1
	PoE Injector in support of the IP camera	1

PERIPHERALS (sold separately)

COMPONENT	DESCRIPTION	QUANTITY
Displays & Mounts	Recommended sizes: 55" – 85" Minimum size: 55"	3
Video Teleconferencing	Standards-based VTC System Preferred integration: Cisco, Polycom, Lifesize	1
Audio System	Speakers	As Needed
Power Support	Power Distribution Unit	As Needed
Cabling	HDMI, Audio, Power, Ethernet cabling	As Needed

MORE INFORMATION

- Learn more about the [Mezzanine 300 Series](#).
- Visit [Oblong's Support Portal](#) and self-register for more information.