

Beneteau Oceanis 51.1



Make	Model	Length	Price	Year	Condition
Beneteau	Oceanis 51.1	15.94 m	EUR 375,000	2019	New
Hull Material	Draft	Number of Engines	Fuel Type	Tax Status	
Fibreglass (GRP)	2.36 m	1	Diesel	Tax Not Paid	

With taut lines, a new stepped hull and a stylish deck plan, the Oceanis 51.1 is the first of a new generation. Easy to handle, comfortable and smart, one third of the Oceanis 51.1's hull is now stepped. In addition to the aesthetics of this flared shape, the new hull creates additional interior space allowing for exciting new layouts on a boat this size. With emphasis on taut cruiser lines, she is a joy to move around and reassuringly safe while the spacious cockpit, many relaxation and sun bathing areas, as well as an aft swim platform, promise true comfort. The large hull portholes bathe the boat in light and elegantly emphasize the interior design by Nauta Design creating a wonderful atmosphere.

Measurements

Max Speed: 9.43 kn
Max Speed RPM: 3290
LOA: 15.94 m
LWL: 14.52 m
Beam: 4.8 m
Min. Draft: 2.36 m
Max Draft: 2.36 m
Cabin Headroom: 1.95 m
Mainsail: 45 m²
Headsail: 46.1 m²
Ballast: 3198 kg
Displacement: 13930 kg
Windlass: Electric Windlass
Fuel Tanks #: 2
Fuel Tanks Cap.: 200 L
Fresh Water Tanks #: 1
Fresh Water Tanks Cap.: 440 L
Holding Tanks #: 2
Holding Tank Cap.: 80 L
Number of double berths: 3
Number of Cabins: 3
Number of Bathrooms: 2
Number of Heads: 2

Propulsion

Engine #1
Engine Make: Yanmar
Engine Model: 4JH110
Primary Engines: Inboard
Drive Type: Sail Drive
Location: Center
Engine Year: 2019
Hours: 0
Power: 110 hp

Propeller Type: 3 Blade

Electronics

Log-Speedometer
Wind Speed and Direction
Plotter
Autopilot
Compass
GPS
VHF

Sails

Furling Mainsail
Furling Genoa - Self Tacking

Inside Equipment

Bow Thruster
Electric Bilge Pump
Manual Bilge Pump
Air Conditioning
Hot Water
Refrigerator
Sea Water Pump

Electrical Equipment

Shore Power Inlet

CONSTRUCTION

Design in accordance with European Directive requirements and according to CE certification

Vacuum infused hull (GRP / Sandwich balsa wood)

Vacuum infused structural inner liner (Fabrics - resin) bonded to the hull

Injected deck construction in glass fiber and Saerform foam sandwich, covered with non-slip diamond pattern

Cast iron keel fixed with bolts and stainless steel backing plates

Twin rudders hung with stainless steel stock

White coloured hull - Grey metal hull graphics
8 Hull portholes

DECK EQUIPMENT

RIGGING

Anodised aluminium mast, deck stepped with in-mast furling system, 2 Aft swept spreaders
Anodised aluminium boom
Discontinuous stainless steel standing rigging
Split backstay
Rigid boom vang with tackle
Self-tacking jib with on-deck furler
2 Stand Up mainsheet blocks on the coachroof
1 Self-tacking jib track with traveller
All lines brought back to the helm stations (except boom topping lift and genoa halyard) Complete running rigging: Main halyard, Genoa halyard with on- mast tensioner, Boom topping lift with cleat on mast, Mainsheet, 1 Self-tacking jib sheet
6 Clutches
Halyard covers
2 Flag halyards

WINCHES

1 Self tailing winch (H46.2 STA) at each helm station
1 Aluminium Speed Grip winch handle
2 Winch handle holders

SAILS

Dacron furling mainsail with Natural UV protection
Dacron self-tacking jib with Natural UV protection

MOORING LINES - MOORING

Self-draining chain locker - Clench bolt - Hatch cover
Single roller stainless steel bow fitting with offset roller
12 V - 1 500 W vertical electrical windlass - Remote control
6 Aluminium mooring cleats, Length: 400mm / 15"3/4 - Stainless steel chafing plate

SAIL LOCKER

Access through deck hatch T70, Passage width: 62 cm / 2'
Stainless steel ladder
Shelving unit
Lighting
1 230V socket

SAFETY ON DECK

1 Open stainless steel pulpit
2 Stainless steel pushpits
2 Stainless steel handrails on coachroof
1 Lifebuoy support bracket
Welded ring on pushpit for flag
Double guard lines and stainless steel stanchions, 650mm / 2'2"
Emergency ladder on pushpit

COCKPIT

Self-draining cockpit
2 Watertight lockers under the cockpit benches
1 Locker in cockpit bottom
1 Gas compartment under port helmsman seat
Natural solid wood slatted cockpit benches
Solid wood slatted helm seats with starboard storage locker
Foldaway helmsman foot chock
2 Steering wheel consoles: Stainless steel steering wheels (900mm diameter / 2'11") - Anthracite leather covering - Steering gear at the helm station - Steering line transmission system - Stainless steel handrail
2 Deck access for emergency tiller
1 Emergency tiller

1 Steering compass on the cockpit table
Engine throttle and control panel on starboard
Cockpit table, stainless steel frame, 2 leaves with teak veneer, lighting, 4 cup holders, stainless steel handrail, life raft stowage
1 Cockpit shower with mixer tap
2 Hinged PMMA companionway doors - Sliding hatch made of PMMA

SWIM DECK / STERN DECK

Fully opening transom, convertible to bathing platform (2,65m x 0,80m / 8'8" x 2'7")
Intermediate cockpit access step
Electrically operated
Natural solid wood decking on swim platform
1 Stainless steel, removable bathing ladder with dedicated stowage in the cockpit

INTERIOR (Bathrooms 3, Cabins 2 version - Standard)

Alpi walnut woodwork
Rovere Aleve type laminated floorboards
Fabric upholstery
Padded lining in saloon (Beige)
Mattresses in the cabins, HR35kg/m³ foam

COMPANIONWAY

OCEANIS_51-1_2019-20_FI_04D.mif

Headroom: 2,03m / 6'8"
Wooden saloon companionway with moulded wood suspended steps with non-slip surface
2 Stainless steel handrails covered with anthracite leather

SALOON

Headroom: 2,03m / 6'8"
U shaped saloon bench - double density foam
1 Flexible and swivelling reading light
Saloon table - Varnished wooden top
Storage under bench seats
Bottle rack behind the bench against the forward bulkhead

2 Panoramic coachroof windows with curtains
2 Hull portholes
1 Opening portlight with curtains in the coachroof side window
2 Opening deck hatches with mosquito screen/blinds
Commando Natural upholstery in Saloon

CHART TABLE - STARBOARD

Headroom: 1,97m / 6'6"
Table with storage- moulded wood fiddle - Laminated covering
Seat with backrest, lounge function
Electrical panel for access to electrical connections
1 Flexible and swivelling reading light
2 USB sockets
Bookshelf against forward bulkhead
1 Hull porthole

GALLEY - PORT SIDE

Headroom: 1,94m / 6'4"
U-shaped galley • Work top in Clay compact with Corian fiddles
1 rectangular stainless steel sink - 1 Mixer tap with hot/cold water under pressure
1 Gas cooker 2 burners - Stainless steel oven on gimbal - Stainless steel protection handrail
1 85 litre ice box, top opening (without refrigeration unit)
1 130 litre refrigerator (12V), front opening
Fitted lockers and closed shelving
Bin with access on the work top
1 Lower unit: 3 Drawers
1 Opening portlight with curtains in the coachroof side window
1 Hull porthole

OCEANIS_51-1_2019-20_FI_04D.mif

PANTRY - PORT

Headroom: 1,98m / 6'6"
Access via galley
Large storage area (1 Hanging locker, Cupboards)

Place for washing machine (optional) instead of high unit
Place for wine cellar or negative cold conservator, 1 drawer (optional) instead of the low cupboard
1 Opening portlight with curtains in the coachroof side window

OCEANIS_51-1_2019-20_FI_04D.mif

OWNER'S CABIN

Headroom: 1,95m / 6'5"

Central double bed Island bed type, mounted on gas struts (2,05m x 1,60m x 1,23m / 6'9" x 5'3" x 4')

2 Hanger closets, Open storage compartment along the hull,
6 Upper lockers, 1 Storage space under bed (Drawer under the bed + Central stowage under bed)
1 Seat on both sides of the bed
2 Bedside tables
2 Reading lights
2 USB sockets
1 Low shoe storage unit, 1 Mirror on bulkhead
2 Flush deck hatches with mosquito screen/blind
2 Hull portholes with sliding blind

2 PRIVATE HEADS

Headroom: 1,85m / 6'1"

To Port:

Manual toilet
180L rigid holding tank
White polyester basin built into the Corian Clay work top, Mixer tap
1 Cabinet - Mirror
Toilet accessories
1 Deck hatch with mosquito screen/blind

To Starboard:

Shower with wooden seat, white polyester shower base • 2 storage closet
1 Deck hatch with mosquito screen/blind

PORT AFT CABIN

Headroom: 1,97m / 6'6"

- 1 Double bed (2,10m x 1,60m / 6'11" x 5'3")
- 2 Hanger closets - 1 Cupboard - Closed shelving
- 1 Bed access sideboard
- 2 flexible and multi-directional reading lights at bedhead
- 1 USB socket
- 1 Hull porthole with sliding blind
- 1 Cockpit opening window with curtain under cockpit seats
- 1 Fixed cockpit window with curtain on the coaming

STARBOARD AFT CABIN

Headroom: 1,97m / 6'6"

- 1 Double bed (2,10m x 1,60m / 6'11" x 5'3")
- 1 Hanging locker - 1 Cupboard - Closed shelving
- 1 Bed access sideboard
- 2 flexible and multi-directional reading lights at bedhead
- 1 USB socket
- Access door to aft head
- 1 Hull porthole with sliding blind
- 1 Cockpit opening window with curtain under cockpit seats
- 1 Fixed cockpit window with curtain on the coaming

AFT HEAD - STARBOARD

Headroom: 1,83m / 6'

- Access from the saloon or the starboard aft cabin**
- Separate shower - 1 Mixer tap - White polyester shower base**
- Corian Clay work top with self-draining storage**
- 1 Manual toilet**
- 180L rigid holding tank**
- Washbasin - 1 Mixer tap**
- 1 Cabinet + Storage space under the basin**
- 2 Mirrors**
- Toilet accessories**
- 1 Opening portlight with curtains in the coachroof side window**

PANTRY - STARBOARD - at base of companionway

standard : 1 Hanging locker, Cupboard

Place for washing machine (optional) instead of high unit

Place for wine cellar or negative cold conservator, 1 drawer (optional) instead of the low cupboard

ENGINE

OCEANIS_51-1_2019-20_FI_04D.mif

Engine Yanmar Diesel: 110 HP, Propeller shaft, Common Rail

Engine throttle and control panel on starboard

Engine compartment: Soundproofing foam - Ventilation: 3 air intakes and 1 forced air outlets

1 Alternator 12 V / 125 Ah

1 Rotomoulded diesel tank 200 L (under starboard aft berth) - Electronic gauge - Low level alarm -

1 Deck filler

Filters: Seawater - Diesel - Water separator

Fixed three blades propeller

1 Engine access through companionway (opening with 2 gas struts) - 2 Engine access through aft cabins

ELECTRICITY

OCEANIS_51-1_2019-20_FI_04D.mif

12V circuit

2 service batteries (140 Ah) - 1 Engine battery (120 Ah)

1 Power distributor

12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)

6 230V Sockets

6 USB sockets

1 Shore power socket (230V)

LED lighting: Overhead lights - Reading lights - Reading light, flexible and multi-directional

LED navigation lights: 1 Masthead light - 1 Steaming light - 1 Anchor light on masthead

Wire runs for option cables

PLUMBING

OCEANIS_51-1_2019-20_FI_04D.mif

1 Rotomoulded freshwater tank 400 L / 106 US Gal, under berth in forward cabin - 1 Deck filler

Pressurised electric water pump - Expansion tank - Inline filter

40 L / 11 US Gal Electric water heater (engine use)

1 Rigid 80 L / 21 US Gal black water holding tank for each WC

Electrical shower drain pumps

1 Electric bilge pump

1 Manual bilge pump

1 Electric pump for the ice box drain

GAS

1 Gas bottle box in the cockpit (Diameter 0,34 m x 0,53 m / 1'1" x 1'9")

Regulator and safety tap

Gas leak detector

OPTIONS

COMFORT TRIM LEVEL

Cockpit bench extensions + 2 halyard bags below
HiFi: Fusion + Interior loudspeakers & Waterproof exterior speakers
Galley: Stainless steel cooker 2 burner oven/grill on gimbal
Galley: Refrigeration system, 12 V, in top-opening icebox (for storage below 0°C) Galley: Compact sink cover Clay with cutting board
Upholstery padding (Cabins): Beige
Mosquito screens on portholes
3 Additional 140 ampères service batteries
1 Additional 60 ampères battery charger
AGM Batteries in lieu of standard
Saloon & Galley: LED indirect lighting
Battery charge display (Navicolor screen)
Yacht Case - Tableware

COASTAL PACK

Starboard steering console: 1 Multifunction touchscreen Zeus3 7" wide wireless (GPS, Chart plotter, Chart reader - Navionics Silver cartography included)
Port and starboard helm stations: 1 Triton2 display
Wind Sensor (Windvane, Anemometer)
Sensor (Log, Speedometer, Temperature)
NAC3 autopilot + Control at steering station
Fixed V90S VHF, AIS receiver function
Windex Windvane

Protective cover (Cadet Grey):
To Starboard: Steering wheel & console
To Port: Steering wheel

EXTRAS

Windlass control in cockpit with chain counter
Bow Thruster
Sea water/fresh water foot pump (Galley)
Pre-wiring for Generator 9KVA 230V 50Hz

Air conditioning - 40 000 BTU
Extra diesel tanks 200L under starboard aft berth
Opening porthole in cockpit for Aft Cabins
Cockpit Solid Wood Slatted Floor
English Owner's Manual
Europe B&G Cartography

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.







