


# How to Connect a PC to CMKL Printer




## Step 1

Make sure you are connected to **CMKL WIFI**. Contact [help@cmkl.ac.th](mailto:help@cmkl.ac.th) and go to the link for installing a FUJI XEROX driver




## Step 2

Click the link and select your Operating System that matches with your windows version and system type.




## Step 2.1

Tip: To check the edition and system type of your windows, right click on Start and select System.




## Step 3

Click Download and follow the prompts on the installation processes.




## Step 4

Allow the App to make change to your device.




## Step 5

Select "I accept (A)" then click on Next.




### Step 6

On "Choose method of connection" select "Ethernet".




### Step 7

The printer will not be found, so you need to click on "Add Printer Manually".




### Step 8

Contact help@cmkl.ac.th for the IP address.




### Step 9

Now select the FUJI XEROX DocuCentre-VII C6673 FUJI XEROX ApeosPort-VII C6673 xxx.xxx.xx.x and click on Next.




### Step 10

Set as Default printer and click on Install.



### Step 11

Print a Test Page and click on Finish.



Manage your device

Printer status: Idle

Open print queue


Print a test page

Run the troubleshooter

Printer properties

Printing preferences

Hardware properties



Installable Options

Select the Installable Options button to select the options that are installed on your system.

Installable Options...

Accounting

Select the Accounting button to setup accounting for your system.

Accounting...

About

## Step 12




Set up your PIN .  
Make sure you have logged in to the printer  
and gotten ID.

## Step 12.1

Go into Settings>Devices>Printers &  
Scanners. Click on "Manage" and click on  
"Printer Properties".

## Step 12.2

Click on "Configuration" then click on  
"Accounting".



## Step 12.3

Change Specify Job Owner Name to "Enter  
Owner Name".

## Step 12.4

Key your user ID that you set at the printer  
in the "User ID".

## Step 12.5

Click OK and then click Apply.

\*\* Your Port Protocol and Port Number must be LPR and 515.

— You Are Now  
Set Up to Print —

