

# Body Wash 2oz/8oz

Sample ID: 1912CSALA1095.7365

 Strain: Body Wash 2oz/8oz  
 Matrix: Topical  
 Type: Other  
 Sample Size: 8 units  
 Batch Size: 575 units

 Produced: 10/11/2019  
 Collected: 12/05/2019  
 Received: 12/05/2019  
 Completed: 12/09/2019  
 Batch#: 19331  
 METRC ID: 1A40603000042FB000000407

 Distributor  
**STEAM Holding Corp / Adams St Enterprises**  
 Lic. # C11-0000483-LIC  
 3144 Adams St W, Santa Ana, CA, 92704

 Producer  
**Adams St. Enterprises LLC**  
 Lic. # CDPH-10002659  
 3144 Adams ST W, Santa Ana, CA 92704


## Summary

Pass

<b>63.42 mg/package</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Pass</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

## Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	mg/package	mg/package	mg/package	mg/ml
CBD	0.02464	0.06607	52.85	0.88
Δ9-THC	0.02795	0.06607	10.57	0.18
CBC	0.00945	0.06607	ND	ND
CBDa	0.01341	0.06607	ND	ND
CBDV	0.00661	0.06607	ND	ND
CBG	0.02464	0.06607	ND	ND
CBGa	0.01295	0.06607	ND	ND
CBN	0.0107	0.06607	ND	ND
THCa	0.0148	0.06607	ND	ND
THCV	0.0259	0.06607	ND	ND
Δ8-THC	0.02781	0.06607	ND	ND
<b>Total</b>			<b>63.42</b>	<b>1.06</b>

## Terpenes

Testing method: HS-GC-FID - SOP 201

Not Tested

<b>NT</b> Moisture Moisture Analyzer SOP-103	<b>NT</b> Water Activity Water Activity Meter SOP-102	<b>Pass</b> Foreign Matter Visual Inspection SOP-600 Date Tested: 12/05/2019
--	---	---

<b>10.57 mg/package</b> Total THC	<b>52.85 mg/package</b> Total CBD
--------------------------------------	--------------------------------------

1 serving = 1 Bottle , 60.0 milliliters; Density = 1.1011 g/ml; 1.0 servings per package; 10.57 mg/package Total THC; 52.85 mg/package Total CBD;

Date Tested: 12/09/2019

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 12/09/2019



 Anya Engen  
 Quality Review  
 12/09/2019



 Musa Aman  
 COA Review  
 12/09/2019

# Body Wash 2oz/8oz

Sample ID: 1912CSALA1095.7365

 Strain: Body Wash 2oz/8oz  
 Matrix: Topical  
 Type: Other  
 Sample Size: 8 units  
 Batch Size: 575 units

 Produced: 10/11/2019  
 Collected: 12/05/2019  
 Received: 12/05/2019  
 Completed: 12/09/2019  
 Batch#: 19331  
 METRC ID: 1A40603000042FB000000407

 Distributor  
**STEAM Holding Corp / Adams St Enterprises**  
 Lic. # C11-0000483-LIC  
 3144 Adams St W, Santa Ana, CA, 92704

 Producer  
**Adams St. Enterprises LLC**  
 Lic. # CDPH-10002659  
 3144 Adams ST W, Santa Ana, CA 92704

## Pesticides

**Pass**

Testing method: LCMS &amp; GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazaili *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclotrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 12/06/2019

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallyory Speakman  
 Laboratory Director - LA  
 12/09/2019



 Anya Engen  
 Quality Review  
 12/09/2019



 Musa Aman  
 COA Review  
 12/09/2019

## Body Wash 2oz/8oz

Sample ID: 1912CSALA1095.7365

 Strain: Body Wash 2oz/8oz  
 Matrix: Topical  
 Type: Other  
 Sample Size: 8 units  
 Batch Size: 575 units

 Produced: 10/11/2019  
 Collected: 12/05/2019  
 Received: 12/05/2019  
 Completed: 12/09/2019  
 Batch#: 19331  
 METRC ID: 1A40603000042FB000000407

 Distributor  
**STEAM Holding Corp / Adams St Enterprises**  
 Lic. # C11-0000483-LIC  
 3144 Adams St W, Santa Ana, CA, 92704

 Producer  
**Adams St. Enterprises LLC**  
 Lic. # CDPH-10002659  
 3144 Adams ST W, Santa Ana, CA 92704

### Microbials

Testing method: PCR-SOP 400

**Pass**

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 12/09/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Mycotoxins

Testing method: LCMS-SOP 301

**Pass**

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Heavy Metals

Testing method: ICPMS-SOP 502

**Pass**

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.051	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 12/09/2019



 Anya Engen  
 Quality Review  
 12/09/2019



 Musa Aman  
 COA Review  
 12/09/2019

## Body Wash 2oz/8oz

Sample ID: 1912CSALA1095.7365

 Strain: Body Wash 2oz/8oz  
 Matrix: Topical  
 Type: Other  
 Sample Size: 8 units  
 Batch Size: 575 units

 Produced: 10/11/2019  
 Collected: 12/05/2019  
 Received: 12/05/2019  
 Completed: 12/09/2019  
 Batch#: 19331  
 METRC ID: 1A40603000042FB000000407

 Distributor  
**STEAM Holding Corp / Adams St Enterprises**  
 Lic. # C11-0000483-LIC  
 3144 Adams St W, Santa Ana, CA, 92704

 Producer  
**Adams St. Enterprises LLC**  
 Lic. # CDPH-10002659  
 3144 Adams ST W, Santa Ana, CA 92704

## Residual Solvents

Testing method: HSGCMS-SOP 202

**Pass**

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0		210.11	Tested
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0		ND	Tested
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY  
 Accreditation No. 73653



 Mallory Speakman  
 Laboratory Director - LA  
 12/09/2019



 Anya Engen  
 Quality Review  
 12/09/2019



 Musa Aman  
 COA Review  
 12/09/2019