

Face Oil 2oz

Sample ID: 1912CSALA1095.7368

 Strain: Face Oil 2oz
 Matrix: Topical
 Type: Other
 Sample Size: 5 units
 Batch Size: 367 units

 Produced: 10/11/2019
 Collected: 12/05/2019
 Received: 12/05/2019
 Completed: 12/09/2019
 Batch#: 19551
 METRC ID: 1A40603000042FB000000397

 Distributor
STEAM Holding Corp / Adams St Enterprises
 Lic. # C11-0000483-LIC
 3144 Adams St W, Santa Ana, CA, 92704

 Producer
Adams St. Enterprises LLC
 Lic. # CDPH-10002659
 3144 Adams ST W, Santa Ana, CA 92704


Summary

Pass

259.45
mg/package
 Total Cannabinoids

Pass

Pesticides

Pass

Residual Solvents

Pass

Microbials

Pass

Mycotoxins

Pass

Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	mg/package	mg/package	mg/package	mg/ml
CBD	0.01983	0.05317	219.04	3.65
Δ9-THC	0.02249	0.05317	40.41	0.67
CBC	0.0076	0.05317	ND	ND
CBDa	0.01079	0.05317	ND	ND
CBDV	0.00532	0.05317	ND	ND
CBG	0.01983	0.05317	ND	ND
CBGa	0.01042	0.05317	ND	ND
CBN	0.00861	0.05317	ND	ND
THCa	0.01191	0.05317	ND	ND
THCV	0.02084	0.05317	ND	ND
Δ8-THC	0.02238	0.05317	ND	ND
Total			259.45	4.32

Terpenes

Testing method: HS-GC-FID - SOP 201

Not Tested

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	Pass Foreign Matter Visual Inspection SOP-600 Date Tested: 12/05/2019
--	---	---

40.41 mg/package

Total THC

219.04 mg/package

Total CBD

1 serving = 1 Bottle, 60.0 milliliters; Density = 0.8861 g/ml; 1.0 servings per package; 40.41 mg/package Total THC; 219.04 mg/package Total CBD;

Date Tested: 12/09/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/09/2019

 Anya Engen
 Quality Review
 12/09/2019

 Musa Aman
 COA Review
 12/09/2019

Face Oil 2oz

Sample ID: 1912CSALA1095.7368

Strain: Face Oil 2oz
Matrix: Topical
Type: Other
Sample Size: 5 units
Batch Size: 367 units

Produced: 10/11/2019
Collected: 12/05/2019
Received: 12/05/2019
Completed: 12/09/2019
Batch#: 19551
METRC ID: 1A40603000042FB000000397

Distributor
STEAM Holding Corp / Adams St Enterprises
Lic. # C11-0000483-LIC
3144 Adams St W, Santa Ana, CA, 92704

Producer
Adams St. Enterprises LLC
Lic. # CDPH-10002659
3144 Adams ST W, Santa Ana, CA 92704

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobotrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 12/06/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653



Mallyory Speakman
Laboratory Director - LA
12/09/2019



Anya Engen
Quality Review
12/09/2019



Musa Aman
COA Review
12/09/2019

Face Oil 2oz

Sample ID: 1912CSALA1095.7368

 Strain: Face Oil 2oz
 Matrix: Topical
 Type: Other
 Sample Size: 5 units
 Batch Size: 367 units

 Produced: 10/11/2019
 Collected: 12/05/2019
 Received: 12/05/2019
 Completed: 12/09/2019
 Batch#: 19551
 METRC ID: 1A40603000042FB000000397

 Distributor
STEAM Holding Corp / Adams St Enterprises
 Lic. # C11-0000483-LIC
 3144 Adams St W, Santa Ana, CA, 92704

 Producer
Adams St. Enterprises LLC
 Lic. # CDPH-10002659
 3144 Adams ST W, Santa Ana, CA 92704

Microbials

Testing method: PCR-SOP 400

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 12/09/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Testing method: LCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.074	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mally Speakman
 Laboratory Director - LA
 12/09/2019

 Anya Engen
 Quality Review
 12/09/2019

 Musa Aman
 COA Review
 12/09/2019

Face Oil 2oz

Sample ID: 1912CSALA1095.7368

 Strain: Face Oil 2oz
 Matrix: Topical
 Type: Other
 Sample Size: 5 units
 Batch Size: 367 units

 Produced: 10/11/2019
 Collected: 12/05/2019
 Received: 12/05/2019
 Completed: 12/09/2019
 Batch#: 19551
 METRC ID: 1A40603000042FB000000397

 Distributor
STEAM Holding Corp / Adams St Enterprises
 Lic. # C11-0000483-LIC
 3144 Adams St W, Santa Ana, CA, 92704

 Producer
Adams St. Enterprises LLC
 Lic. # CDPH-10002659
 3144 Adams ST W, Santa Ana, CA 92704

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0		ND	Tested
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0		ND	Tested
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 12/06/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 12/09/2019

 Anya Engen
 Quality Review
 12/09/2019

 Musa Aman
 COA Review
 12/09/2019