

MODERN STEEL™

collection



America's Favorite Garage Doors®



Model 9209 Modern Grooved Panel, Shown in Mocha Brown with Plain Short Windows Down Left Side (from inside garage looking out)

MODERN STEEL™ collection

Modern Steel™ Collection garage doors complement contemporary and mid-century modern home styles.

Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint and Ultra-Grain® finishes to create the perfect look for your home.



*Photographer, Brian Gassel
Model 9202 Modern Flush Panel; Shown in Ultra-Grain® Cypress Walnut Finish*

AVAILABLE WITH

intellipcore®
insulation technology



WARMER

Energy efficiency provides year-round comfort



QUIETER


Dense insulation reduces noise by up to 16 decibels



STRONGER

Enhanced strength resists everyday wear and tear

MODEL AVAILABILITY



DOOR DESIGNS

Door design examples shown at 9' wide x 8' high
Available window options listed below model number
(See back cover for examples of window options)

TEXTURE

| | 3-LAYER | | | | 2-LAYER | 1-LAYER |
|--|-----------------|---------------------|-----------------------|---------------------------|---------------------|---------------|
| | 2" Polyurethane | 1-3/8" Polyurethane | 2" Bonded Polystyrene | 1-3/8" Bonded Polystyrene | 1-5/16" Polystyrene | Non-Insulated |
| | 18.4 R-value | 12.9 R-value | 9.0 R-value | 6.5 R-value | 6.3 R-value | |

MODERN FLUSH Door constructed using 24", 21" and 18" section heights

| Window Options | Texture | 9202 | 9132 | 4302 | 4132 | | |
|----------------|-----------|----------------------|----------------------|----------------------|----------------------|--|--|
| Solid | Woodgrain | Contemporary Windows | Contemporary Windows | Contemporary Windows | Contemporary Windows | | |

MODERN FLUSH Door constructed using 21" and 18" section heights

| Window Options | Texture | 9201 | 9131 | 4301 | 4051 | T42F (24 Gauge Steel) | T40F (24 Gauge Steel) |
|----------------|-----------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------|--------------------------|--------------------------|
| Solid | Woodgrain | Contemporary and Decorative Windows | Contemporary and Decorative Windows | Contemporary and Decorative Windows | Decorative Windows | Decorative Windows | Decorative Windows |

MODERN FLUSH Door constructed using 24" and 21" section heights

| Window Options | Texture | 9208 | 9138 | 4308 | 4138 | | |
|----------------|---------|----------------------|----------------------|----------------------|----------------------|--|--|
| Solid | Stucco* | Contemporary Windows | Contemporary Windows | Contemporary Windows | Contemporary Windows | | |

MODERN GROOVED Door constructed using 24", 21" and 18" section heights

| Window Options | Texture | 9205 | | 4305 | | | |
|----------------|---------|----------------------|--|----------------------|--|--|--|
| Solid | Stucco* | Contemporary Windows | | Contemporary Windows | | | |

MODERN GROOVED Door constructed using 24" and 21" section heights

| Window Options | Texture | 9209 | 9139 | 4309 | | | |
|----------------|---------|----------------------|----------------------|----------------------|--|--|--|
| Solid | Stucco* | Contemporary Windows | Contemporary Windows | Contemporary Windows | | | |

| COLOR AVAILABILITY | Standard White | Glacier White | Almond | Desert Tan | Sandtone | Bronze | Chocolate | Mocha Brown | Hunter Green | Gray | Charcoal | Black | Ultra-Grain® Cypress Medium | Ultra-Grain® Cypress Cherry | Ultra-Grain® Cypress Walnut | Ultra-Grain® Cypress Slate |
|------------------------|----------------|---------------|--------|------------|----------|--------|-----------|-------------|--------------|------|----------|-------|-----------------------------|-----------------------------|-----------------------------|----------------------------|
| 9202, 9205, 9208, 9209 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9201 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9132, 9138, 9139 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 9131 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 4302, 4305, 4308, 4309 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 4301 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 4132 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 4051 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| 4138 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| T42F, T40F | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.

Models with Ultra-Grain® and Black paint options are 25 gauge steel.

*Exterior steel surface on an Ultra-Grain® painted door has a woodgrain texture on Modern Steel™ Collection doors.

STANDARD COLORS



- Exterior steel on standard color flush doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details). Grooved doors have a stucco texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

**Popular in select markets, Glacier White is a brighter white.*

† Additional charges apply.

Due to the printing process, colors may vary. See your Clopay Dealer for color samples. Not all colors available on all models. See previous page for complete color availability.

ULTRA-GRAIN® PAINT OPTION



Cypress Medium Finish Cypress Cherry Finish Cypress Walnut Finish Cypress Slate Finish

- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel™ Collection Ultra-Grain® painted doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with the Ultra-Grain® patterns.

Due to the printing process, colors may vary.

Not all colors available on all models. See previous page for complete color availability. Additional charges apply.

CUSTOM PAINT OPTION




Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

ADDITIONAL FEATURES

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- Patented Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore® doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability.

For additional information about how to care for and maintain your door, visit: clopaydoor.com/residential/support

HEAVY-DUTY HARDWARE



2" thick polystyrene doors and all Intellicore® doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

WARRANTIES

| | | |
|--|---|---|
| PAINT SYSTEM LIMITED LIFE WARRANTY | WINDOWS LIMITED 10YR WARRANTY | HARDWARE LIMITED 3YR WARRANTY |
|--|---|---|



Model 9138 Modern Flush Panel; Shown in Black with Plain Long Windows in all Panel Locations

RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

GREATER ENERGY EFFICIENCY



Thermal break* separates the interior from the exterior skin to improve energy efficiency and comfort.

**Thermal break is not present on 4051, 2-layer and 1-layer models.*

ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations



Model 9139 Modern Grooved Panel; Shown in Sandtone




*Model 4309 Modern Grooved Panel; Shown in Bronze with Plain Short Windows Down Right Side (from inside garage looking out)
High-Definition Steel Entry Door Model ST9833; Shown with Frost Glass*


CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. **Note: Window configurations are described from inside the garage looking out.**

Example: Windows down right side (from inside garage looking out)



View from Inside Garage



View from Outside Garage

POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options, including windows in each section and down one side, short and long windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

The images below are illustrated from outside the garage.

Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.

The illustrations shown below show window (glazed) and/or no window (solid) locations.

SOL=Solid (no window) location **GL**=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:



Clear



Obscure




Narrow Reed




Frosted

Other glass types and custom glass are available. See your Clopay Dealer for details.


SHORT WINDOW CONFIGURATIONS



SOL-SOL-SOL-GL
Sections: 1, 2, 3, 4




SOL-SOL-SOL-SOL-SOL-SOL-SOL-GL-GL
Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL
Sections: 1, 2, 3, 4




GL-GL-SOL-SOL-SOL-SOL-SOL-SOL
Sections: 1, 2, 3, 4




GL-SOL-SOL-GL
Sections: 3, 4



GL-GL-SOL-SOL-SOL-SOL-GL-GL
Sections: 3, 4




GL-GL-GL-GL
Sections: 1, 2, 3, 4




GL-GL-GL-GL-GL-GL-GL-GL
Sections: 1, 2, 3, 4


LONG WINDOW CONFIGURATIONS



SOL-GL
Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL
Sections: 1, 2, 3, 4



GL-SOL
Sections: 1, 2, 3, 4




GL-SOL-SOL-SOL
Sections: 1, 2, 3, 4




GL-GL
Sections: 3, 4



GL-GL-GL-GL
Sections: 3, 4



GL-GL
Sections: 1, 2, 3, 4



GL-GL-GL-GL
Sections: 1, 2, 3, 4

WINDOW OPTIONS

Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2" x 16" and long windows are 42" x 16".

Available on These Models

- 9202 9139*
- 9201 4302
- 9208* 4301
- 9205 4308*
- 9209* 4305
- 9132 4309*
- 9131 4132
- 9138* 4138*



* Models available only with plain, rectangular grille and square grille windows.




DECORATIVE INSERT SERIES WINDOWS


UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" x 12" and long windows are 40-1/2" x 12".

Available on These Models

- 9201 4051
- 9131 T42F
- 4301 T40F



Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.



† Shown with clear glass.

‡ Sunset windows not available on Ultra-Grain® doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.



Visit clopaydoor.com or call 1-800-2CLOPAY (800-225-6729) for more information on Clopay, America's Favorite Garage Doors. Follow us on [f](#) [y](#) [t](#) [p](#) [e](#) [h](#) [i](#) [n](#) [i](#)