


Universe	Professional
Type	Verticality
Category	Harnesses
Subcategory	Rope access harnesses



ASTRO® BOD FAST European version

With an integrated CROLL L ventral rope clamp, the ASTRO BOD FAST harness is designed for greater efficiency and comfort during rope ascents. The gated ventral attachment point allows optimal integration of equipment (rope clamp, lanyard, seat...). Wide, semi-rigid waistbelt and leg loops give excellent support. They are contoured and lined with breathable foam padding for comfort when suspended. The DOUBLEBACK self-locking buckles at the rear of the harness, between the waistbelt and the leg loops, allow for a shorter adjustment when the dorsal attachment point is used. The harness also facilitates the carrying and organizing of work tools, with multiple equipment loops and retainers for attaching CARITool tool holders and TOOLBAG tool-holder pouches. It is certified to European and Russian standards. The ASTRO BOD FAST European version features leg loops with FAST LT automatic buckles.



The gated ventral attachment point allows optimal integration of equipment (rope clamp, lanyard, seat...).



Two textile side attachment points with plastic insert ensure easy connection of equipment, with limited weight and bulk.



The waistbelt and shoulder straps are equipped with self-locking DOUBLEBACK PLUS buckles that allow quick and easy adjustment.



Leg loops are equipped with FAST LT buckles for quick and easy opening and fastening without the need to readjust them, even while wearing gloves.

Short Description Ultra-comfortable rope access harness

Selling Points

- Gated ventral attachment point can be opened for optimal integration of equipment:
 - connection of PROGRESS lanyards directly on the attachment point without need for a connector
 - connection of CROLL ventral rope clamp on the ventral point for greater efficiency on rope ascents
 - connection of the PODIUM seat on the attachment point allows direct connection to the descender, while guaranteeing mobility at the ventral attachment point
- Ultra-comfortable design:
 - semi-rigid, wide waistbelt and leg loops for excellent support; sculpted and lined with breathable foam padding for comfort during suspension
 - foam shoulder straps are widely spaced to reduce neck chafing. When the waistbelt is loaded, they help distribute the load over the shoulders
 - textile side attachment points with plastic insert ensure easy connection of equipment, with limited weight and bulk
- Convenient adjustment:
 - waistbelt and shoulder straps equipped with self-locking DOUBLEBACK PLUS buckles for quick and easy adjustment
 - leg loops equipped with FAST LT buckles for quick and easy opening and fastening without the need to readjust them, even while wearing gloves
 - DOUBLEBACK self-locking buckles at the rear of the harness, between the waistbelt and the leg loops, allow adjustment for use on the dorsal attachment point. In case of a fall on this point, a shorter adjustment allows the weight to be taken up on the leg loops so the user can remain more comfortably suspended while awaiting rescue.
- Facilitates the carrying and organization of tools:
 - six pre-shaped equipment loops with protective sheath
 - two slots for CARITool tool holder
 - two slots for TOOLBAG tool pouch

Specification

- Ventral attachment point: connection of a descender, a positioning lanyard for use in single mode, a progression lanyard, and a seat
 - Lateral attachment points: attachment for a positioning lanyard for use in double mode
 - Sternal attachment point: fall arrest system attachment
 - Dorsal attachment point: fall arrest system attachment
 - Rear attachment point on the waistbelt: restraint lanyard attachment
 - Certification(s): CE EN 361, CE EN 358, CE EN 813, CE EN 12841 type B, EAC
 - Material(s): nylon, polyester, aluminum, steel
-

Specifications by reference

Reference(s)	C083AA00	C083AA01	C083AA02
Color(s)	black/yellow	black/yellow	black/yellow
Size	0	1	2
Waist belt	65-80 cm	70-93 cm	83-120 cm
Leg loops	44-59 cm	47-62 cm	50-65 cm
Stature	160-180 cm	165-185 cm	175-200 cm
Weight	1855 g	1900 g	1980 g
Made in	RO	RO	RO
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	3	3	3
EAN	3342540822573	3342540822580	3342540822597

Accessory(ies) Shackles
TOOLBAG
CARITool

Related product(s) PROGRESS ADJUST
PODIUM
RIG
ASAP® LOCK
ASAP'SORBER AXESS
GRILLON