


Universe	Professional
Type	Verticality
Category	Anchors
Subcategory	Rock and concrete anchors




COEUR PULSE

The COEUR PULSE is a removable high-quality stainless steel anchor that can be installed and removed for reuse very simply and rapidly, without tools. The locking function limits the risk of involuntary removal.




The anchor can be installed and removed for reuse very simply and rapidly, without tools.



Manual screw-lock function limits the risk of involuntary removal.



Featuring a large attachment hole, the hanger facilitates clipping a carabiner and allows two carabiners to be installed simultaneously.



The hanger is characterized by its thickness, and the rounded edges of the attachment holes. This construction minimizes wear on connectors, regardless of their material composition.

Short Description Removable anchor with locking function

Selling Points

- Easy to use:
 - simple, rapid installation and removal, without tools, allowing it to be reused (1)
 - locking function limits the risk of involuntary removal
 - Easy clipping:
 - the wide, ergonomic connection hole facilitates carabiner clipping
 - the width of the hole allows installation of two carabiners at the same time
 - Prevents wear of carabiners thanks to the thickness of the hanger and the rounded edges of the connection hole
 - Hanger anti-rotation system: textured back keeps the hanger from turning when the anchor is being installed or when it is heavily laterally loaded during use
- (1) For optimal use of the anchor, the hole must be perfectly cylindrical. To this end, opt for a drill bit with three or four cutting edges.

Specification

- Material(s): 316L stainless steel
 - Certification(s): CE EN 795 B
-

Specifications by reference

Reference(s)	P37S 12
Diameter	12 mm
Weight	140 g
Drilling depth	6,5 cm
Drilling diameter	12 mm
Resistance to cutting on concrete 50 MPa	25 kN
Pull-out strength in concrete 50 MPa	20 kN
Made in	FR
Guarantee	3 years
Packing	1
Case quantity	8
EAN	3342540815889