

ALLURE

Porcelain Tile | Matte



Allure

Porcelain Tile | Matte

White



Tile Formats

Sizes



12"x24"

Packaging

Dimensions	Thickness	Sq. Ft / Carton	Pcs. / Carton	Mosaic	Bullnose
11.8"x23.62" 299.8x600.1mm	8.5 +/- 5mm	17.44	9	No	No

Shade Variation



High Variation

High shade and texture variation within each carton.



TECHNICAL FEATURES

Dimensions | Surface flatness

Warpage diagonal	mm	670.6 ± 0.15%	ASTM C485
Warpage edge	mm	599.8 ± 0.5%	ASTM C485

Physical properties

Water absorption	%	≤ .5	ASTM C373
Breaking strength	lbf	≥ 250	ASTM C648
Visible abrasion resistance	-	PEI (IV)	ASTM C1027
Thermal shock resistance	-	Resist	ASTM C484
Crazing resistance	-	Resist	ASTM C424
Resistance to freeze	-	Resist	ASTM C1026
Dynamic coefficient of friction (DCOF)	-	≥ 0.42	ANSI A326.3

Chemical properties

Chemical resistance	-	Class A Resist ¹	ASTM C650
Stain resistance	-	Class A	ASTM C1378

Lamosa USA Showroom
East Beltwood Parkway
Dallas, Tx. United States
75244



www.lamosausa.com



@lamosausa



@lamosausa



Lamosa USA



/lamosausa