

{matte}

Sonoma



LAMOSA.
USA

{matte}

Sonoma

Grey



Blue



Pinot



Noir



{sizes}

{packaging}

Tile Formats	Dimensions	Thickness	Sq. Ft / Carton	Pcs. / Carton	Mosaic	Bullnose
8"x8"	8.88"x23.62" 299.8x600.1mm	8.5 +/- 5mm	19.38	10	No	No

Shade Variation



Moderate Variation
Low to moderate shade and texture variation within each carton.



Technical Features

Dimensions | Surface flatness

Warpage diagonal	mm	1008.5±0.5%	ISO-10545-2
Warpage edge	mm	901.8±0.5%	ISO-10545-2

Physical properties

Water absorption	%	3 < wa ≤ 6.0	ISO-10545-3
Breaking strength	kg/cm²	≥ 250	ISO-10545-4
Visible abrasion resistance	-	PEI (IV)	ISO-10545-7
Thermal shock resistance	-	Resist	ISO-10545-9
Crazing resistance	-	Resist	ISO-10545-11
Resistance to freeze	-	Resist	ISO-10545-12
Dynamic coefficient of friction (DCOF)	-	≥ 0.42	ANSI A 137-1, Section 9.6

Chemical properties

Chemical resistance	-	Resist ¹	ISO-10545-13
Stain resistance	-	Min Class 3	ISO-10545-14

¹Avoid contact of the ceramic material with chemicals such as Muriatic Acid, Hydrofluoric Acid, Chlorine, Gasoline, Thinner, Diesel, cleaners that contain Potassium Hydroxide and other similar products, since the use of such substances can cause severe changes in the tile surface, altering its original appearance.

www.lamosausa.com

Lamosa USA Showroom
East Beltwood Parkway
Dallas, Tx. United States
75244



@lamosausa



Lamosa USA



@lamosausa



/lamosausa