

[Español \(/consumers/guides/exposicion-humana-los-campos-de-radiofrecuencia-pautas-para-los-emplazamientos\)](#) | [繁體中文 \(/consumers/guides/ren-jie-chu-she-pin-chang-xing-dong-tian-xian-wang-zhan-zhi-nan\)](#) | [Tagalog \(/consumers/guides/pagkalantad-ng-tao-sa-mga-radio-frequency-field-mga-alituntunin-para-sa-mga\)](#) | [Tiếng Việt \(/consumers/guides/su-phoi-nhiem-cua-con-nguoi-voi-cac-truong-tan-so-radio-nguyen-tac-huong-dan-cho\)](#) | [한국어 \(/consumers/guides/museon-jupasu-jagijange-daehan-nocul-selrulreo-antena-saiteue-daehan-gaideurain\)](#)

Primary antennas for transmitting wireless telephone service, including cellular and personal communications service (PCS), are usually located outdoors on towers and other elevated structures like rooftops, water tanks and sides of buildings. The combination of antenna towers and associated electronic equipment is referred to as a "cellular or PCS cell site" or "base station." Cellular or PCS cell site towers are typically 50-200 feet high. Antennas are usually arranged in groups of three, with one antenna in each group used to transmit signals to mobile units, and the other two antennas used to receive signals from mobile units.

At a cell site, the total radio frequency (RF) power that can be transmitted from each transmitting antenna depends on the number of radio channels (or transmitters) that have been authorized by the Federal Communications Commission and the power of each transmitter. Although the FCC permits an effective radiated power (ERP) of up to 500 watts per channel (depending on the tower height), the majority of cellular or PCS cell sites in urban and suburban areas operate at an ERP of 100 watts per channel or less.

An ERP of 100 watts corresponds to an actual radiated power of 5-10 watts, depending on the type of antenna used. In urban areas, cell sites commonly emit an ERP of 10 watts per channel or less. For PCS cell sites, even lower ERPs are typical. As with all forms of electromagnetic energy, the power density from a cellular or PCS transmitter rapidly decreases as distance from the antenna increases.

Consequently, normal ground-level exposure is much less than the exposure that might be encountered if one were very close to the antenna and in its main transmitted beam. Measurements made near typical cellular and PCS cell sites have shown that ground-level power densities are well below the exposure limits recommended by RF/microwave safety standards used by the FCC.

## Guidelines

In 1996, the FCC adopted updated guidelines for evaluating human exposure to RF fields from fixed transmitting antennas such as those used for cellular and PCS cell sites. The FCC's guidelines are identical to those recommended by the National Council on Radiation Protection and Measurements, a non-profit corporation chartered by Congress to develop information and recommendations concerning radiation protection. The FCC's guidelines also resemble the 1992 guidelines recommended by the Institute of Electrical and Electronics Engineers (IEEE), a non-profit technical and professional engineering society, and endorsed by the American National Standards Institute (ANSI), a nonprofit, privately-funded membership organization that coordinates development of voluntary national standards in the United States.

In the case of cellular and PCS cell site transmitters, the FCC's RF exposure guidelines recommend a maximum permissible exposure level to the general public of approximately 580 microwatts per square centimeter. This limit is many times greater than RF levels typically found near the base of cellular or PCS cell site towers or in the vicinity of other, lower-powered cell site transmitters. Calculations corresponding to a "worst-case" situation (all transmitters operating simultaneously and continuously at the maximum licensed power) show that, in order to be exposed to RF levels near the FCC's guidelines, an individual would essentially have to remain in the main transmitting beam and within a few feet of the

antenna for several minutes or longer. Thus, the possibility that a member of the general public could be exposed to RF levels in excess of the FCC guidelines is extremely remote.

When cellular and PCS antennas are mounted on rooftops, RF emissions could exceed higher than desirable guideline levels on the rooftop itself, even though rooftop antennas usually operate at lower power levels than free-standing power antennas. Such levels might become an issue for maintenance or other personnel working on the rooftop. Exposures exceeding the guidelines levels, however, are only likely to be encountered very close to, and directly in front of, the antennas. In such cases, precautions such as time limits can avoid exposure in excess of the guidelines. Individuals living or working within the building are not at risk.

## Printable Version

[Human Exposure to Radio Frequency Fields: Guidelines For Cellular Antenna Sites Guide \(/sites/default/files/human\\_exposure\\_to\\_radio\\_frequency\\_fields\\_-\\_guidelines\\_for\\_cellular\\_antenna\\_sites.pdf\)](#) (pdf)

**Date Last Updated/Reviewed:** Tuesday, October 15, 2019

---

## Bureau/Office:

[Consumer and Governmental Affairs \(https://www.fcc.gov/consumer-governmental-affairs\)](https://www.fcc.gov/consumer-governmental-affairs)

## Alternate Format Requests

People with print disabilities may request braille, large print, or screen-reader friendly versions of this article via the email form at [fcc504@fcc.gov](mailto:fcc504@fcc.gov) ([mailto:fcc504@fcc.gov?subject=Alternate Format Request](mailto:fcc504@fcc.gov?subject=Alternate%20Format%20Request) [https://www.fcc.gov/consumers/guides/human-exposure-radio-frequency-fields-guidelines-cellular-and-pcs-sites&body=Please DO NOT edit the subject line of this email and DO NOT send this email if you are not requesting an alternate format.%0A%0AThank you for requesting the above named article in an alternate format for a person with a print disability. Please provide the following information in order that we may fill your request promptly.%0A%0ADo you want this article in braille? \(Yes/No\)%0AIf so, enter your name and mailing address below.%0A%0ADo you want this article in large print? \(Yes/No\)%0AIf so, enter your name and mailing address below.%0A%0ADo you want this article in a screen-reader friendly MS Word File? \(Yes/No\)%0AIf so, it will be emailed to you directly.%0A%0A](https://www.fcc.gov/consumers/guides/human-exposure-radio-frequency-fields-guidelines-cellular-and-pcs-sites&body=Please%20DO%20NOT%20edit%20the%20subject%20line%20of%20this%20email%20and%20DO%20NOT%20send%20this%20email%20if%20you%20are%20not%20requesting%20an%20alternate%20format.%0A%0AThank%20you%20for%20requesting%20the%20above%20named%20article%20in%20an%20alternate%20format%20for%20a%20person%20with%20a%20print%20disability.%20Please%20provide%20the%20following%20information%20in%20order%20that%20we%20may%20fill%20your%20request%20promptly.%0A%0ADo%20you%20want%20this%20article%20in%20braille%3F%20%28Yes%2FNo%29%0AIf%20so%2C%20enter%20your%20name%20and%20mailing%20address%20below.%0A%0ADo%20you%20want%20this%20article%20in%20large%20print%3F%20%28Yes%2FNo%29%0AIf%20so%2C%20enter%20your%20name%20and%20mailing%20address%20below.%0A%0ADo%20you%20want%20this%20article%20in%20a%20screen-reader%20friendly%20MS%20Word%20File%3F%20%28Yes%2FNo%29%0AIf%20so%2C%20it%20will%20be%20emailed%20to%20you%20directly.%0A%0A)). For audio and other access, use the "Explore Accessibility Options" link. (Click the Audio Eye icon located near the bottom right of your screen.)

## Consumer Help Center

Learn about consumer issues - visit the FCC's Consumer Help Center at [fcc.gov/consumers](https://www.fcc.gov/consumers). ([/consumers](https://www.fcc.gov/consumers))

## File a Complaint with the FCC

[File Your Complaint](https://consumercomplaints.fcc.gov/us/)  
(<https://consumercomplaints.fcc.gov/us/>)

Visit our Consumer Complaint Center at [consumercomplaints.fcc.gov](https://consumercomplaints.fcc.gov) (<https://consumercomplaints.fcc.gov>) to file a complaint or tell us your story.

