

STYLE PERMEATES EVERY HOME.

And at Trex, we believe yours is meant to extend beyond its threshold. That's why we offer a variety of decking and railing collections, furniture and features, so that every family and every budget can experience the warm feeling of belonging. Find that in the pages ahead and then make the *Trex® decision that's right for you™*.

TABLE

of


CONTENTS

SECTION I: DECKING	
SECTION II: RAILING	26
SECTION III: EXTRAS	36
SECTION IV: PRODUCT LISTING	S 48












Transcend®

ELEVATED AESTHETICS PAIRED WITH THE HIGHEST LEVEL OF PERFORMANCE

Big, bold notions of outdoor living come to life with Trex Transcend® Tropicals. Our premium line combines second-to-none performance and hassle-free maintenance with the beauty of exotic wood. The result? Naturally streaked hues that make a vibrant statement.








In her

ELEMENT









home is not something that lifestyle expert, writer, designer and TV
personality Evette Rios takes lightly.
So when it came to expanding the
Pocono Mountains retreat that she
shares with her husband, Stephen,
and her two sons, Yago and Rex, the
Jane-of-all-trades knew she wanted
an outdoor room that not only
reflected her colorful personality, but
required little of her time when it
came to maintenance. Here the style
guru shares the ins and outs of her
recent Trex deck build.

How did you come to choose Trex for your project?

Itry to use sustainable and environmentally friendly products for my home whenever possible. Trex decking was the ideal solution because it is extremely durable and almost completely made of recycled content.

Which Trex decking product did you use?

I chose Trex Transcend in Island Mist. I love it because it has a silvery aged look that works well with the old barn wood around our property. We also used Trex Signature® railing with glass panels, which allowed us to have an uninterrupted view of the trees and visiting birds.

Did anything about Trex surprise you?

I was unsure if it would look like real wood, but Transcend decking looks entirely realistic with its streaks and color variations.

How are you using your outdoor space?

We eat our meals out there, we play out there, and we cook out there, too. Plus, there's a hot tub and a fireplace, so we are spending a lot of time on our Trex deck.

Featured in photos

Transcend Tropicals in Island Mist
Signature Glass & Aluminum Railing
Trex® Outdoor Kitchens™

- tastemaker —

EVETTE RIOS

To read the full interview with Evette, visit *evette.trex.com* 11


Trex Transcend®

A CLASSIC LOOK FOR

UNCOMPROMISING HOMES

Like its tropical counterpart, Trex Transcend® Earth
Tones gives homeowners the freedom and confidence to
design to every curve of the imagination. These premium
composite boards stand apart with a monochromatic
color palette as timeless as its inspiration: nature itself.

A luxurious look that lasts Consistent monochromatic color, end to end








TrexSelect®

THE PERFECT PAIRING OF PRICE

AND MINIMAL MAINTENANCE

Durable and inviting, Trex Select® brings consistent performance to your home—and peace of mind.

Skip the stain aisle and instead live life outdoors with the simple choice in composite decking.





GOLDEN HOUR Sampling a board color is the best way to grasp its finer details. A contemporary neutral like Rocky Harbor has pleasing depth, complete with slate streaks and sandy undertones. featuring: Enhance Naturals in Rocky Harbor and Select Ra


Trex Enhance®

THE BEAUTY OF WOOD WITH

THE EASE OF COMPOSITE

With its authentic wood-grain appearance, Trex Enhance® Naturals offers all the charm and none of the trouble of pressure-treated lumber. Imagine enjoying the very same multi-tonal streaking now and 25 years from now without costly, continual upkeep.










Trex Enhance®


PRICED TO PUT THE PRESSURE ON TREATED LUMBER

Trex has engineered cost out of the equation with our latest collection of easy-to-build, easy-to-maintain decking. Trex Enhance® Basics melds the durability of composite with the affordability of wood, resulting in long-lasting, worry-free decking.

















Trex Transcend® TROPICALS

Elevated aesthetics paired with the highest level of performance.



Island Mist

Tiki Torch

Havana Gold

Spiced Rum

Lava Rock









A classic look for uncompromising homes.















TrexSelect® EARTH TONES

The perfect pairing of price and minimal maintenance.















Trex Enhance[®]

NATURALS

The beauty of wood with

the ease of composite.

























Trex Enhance

BASICS

Priced to put the pressure on treated lumber.












Sample any and every color at order.trex.com

PRICE: \$ - \$\$\$









TREX WILL



Withstand sun, snow & sleet
HIGH-PERFORMANCE TECHNOLOGY



Clean easily with soap & water LOW-MAINTENANCE SHELL



Let forestfuls of trees grow and grow
MADE OF 95% RECYCLED
MATERIALS IN THE USA



Make good on its promises
25-YEAR LIMITED RESIDENTIAL
AND FADE & STAIN WARRANTIES



TREX WON'T



Rot, warp or splinter UNLIKE WOOD



Need seasonal sealing or staining UNLIKE WOOD



Become food for termites
UNLIKE WOOD



Fade or stain
UNLIKE WOOD

Which Trex and why?
See how our collections stack up
to wood at **compare.trex.com**



GREATER GREEN, GREATER GOOD.

It's a good feeling to be able to take in the view from your deck and know you did your part to protect the world around you.

Trex homeowners experience that sense of contentment over and over again, having chosen eco-friendly composite boards made with clean technology.



95%

recycled content

We repurpose 400,000 tons of plastic film and reclaimed sawdust annually



400 MILLION

pounds of plastic

Diverting this from landfills each year has made Trex one of largest recyclers of plastic film in North America



trees planted

Each sale of Trex Outdoor Furniture has led to this tally, thanks to our partnership with Trees for the Future






TrexSignature®

EFFORTLESS STYLE, EXCEPTIONAL STRENGTH

Incredibly sleek and remarkably strong, Trex Signature® celebrates the refined beauty of negative space. Choose from four infill options to complement powder-coated aluminum rails and posts.



TREX SIGNATURE® ALUMINUM RAILING

Traditional balusters pair stunning lines with guaranteed durability.









TREX SIGNATURE® MESH RAILING

Stainless-steel crosshatching lends a modern, industrial edge.










TREX SIGNATURE® GLASS RAILING

The ultimate in clean and contemporary: tempered glass (and sweeping views).









TREX SIGNATURE® ROD RAIL

Horizontal infill rods deliver high-end design to any outdoor space.









Tag your photos with **#trexrailing** to be featured on our Instagram feed.









Behold every curve at *signature.trex.com*









TIMELESS DESIGN YOU CAN TRUST— AND TAILOR

When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend®.


As strong and sturdy as its namesake decking, Transcend puts every color combination within reach. Style your own or eliminate the guesswork with pre-designed kits.

COMPOSITE: TOP & BOTTOM RAILS, SQUARE BALUSTERS



ALUMINUM: ROUND BALUSTERS







THE SIMPLE CHOICE FOR YOUR BACKYARD

Why overthink what works? Crisp, safe and effective, Trex Select® railing streamlines the design process by combining composite rails in Classic White and round aluminum balusters in Charcoal Black.


COMPOSITE TOP & BOTTOM RAILS

Classic White ROUND ALUMINUM BALUSTERS



The anatomy of RAILING

There are several key components of a railing section. Refer to the diagram to get a sense of what's what.





Transcend Rail & Round Aluminum Baluster Kit

Select Rail & Round Aluminum Baluster Kit

Perplexed by railing? Try a style shortcut.

Rail Kits

OFF-THE-SHELF EASE

Perfect for DIYers, this one-box solution includes top and bottom rails, your preferred infill and all necessary hardware for a single section of railing. Available in our most popular colors, kits cut down on the number of steps in your selection and ordering processes.

Post sleeve, cap and skirt sold separately.



Signature Aluminum Rail & Sqaure Baluster Kit

Decking & Railing Duos

COLOR-MINDED PAIRINGS

Know which decking color you're building with? Then start here. Each of our decking colors has been paired with three distinct rail-and-baluster looks. Choose from 60 unique ensembles, each accompanied with a thorough list of materials and tagged with an alphanumeric code, all online at **duos.trex.com**













SMOOTH, PREMIUM FINISH

Your means to a screw-free, evenly spaced deck surface. These self-gapping glass-filled nylon hidden fasteners are used in tandem with our grooved-edge boards.

QUICK AND EASY

Begin your install with securing your first board with start clips, made from stainless steel for superior durability.



BEAUTY FROM EVERY ANGLE

With Trex® Fascia, your outdoor space stands out, side on. Engineered to retain its rich color just as long as your deck surface, our fascia adds wonderful depth and dimension to your design.

GIVE YOUR DECK AN EDGE

Try Universal White Fascia for a crisp, clean finish.

More edging ideas at **fascia.trex.com**



38






With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover more ground—from post cap lights and recessed deck lights to stair risers and more.

DECK LIGHTING

Ours seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding. Shop **lighting.trex.com**

For the terms of warranties on Trex® OutdoorLighting™, see page 54 or visit trex.com. Cree® is a registered trademark of Cree, Inc.







OUTWIT THE ELEMENTS

The unique Trex® RainEscape® under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

Now available in black and tan. See all options at rainescape.trex.com

$\textbf{TREX}^{\circledast} \ \textbf{PROTECT}^{\texttt{TM}} \ \textbf{GOES} \ \textbf{THE} \ \textbf{EXTRA} \ \textbf{MILE}$

Shield the vulnerable components of your deck from moisture with Trex Protect, a non-skid, self-adhesive deck flashing tape.







Trex® Pergola™ keeps outdoor living from feeling so…outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

COOLER BY A MILE

Add a ShadeTree® Canopy System for a pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella® outdoor fabric at **pergola.trex.com**








HIDE AND CHIC

Mix the comforts of your indoor space with the natural beauty of your outdoor space with Trex[®] Outdoor Kitchens[™]. Color-rich cabinetry brings both style and utility to your yard.

STYLE MEETS DURABILITY

Protect your cabinetry from even the harshest elements with a powder-coated finish. Choose from a range of unique colors and designs at **outdoorkitchens.trex.com**



DEEP-SEATED BEAUTY

Each of our comfortable, durable and sustainable pieces feature an ergonomic design, superbly crafted with a splinter-free finish.

WELL ROOTED

Trex—in partnership with *Trees for the Future*—
plants a tree with each piece of furniture ordered.

Learn more at **furniture.trex.com**








INNOVATE YOUR SPACE

Welcome the beauty of the natural elements into your outdoor living space with fire and water features that push the limits of design and engineering.

AN ELEMENTAL OASIS

Turn up the heat when entertaining with fire pits, tables and pots. Or, give your yard a touch of luxury with elegant water features. Learn more at

fireandwater.trex.com



GO FROM SPACE-POOR TO SPACE-PROUD

Trex® Spiral Stairs™ offer all of the space-saving advantages of traditional spiral staircases but with Trex style, strength and simplicity.

STEP UP AND STAND OUT

Each step tread can be capped with Trex composite decking to match—or contrast—your deck color. Settled on spiral?

Download a blueprint at spiralstairs.trex.com



PLAY FOR KEEPS

Regulation-sized and surfaced, our durable cornhole set comes with eight resin-filled bags that withstand the elements, too. Learn more at **cornhole.trex.com**





ADDED COVERAGE FOR CURB APPEAL

Choose from a range of decorative and durable patterns to add privacy, utility and dimension deckside. Learn more at

lattice.trex.com

Trex Decking & Fascia

PROFILE	DE	ESCRIPTION	ITEM NUMBER	COLORS
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR
1" Square-Edge Board Actual dimensions:	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2S01 XX010616T2S01 XX010620T2S01	GP, RS, VL
Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics	XX010612E2S01 XX010616E2S01 XX010620E2S01	CS, BD, SD
(20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2S01 XX010616E2S01 XX010620E2S01	FW, RH, TS, CB
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
1" Grooved-Edge Board Actual dimensions:	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics Enhance Basics Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
(20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals Enhance Naturals Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
1" x 8" Fascia	1 x 8 x 12' 1 x 8 x 12'	Transcend Tropicals Transcend Earth Tones	XX010812TS01 XX010812T2S01	IM, TT, HG, SR, LR GP, RS, VL
Actual dimensions: Transcend, Enhance, Select, Universal White:	1 x 8 x 12' 1 x 8 x 12'	Enhance Basics Enhance Naturals	XX010812E2S01 XX010812E2S01	CS, BD, SD FW, RH, TS, CB
.56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12'	Select Universal White	XX010812SS01 WW010812ES01	PG, WG, SD, WB, MB WW
1" x 12" Fascia	1 x 12 x 12' 1 x 12 x 12'	Transcend Tropicals Transcend Earth Tones	XX011212TS01 XX011212T2S01	IM, TT, HG, SR, LR GP, RS, VL
Actual dimensions: Transcend, Enhance, Select, Universal White:	1 x 12 x 12' 1 x 12 x 12'	Enhance Basics Enhance Naturals	XX011212E2S01 XX011212E2S01	CS, BD, SD FW, RH, TS, CB
.56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12'	Select Universal White	XX011212SS01 WW011212ES01	PG, WG, SD, WB, MB WW
2" Square-Edge Board	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR
2" Square-Edge Board Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals	XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR
Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select Select Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB

XX = COLOR PREFIX

IM Island Mist TT Tiki Torch HG Havana Gold

SR Spiced Rum

LR Lava Rock

- GP Gravel Path RS Rope Swing VL Vintage Lantern
 - Swing WG Winchest ge Lantern SD Saddle
- PG Pebble Grey WG Winchester Grey SD Saddle WB Woodland Brown


MB Madeira

- FW Foggy Wharf RH Rocky Harbor TS Toasted Sand CB Coastal Bluff
- CS Clam Shell BD Beach Dune SD Saddle WW Wood Grain White

RAILING— a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex® railing line is a little different.

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the right depicts each railing system's components.



TREX POST COMPONENTS | TREX SIGNATURE® RAILING | TREX TRANSCEND® RAILING | TREX SELECT® RAILING

Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT		DESCRIPTION	ITEM NUMBER
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.		4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] 4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] 6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] 6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	XX040439APS XX0404108APS WT060639APS WT0606108APS
(2a)	Post Sleeve Cap Also available with LED lighting. See page 54.		Flat 4" x 4" Post Sleeve Cap [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] Flat 6" x 6" Post Sleeve Cap [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSQCAP4X4 PWTSQCAP6X6
2 b	Post Sleeve Skirt	A	4" x 4" Post Sleeve Skirt [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORY	Surface Mount Post For use with 4x4 composite post sleeve		Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36 ALPOSTMOUNT42 ALPOSTHWDECK
	Joist Mount Post For use with 4x4 composite post sleeve		Aluminum Joist Mount Post for use with all Trex railing heights (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	CPJMNTPOST63


XX = COLOR PREFIX

WT Classic White BK Charcoal Black

GP Gravel Path TH RS Rope Swing VL

TH Tree House VL Vintage Lantern

Can only be used within the Trex Signature line. Trex Signature lauminum posts fulfill steps 1 & 2. If using composite post sielews, refer to page 49, 2.5" x 2.5" x 37" Aluminum Post—Horizontal XXAL252537RCAP XXAL252543RCAP XXAL252543RCAP XXAL252553RCAP XXAL252553RCAP XXAL252553RCAP XXAL252553RCAP XXAL252553RCAP XXAL252553RCAP XXAL252553RCAP XXAL252542RCCP XXAL252542RCCP XXAL252542RCCP Trex Signature Fascia Mount Kit - wood framing For use with cap and skirt. 2.5" x 2.5" x 3.7" Line Post with Premounted Brackets 2.5" x 2.5" x 3.7" Line Post with Premounted Brackets 2.5" x 2.5" x 3.7" Corner Post with Premounted Brackets 2.5" x 2.5" x 3.7" Corner Post with Premounted Brackets 2.5" x 2.5" x 3.7" Corner Post with Premounted Brackets 2.5" x 2.5" x 3.7" Corner Post with Premounted Brackets 2.5" x 2.5" x 3.7" Corner Post with Premounted Brackets 3.5" x 2.5" x 3.5	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
2.5" x 2.5" x 37" Aluminum Post—Horizontal XXAL25253RCAP XXAL252543RCAP XXAL252542RCCP XXAL252542RCCP XXAL252542RCCP Trex Signature Fascia Mount Kit - wood framing review with sairt. 2.5" x 2.5" x 3.7" Line Post with Premounted Brackets BKAL252537RCAPLNE BKAL252537RCAPLNE BKAL252537RCAPLNE BKAL252537RCAPCNR SKAL252537RCAPCNR SKAL252537RCAP	Can only be used within the Trex Signature line. Trex Signature alumi	num posts fulfill steps 1 & 2.		ALPOSTHWDECK
Cornes with cap and skirt.	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252543RCAP	2.5" x 2.5" x 63" Aluminum Joist Mount Post	ALPOSTHWCONG
2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 43" Corner Post with Premounted Brackets 2.5" x 43" End Post with Premounted Bra	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal		Trex Signature Fascia Mount Kit - wood framing	XXFMNTWOOD
Rail & Baluster Kit (includes top rail, bottom rail, balusters and mounting and support hardware) Available in WT, BZ, and BK. 6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42	2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets	BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND	Dimensions above are nominals. See below for actuals and [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimer [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimer [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimer. [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimen. [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimen.	nsions] nsions] sions] sions] sions]
(includes top rail, bottom rail, balusters and mounting and support hardware) Available in WT, BZ, and BK. 6' x 36" Rail Kit w. Square Balusters—Horizontal BKAR0636HRK 8' x 36" Rail Kit w. Square Balusters—Horizontal BKAR0636HRK 8' x 36" Rail Kit w. Square Balusters—Stair KXAS0836SRK 8' x 36" Rail Kit w. Square Balusters—Stair BKAR0636SRK 8' x 36" Rail Kit w. Square Balusters—Horizontal BKAR0636SRK 8' x 36" Rail Kit w. Square Balusters—Horizontal BKAR0636SRK 8' x 36" Rail Kit w. Square Balusters—Horizontal BKAR0836HRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0836SRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0836SRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0836SRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0842BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0642HRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0642HRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0642BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0842BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAR0842BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0436HRP 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0436HRP 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRK 8' x 42" Rail Kit w. Square Balusters—Horizontal BKAS0442BRP BKAS042BRK 8' x 42" Assembled Panel (Square)—Horizontal BKAS0442BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842BRP BKAS0842	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
	(includes top rail, bottom rail, balusters and mounting and support hardwavailable in WT, BZ, and BK. 6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Stair Dimensions above are nominals. See below for actuals and metrics. [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [6' x 36": 96 in x 36 in (123 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions]	BKARO636HRK BKARO636SRK BKARO836HRK BKARO836SRK BKARO642HRK BKARO642SRK BKARO642SRK BKARO842HRK	6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair 4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Horizontal	XXAS0836HRK XXAS0836SRK XXAS0642HRK XXAS0642SRK XXAS0842HRK
DESCRIPTION ITEM NUMBER DESCRIPTION ITEM NUMB	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
	6' x 36" Black Rails & Platinum Rods Kit—Stair 8' x 36" Black Rails & Platinum Rods Kit—Horizontal 8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK	6' x 42" Black Rails & Black Rods Kit—Stair 8' x 42" Black Rails & Black Rods Kit—Horizontal 8' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0642SRI BKBKROD0842HRI BKBKROD0842SRI



Mesh Panel (includes stainless steel mesh panel) For use with Trex Signature Mesh Kit.

6' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 36" Stainless Steel Mesh Panel—Horizontal 8' x 42" Stainless Steel Mesh Panel—Horizontal Universal 316 Stainless Steel Mesh Panel—Stair

Dimension above is nominal. See below for actual and metric.

[6': 72 in (182 cm) actual dimension]

Dimensions above are nominals. See below for actuals and metrics.

Cocktail Rail Bracket (10/pack)

Fixed Bracket—Horizontal (4/pack)

[6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]

SSMESH0636HZ SSMESH0836HZ SSMESH0842HZ SSMESHUNIVST

DESCRIPTION

ITEM NUMBER

DESCRIPTION

ITEM NUMBER

XXCTBKTAL10PK

XXFHBKTAL

XXFSBKTAL

XXFHBKTALPNL

XXSWHBKTAL

XXSWSBKTAL

XX25FHCBKTAL

ACCESSORY

XX36RODHVERTK

XX36RODSVERTK

XX42RODHVERTK

XX42RODSVERTK

Trex Signature Bracket Templates Bracket Template—Horizontal (36" and 42") - Composite Sleeve

Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post

SIGTEMP4X4SLEEVE

SIGTEMPIRCPOST

Fixed Bracket—Stair (4/pack) Tabless Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (2/pack-1 top, 1 bottom) Swivel Bracket—Stair (2/pack-1 top, 1 bottom) 2.5" Crossover Bracket—Horizontal (1/pack) 2.5" Swivel Crossover Bracket-Stair (1/pack)

XX25RCSWSCBKTAL Compound Swivel Bracket (2/pack-1 top, 1 bottom) XXCPDSWBKTAL XXALFTBLK Aluminum Foot Block XXTOUCHUPPEN Touch-up Pen

XX = COLOR PREFIX

XX = COLOR PREFIX

6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal

8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal

6' x 36" Bronze Rails & Platinum Rods Kit—Stair

8' x 36" Bronze Rails & Platinum Rods Kit—Stair

6' x 36" Black Rails & Black Rods Kit—Horizontal

8' x 36" Black Rails & Black Rods Kit—Horizontal

6' x 42" Black Rails & Platinum Rods Kit—Stair

8' x 42" Black Rails & Platinum Rods Kit-Stair

6' x 42" Bronze Rails & Platinum Rods Kit—Stair

8' x 42" Bronze Rails & Platinum Rods Kit—Stair

6' x 42" Black Rails & Platinum Rods Kit—Horizontal

8' x 42" Black Rails & Platinum Rods Kit—Horizontal

6' x 42" Bronze Rails & Platinum Rods Kit—Horizontal

8' x 42" Bronze Rails & Platinum Rods Kit—Horizontal

6' x 36" Black Rails & Black Rods Kit—Stair

8' x 36" Black Rails & Black Rods Kit-Stair

WT Classic White BZ Bronze BK Charcoal Black

WT Classic White

BZ Bronze

BK Charcoal Black

PL Platinum

BZPLROD0636HRK

BZPLROD0636SRK

BZPLROD0836HRK

BZPLROD0836SRK

BKBKROD0636HRK

BKBKROD0636SRK

BKBKROD0836HRK

BKBKROD0836SRK

BKPLROD0642HRK

BKPLROD0642SRK

BKPLROD0842HRK

BKPLROD0842SRK

BZPLROD0642HRK

BZPLROD0642SRK

BZPLROD0842HRK BZPLROD0842SRK

36" Rod Rail Vertical Kit—Horizontal

42" Rod Rail Vertical Kit—Horizontal

Use as an accessory for cut rod rail sections. Available in BK and PL.

Dimensions above are nominals. See below for actuals and metrics.

[6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]

[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]

36" Rod Rail Vertical Kit-Stair

42" Rod Rail Vertical Kit—Stair

SS Stainless Steel

51

COMPONENT	DESCRIPTION	ITEM NUMBER	COLOR
Rail & Square Composite Baluster Kit (includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware) Color option indicates rails and balusters.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0636HRK WT0636SRK XX0836HRK XX0836SRK XX0642HRK XX0842HRK XX0842SRK	WT, BK, VL WT WT, BK, VL WT, BK, VL WT, BK, VL WT, BK, VL
Rail & Round Aluminum Baluster Kit	6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRK XXRD0836HRK XXRD0836SRK	WT, BK, VL WT, BK, VL WT, BK, VL
(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)	6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRK XXRD0842HRK XXRD0842SRK	WT, BK, VL WT, BK, VL WT, BK, VL
Color option indicates rails. Round aluminum balusters come in BK.	1		

Cocktail Rail & Round Aluminum Baluster Kit

(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)

Round aluminum balusters come in BK . Only Trex Transcend and Select deck boards can be used for cocktail rail application.



6' x 36" Coc	ktail Rail	l & Bal	uster	Kit—H	orizo	ntal	

WTRD0636HRKCKTL 8' x 36" Cocktail Rail & Baluster Kit—Horizontal WTRD0836HRKCKTL WTRD0836SRKCKTL 8' x 36" Cocktail Rail & Baluster Kit—Stair

WT

WT

WT

 bimensions above are nominals. See below for actuals and metrics.

 6' x 36": 67.5 in x 36 in (171 cm x 914 mm)
 8' x 36": 91.5 in x 36 in (232 cm x 914 mm)

 6' x 42": 67.5 in x 42 in (171 cm x 106 cm)
 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)

OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP		СОМ	IPONENT		DESCRIPTION	ITEM NUMBER
3a 3b	Top Rail Universal top r cocktail rail ap Bottom R	plications.			6' Crown Top Rail 8' Crown Top Rail 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail 6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXCROWNTR06 XXCROWNTR08 XXUNIVTBR06 XXUNIVTBR08 XXUNIVTBR06 XXUNIVTBR08
4		w for number of ba ach railing section. ORIENTATION	lusters needed	8' SECTION	Square Composite Balusters for 36" Rail Height (16/pack) Square Composite Balusters for 42" Rail Height (16/pack) Round Aluminum Balusters for 36" Rail Height (20/pack) Round Aluminum Balusters for 42" Rail Height (20/pack)	XX020230SBK XX020236SBK XXTA30RBK XXTA36RBK
	Carrana	Horizontal	13	18		
	Square composite	Stair	11	15	Dimensions above are nominals. See below for actuals and metrics. 6' Rail: 67.5 in (171 cm)	
	Davis	Horizontal	15	20	8'Rail: 91.5 in (232 cm)	
	Round aluminum	Stair	12	16	Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: 7.5 in x 30.25 in (19 mm x 768 mm)	

XX = COLOR PREFIX

Composite Colors

WT Classic White BK Charcoal Black GP Gravel Path RS Rope Swing

Aluminum balusters are only available in BK, WT, BZ.

TH Tree House VL Vintage Lantern Aluminum Colors WT Classic White BZ Bronze

Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)

BK Charcoal Black

Trex Transcend® Railing

STEP	c	OMPONENT	DESCRIPTION	ITEM NUMBER
5	Accessory Infill Kit (includes, baluster spacers, adju	istable foot block and mounting hardware)	6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08
		00	6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06 XXRDSIK06 XXRDHIK08 XXRDSIK08
		nn	6' Glass Panel Accessory Infill Kit	XXGLIK06
	Dimensions above are nom 6: 67.5 in (171 cm) 8': 91.5 in (232 cm) DESCRIPTION	inals. See below for actuals and metrics. ITEM NUMBER	DESCRIPTION	
				ITEM NUMBER
ACCESSORY		8	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT
Trex Transo	cend Bracket Template	35° 5 Samuel (II)	Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
Trex Trans Bracket Tei	cend Bracket Template mplate—Horizontal "") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET
Trex Trans Bracket Tei	mplate—Horizontal	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) O Degree Rail Gasket Pack—Horizontal	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET XX00HGASK
Trex Trans Bracket Tei	mplate—Horizontal	TSCTEMP4X4SLEEVE XXFTBLKPC	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box) O Degree Rail Gasket Pack—Horizontal O Degree Rail Gasket Pack—Stair	XXHZACCYKIT XXSTACCYKIT TSHBRACKET TSSBRACKET XXOOHGASK XXOOSGASK

Trex Select® Railing

Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Round Aluminum Baluster Kit (includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack) Available in WT rails with aluminum balusters in BK. Dimensions above are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	WTRD0636HSELK WTRD0636SSELK WTRD0836HSELK WTRD0836SSELK WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK
CCESSORY	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box)		BKENHZBKT BKENSTBKT

Trex Select 8' Aluminum Rail Stiffener







SELALRAILSTIFFENER

XX = COLOR PREFIX

Composite Colors

WT Classic White GP Gravel Path TH Tree House BK Charcoal Black RS Rope Swing VL Vintage Lantern Aluminum Colors

WT Classic White BZ Bronze

BK Charcoal Black

Trex[®] OutdoorLighting™ **COMPONENT & DESCRIPTION** ITEM NUMBER BKSOLEDCAP4X4C Flat Post Cap Light WTSQLEDCAP4X4C » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C » 5.5 ft (1.67 m) Male LightHub® Lead RSSQLEDCAP4X4C Aluminum Post Cap Light » 2.5" x 2.5" LED Aluminum Post Cap Light BKALCAPLED25 [2.6 in x 2.6 in (66 mm x 66 mm) actual internal Use with Trex 2.5 in Aluminum Railing Posts BZALCAPLED25 WTALCAPLED25 » 5.5 ft (1.67 m) Male LightHub Lead Aluminum Deck Rail Light BKLAMPLEDC » LED Deck Rail Light BZLAMPLEDC » 5.5 ft (1.67 m) Male LightHub Lead WTLAMPLEDC Aluminum Wedge Deck Rail Light BKALPOSTLAMPLED » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts BZALPOSTLAMPLED WTALPOSTLAMPLED » 5.5 ft (1.67 m) Male LightHub Lead Aluminum Stair Riser Light BKRISERLED4PKC » 4 LED Riser Lights BZRISERLED4PKC [1.25 in (31 mm) OD] » 5.5 ft (1.67 m) Male LightHub Lead WTRISERLED4PKC Recessed Deck Light » 4 LED Recessed Lights RECESSLED4PKC [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub Lead ACCESSORIES 8.3A. 100W: DIMMABLE 83DLTRANSFORMERCC Transformer with Timer 2.5A, 30W: 25DLTRANSFORMER » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20 ft (6.09 m) LightHub Wire Extension Cable DL5TFSPLIT1PK Multi-zone Transformer Adapter Dimmer DLDIMMER » Single Channel with Remote Forstner Bit DLBIT6PK » Pack of 6

» 1 in (25 mm)

LightHub Accessories

- » 3-Way Splitter
- » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable
- » Female to Female Adapter



DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK

Trex Aluminum ADA Compliant Handrail

COMPONENT	ITEM NUMBER
2.375 in x 8 ft (34 mm x 243 cm) Hand Rail Wall Return 90° Wall Mount Corner Mount Post Return ("Candy Cane") Se Elbow 31° Elbow 34° Elbow 36° Elbow 90° Inside/Outside Elbow Adjustable ADA Elbow	XXALADARAIL8 XXALADA90WR2G XXALADAWMNT2G XXALADAICORNER2G XXALADA180CCANE XXALADA31ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA36ELB XXALADA36ELB
Adjustable ADA Ellow Straight 4 in (101 mm) Internal Connector nline Rail Termination Adapter Rail End Cap Aluminum Collar	XXALADAADJELB XXALINTCONN XXALADAINLINE XXALADACAP XXALADACLR
II Trex ADA handrail components are made of powder-coated aluminum.	





1 36° Elbow

2 Wall Mount

3 Aluminum Collar

4 Wall Return 90°

5 Hand Rail



Troy Aluminum Gatos


For detailed installation instructions, visit trex.com/2021

Irex Aluminum G	ates	
COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit Available in all aluminum colors (Charcoal Black, Bronze and Classic White). When ordering, refer to prefix codes at the bottom of this page.	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW



Trex Hideaway® Hidden Fastening System

COMPONENT	DESCRIPTION	ITEM NUMBER
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	Router Bit	ROUTBIT



55

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® product (the "Product") shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex DeckLighting™ shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex LandscapeLighting[™] shall be five (5) years, the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, and the term of the warranty for the motion controller for both shall be one (1) year, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, (d) the term of the warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application, and (e) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Signature® aluminum railing and TrexTrim[™] (which each have separate warranties).

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon

which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; or (7) ordinary wear

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2019 Trex Company, Inc.



TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product. Notwithstanding the foregoing, the term of this warranty for Transcend Product used as outdoor cladding shall be twenty-five (25) years for both a residential application and a commercial application.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend®, Trex Enhance® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2019 Trex Company, Inc.

anected term (not including the cost on a mittar installation). Copyright © 2019 frex Company, inc.



TREX SIGNATURE® RAILING LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Signature® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its weather processes, (5) improper handling, storage, abuse or neglect initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 160 Exeter Drive Winchester, VA 22603-8605 Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS **DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2020 Trex Company, Inc.

Go step-by-step with our helpful

ONLINE TOOLS

1. GET A SENSE OF COLOR & COSTS

Color Selector Find a hue that says "you" at colors.trex.com

Decking & Railing Duos Select a pre-styled pairing at duos.trex.com

Cost Calculator Estimate the price of your deck at price.trex.com

2. DETERMINE SIZE & SHAPE

Deck Starter Design your deck in three clicks at getstarted.trex.com

Deck Designer Get a shareable blueprint with our virtual reality tool at 3Ddesign.trex.com

3. SECURE SAMPLES & GET MOVING

Board Samples Compare and contrast footlong boards at order.trex.com

Trex Locator Find nearby retailers at find.trex.com

TrexPro® Locator Find a local, pre-approved contractor at pros.trex.com





SHARE YOUR BUILD

Tag your photos with **#trexdecking** to be featured on our Instagram feed.







Engineering What's Next in Outdoor Living®

DECKING | RAILING | LIGHTING | FASCIA KITCHENS | FURNITURE | PERGOLA | DRAINAGE

Visit trex.com or call 1-800-BUY-TREX

FIND US ON











@ 2020 Trex Company, Inc. All rights reserved. Trex $^{\! \circ}\!$, the Trex logo, TrexPro®, Trex Enhance®, Trex Select®, Trex Transcend®, Trex® Cladding™, Trex Signature®, Trex® OutdoorLighting™,
Trex® Fascia, Trex® Pergola™, Trex® Outdoor Kitchens™, Trex® Spiral Stairs™, Trex® RainEscape®, Trex® Protect™, Trex® Outdoor Furniture™, Trex® Cornhole™, Trex® LatticeWorks™, Trex Hideaway® and Trex LightHub® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.