



Mailing and Shipping


Postage Meters

SendPro®

SendPro P3000

Our most efficient automatic sending solution you can rely on.

The SendPro P3000 is designed to quickly process high volumes of mixed mail and packages at high speeds with built-in technologies that optimize mailing, shipping, tracking and receiving workflow, all while saving significant time and money.





High-speed mail processing streamlines your sending workflow.

- Automatically process high-volume USPS® mail runs with variable thickness at speeds up to **310 letters per minute**.
- Process a stack of **mixed size and weight mail at up to 205 letters per minute** in one run, without presorting first, with the Pitney Bowes technology, Weigh-on-the-Way®.
- Select sending options from the **large, 10.2" color touchscreen display**. It's 30% bigger than our closest competitor's screen¹. Plus, you can upgrade to a 15" color touchscreen for increased visibility.
- Pre-program an **unlimited number of presets** to start processing in seconds.
- Print your **business logo, return address or promotional messages** on envelopes for a more professional look.
- **Minimize envelope jams with our proprietary Reverse Separation technology** that pulls the top mail pieces backward as the bottom pieces are fed forward with integrated sensors and rollers that adjust to different heights, up to 5/8" thick.



¹ Compared to Quadient's top of line comparative postage meters.



Advanced technology you can trust.

Gain full visibility and control over all your sending within one powerful digital system.

Shipping

- Easily print USPS IMpb trackable shipping labels from the optional shipping label printer or from the included online application, SendPro® Online. Use from any computer, even remote locations, for up to 50 users.
- Upgrade to a multi-carrier subscription to access to UPS® and FedEx® for more shipping options and greater savings.

Tracking


- Review mailing and shipping tracking to ensure your packages have arrived at their recipients' address on time, every time.

Receiving

- Accurately log all your incoming package information to have a detailed history of every delivery to your office.

Add these **optional peripherals** to enhance your sending experience:

- **Shipping label printer:** To print IMpb® trackable shipping labels onto an adhesive.
- **Digital scale:** To accurately weigh and calculate correct postage for mail and packages.
- **Barcode scanner:** To track and manage incoming mail and packages.





Maximize savings to reinvest where you need it most.

As business costs rise, it's even more critical to take advantage of savings every chance you get. The SendPro P3000 makes it easy to do.

USPS:

- Save up to 40.3%² off USPS Priority Mail®
- Save up to 14.1%² off USPS Priority Mail Express®
- Automatically save 4¢ on every USPS First Class® letter postage.

Add the optional multi-carrier subscription to also ship with UPS® and FedEx®:

- Save up to 62%³ off UPS® 2nd Day Air® service
- Save up to 48%³ off UPS® Ground
- Plus, avoid common surcharges to save even more.

Compliance and optional Global Services.

The P3000 continues to meet all current USPS regulations. The SendPro P-Series is approved for use by the USPS through December 31, 2027.

Pitney Bowes Global Services offers a full array of end-to-end service, professional installation and optimization resources.

² Savings based on Priority Mail 10lbs, Zone 4 and Priority Mail Express, Priority Mail Express savings averaged across all weights and zones.

³ Rates are limited to shipping from the continental U.S. only. These rates and discounts exclude shipment origins from Hawaii, Puerto Rico, and Alaska. Rates and any applicable discounts are subject to change at any time without notice.

Specifications

Max mail processing speeds (letters per minute)	Standard: WOW 105 LPM/Non-WOW 165 LPM. Optional: WOW 135, 175 or 205 LPM/Non-WOW 220, 270 or 310 LPM.
Weigh-on-the-Way® (WOW®)	Standard: Up to 16 oz. (500 g). Shape based rating is automatic.
Envelope processing thickness	$\frac{5}{8}$ " media size: 3 $\frac{1}{2}$ " x 5" up to 10" x 14"
Envelope flap depth	Min 1", max 3 $\frac{7}{8}$ "
Envelope sealing system	Pump-fed pad; closed flap feeding. Seal only mode.
Color touchscreen display	Standard: 10.2" (WSVGA); Optional: 15" detachable display (XGA).
Scale capacity	Optional: 5, 10, 15 lb small platform with stand. 15-30 lb tabletop platform. 70-149 lb shipping platform. Differential weighing.
Shipping carriers	Included: USPS; Optional upgrade: UPS and FedEx
Desktop shipping access	Optional: Integrated scale and printer attach to any computer with USB connection.
Receiving	Included: Inbound Package Management. Integrated software with reporting from base system. Optional upgrade: Scanning hardware, number of recipients, email notification capability.
Postage accounting	Optional: Up to 100, 500, 3000 max accounts for postal meter analytics.
Expanded analytics	Optional: INVIEW® Analytics (web-based), Business Manager, SendSuite® shipping solutions.
Package tape printing	Adhesive roll tape (for large envelopes and packages using non-discounted USPS Retail rates)
Dimensions	61.5"L x 25.5"D x 24"H (with Basic Apps Display). Drop Stacker adds 12" to L. Power Stacker adds 31" to L. 15" Display adds 2" to H.
Peripheral hardware options	Account barcode scanner, laser report printer, power stacker, portrait flats kit for a power stacker, wireless keyboard (for quick alpha-numeric entries).

*Get automatic ink replenishments at savings of 20% off the retail price when you enroll in the AutoInk program. For more information on AutoInk, visit us online at pbi.bz/autoink



United States

3001 Summer Street
Stamford, CT 06926-0700

To learn more, visit pitneybowes.com
or talk with your Pitney Bowes sales representative.

Pitney Bowes, the Corporate logo and SendPro are trademarks of Pitney Bowes Inc. or a subsidiary.
All other trademarks are the property of their respective owners.
© 2021 Pitney Bowes Inc. All rights reserved.



21SENDTECH01354_US