chanelle
PHARMA

IRISH ANIMAL HEALTH PRODUCT CATALOGUE 2021

www.chanellepharma.com

Company Overview

Chanelle Pharma is Irelands largest family-owned indigenous manufacturer of human and animal pharmaceuticals and is Irelands largest wholesaler of veterinary products. Chanelle Pharma strives to bring you an excellent service by providing next day delivery and high-class product support. We continue to reinvest in our product offering, growing significantly year-on-year, launching up to 20 new products annually.

At Chanelle we continuously provide excellent service and support to our customers. If you have any queries please do not hesitate to contact Rory Campbell or your region's Key Account Manager.

Rory Campbell
– National Sales Manager

+353 86 796 8385
rcampbell@chanellegroup.ie



Key Account Managers by Region

Martin Dwyer
– South East

+353 86 254 9154
mdwyer@chanellegroup.ie

April Higgins
– South West

+353 86 256 7960
aphiggins@chanellegroup.ie

Martin Duffy
– North West

+353 86 254 9178
mduffy@chanellegroup.ie

Winifred Lennon
– North East

+353 86 260 6672
wlennon@chanellegroup.ie

Contents

THIS IS A CLICKABLE PDF
CLICK TO JUMP TO YOUR CHOSEN PRODUCT

Large Animal Range

Anthelmintics 5
Anticoccidials 11
Antibiotics 12
Sedatives 13
Non-Steroidal Anti-Inflammatory (NSAID) 15
Supplements 15
Additional Anthelmintics 16
Euthanasia 18

Equine Range

Anthelmintics 20
Anaesthetics and Sedatives 20
Non-Steroidal Anti-Inflammatory (NSAID) 22
Euthanasia 24

Companion Animal Range

Anaesthetics and Sedatives 26
Anti-Epileptic Drug 28
Antibiotics 28
Non-Steroidal Anti-Inflammatory 29
Osteoarthritis Multi Modal Treatment 31
Ectoparasiticides & Anthelmintics 31
Euthanasia 33

Equipment

Gloves 35
Dosing and Injectable Applicators 36
Feeding Tubes 37
Syringes and Needles 38

LARGE ANIMAL RANGE

Large Animal Range

ANTHELMINTICS

Albex® 2.5%

Active	Albendazole 2.5% w/v
Species	Cattle & Sheep
Description	Is a broad spectrum multi-purpose oral anthelmintic suspension. Treats & controls mature & developing immature forms of gastro-intestinal roundworms, lungworms, tapeworms and adult liver fluke. Ovicidal against fluke and roundworm eggs.
Meat Withdrawal Period	Cattle: 14 days Sheep: 4 days
Milk Withdrawal Period	Cattle: 60 hours
Dosage	Cattle: Worms: 30ml/100kg. Fluke & worms: 40ml/100kg Sheep: Worms: 2ml/10kg. Fluke & worms: 3ml/10kg
Pack Sizes	1 litre, 2.5 litre
Legal Category	LM (POM from January 2022)

Albex® 10%

Active	Albendazole 10% w/v
Species	Cattle & Sheep
Description	Is a broad spectrum multi-purpose oral anthelmintic suspension. Treats & controls mature & developing immature forms of gastro-intestinal roundworms, lungworms, tapeworms & adult liver fluke. Ovicidal against fluke & roundworm eggs.
Meat Withdrawal Period	Cattle: 14 days Sheep: 4 days
Milk Withdrawal Period	Cattle: 60 hours
Dosage	Cattle: Worms: 7.5ml/100kg. Fluke & worms: 10ml/100kg Sheep: Worms: 0.5ml/10kg. Fluke & worms: 0.75ml/10kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

NEW Albex® Gold

Active	Albendazole 20% w/v
Species	Cattle
Description	Treats & controls mature & developing immature forms of gastro-intestinal roundworms, lungworms, tapeworms & adult liver fluke. Ovicidal against fluke & roundworm eggs
Meat Withdrawal Period	Cattle: 7 days
Milk Withdrawal Period	Cattle: 84 hours
Dosage	Cattle: Worms: 3.75ml/100kg. Fluke & worms: 5ml/100kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

Large Animal Range

ANTHELMINTICS

Animec® Super

Active	Ivermectin 1.0% w/v Clorsulon 10% w/v
Species	Cattle
Description	Is a broad-spectrum injectable endectocide. Treats mixed infestations of adult liver fluke, gastro-intestinal roundworms, lungworms, eyeworms, mites & lice.
Meat Withdrawal Period	66 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Dosage	1ml/50kg
Pack Sizes	50 ml, 250 ml, 500 ml
Legal Category	LM (POM from January 2022)

Animec® Injection

Active	Ivermectin 1.0% w/v
Species	Cattle & Pigs
Description	Cattle: Treats & controls gastro-intestinal roundworms, lungworms, eye worms, warbles, mange mites & lice. Pigs: Treats & controls gastro-intestinal roundworms, lungworms, mange mites & lice.
Meat Withdrawal Period	Cattle: 49 days Pigs: 28 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or in dairy heifers within 60 days prior to calving.
Dosage	Cattle: 1ml/50kg Pigs: 1ml/33kg
Pack Sizes	250 ml, 500 ml
Legal Category	LM (POM from January 2022)

Animec® Pour-on

Active	Ivermectin 0.5% w/v
Species	Cattle
Description	Treats & controls gastro-intestinal roundworms, lungworms, eye worms, warbles, mange mites & lice.
Meat Withdrawal Period	Cattle: 28 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or in dairy heifers within 60 days prior to calving.
Dosage	10ml/100kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

Large Animal Range

ANTHELMINTICS

Animec® Oral

Active	Ivermectin 0.08% w/v
Species	Sheep
Description	Treats & controls roundworms, lungworms, stomach worms, mites & nasal bots.
Meat Withdrawal Period	10 days
Milk Withdrawal Period	Do not use in lactating sheep producing milk for human consumption. Sheep must not be treated within 60 days prior to the commencement of lactation, if milk is to be used for human consumption
Dosage	2.5ml/10kg
Pack Sizes	1 litre, 2.5 litre
Legal Category	LM (POM from January 2022)

Bovex®

Active	Oxfendazole 2.265% w/v
Species	Cattle & Sheep
Description	A broad spectrum worm drench for cattle and sheep for the control of control of mature and immature gastro-intestinal roundworms, lungworms & tapeworms. This product is also ovicidal against nematode eggs.
Meat Withdrawal Period	Cattle: 14 days Sheep: 21 days
Milk Withdrawal Period	Cattle: 84 hours Sheep: Do not use in animals producing milk for human consumption.
Dosage	Cattle: 20ml/100kg Sheep: 2ml/9kg
Pack Sizes	1 litre, 2.5 litre, 5 litre, 10 litre
Legal Category	LM (POM from January 2022)

Chanaverm Plus®

Active	Levamisole HCL 1.5% w/v Cobalt Sulphate 0.38% w/v
Species	Cattle & Sheep
Description	Oral solution used for the treatment and control of gastro-intestinal and pulmonary nematode infections in cattle and sheep.
Meat Withdrawal Period	Cattle: 18 days Sheep: 18 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Dosage	Cattle: 50ml/100kg Sheep: 5ml/10kg
Pack Sizes	5 litre, 10 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

Large Animal Range

ANTHELMINTICS

Chan Broad Spec®

Active	Rafoxanide 2.25% w/v & Levamisole HCL 1.5% w/v
Species	Cattle & Sheep
Description	Oral suspension used for the treatment and control of roundworms and lungworms. Highly effective against adult (mature) fluke in cattle and sheep and 83% effective against 4-week old immature fluke in sheep.
Meat Withdrawal Period	Cattle: 60 days Sheep: 60 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Dosage	Cattle: 50ml/100kg Sheep: 5ml/10kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Doramax® Pour-On

Active	Doramectin 0.5%w/v
Species	Cattle
Description	For treatment of infestations of gastrointestinal roundworms, lungworms, eyeworms, warbles, sucking and biting lice, mange mites and hornfly in cattle.
Meat Withdrawal Period	35 days
Milk Withdrawal Period	Do not use in pregnant cows or heifers, which are intended to produce milk for human consumption, within 2 months of expected parturition.
Dosage	10ml/100kg
Pack Sizes	1 litre, 3 litre, 5 litre
Legal Category	LM (POM from January 2022)

Epromec®

Active	Eprinomectin 0.5% w/v
Species	Cattle
Description	Pour on solution used to treat roundworms, lungworms, warbles, mange mites, lice and horn flies in beef and dairy cattle.
Meat Withdrawal Period	15 days
Milk Withdrawal Period	Zero hours
Dosage	10ml/100kg
Pack Sizes	1 litre, 3 litre, 5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

ANTHELMINTICS

Moxodex® Oral

Active	Moxidectin 0.1% w/v
Species	Sheep
Description	Oral solution which treats and prevents roundworms and lungworms in sheep.
Meat Withdrawal Period	14 days
Milk Withdrawal Period	5 days
Dosage	2ml/10kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Ridafluke®

Active	Rafoxanide 3% w/v
Species	Cattle & Sheep
Description	Oral suspension which treats & controls fluke infections. Highly effective against mature fluke in cattle and sheep and 83% effective against 4-week old immature fluke in sheep.
Meat Withdrawal Period	Cattle: 60 days Sheep: 60 days
Milk Withdrawal Period	This product is not permitted for use in animals producing milk for human consumption, including heifers in the last trimester of pregnancy.
Dosage	Cattle: 15ml/40kg Sheep: 3ml/8kg
Pack Sizes	2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Rumenil®

Active	Oxyclozanide 3.4% w/v
Species	Cattle
Description	Oral suspension which treats and controls adult liver fluke and tapeworm in cattle.
Meat Withdrawal Period	13 Days
Milk Withdrawal Period	108 hours (4.5 days)
Dosage	3ml/10kg up to 350kg. >350kg = 105ml dose
Pack Sizes	5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

Large Animal Range

ANTHELMINTICS

Tribex® 5%

Active	Triclabendazole 5% w/v
Species	Sheep
Description	Oral suspension which treats acute, subacute & chronic fascioliasis caused by early immature, immature and adult stages of liver fluke.
Meat Withdrawal Period	56 days
Milk Withdrawal Period	Not authorised for use in ewes producing milk for human consumption including during the dry period. Do not use within 1 year prior to the first lambing in ewes intended to produce milk for human consumption.
Dosage	2ml/10kg
Pack Sizes	800 ml, 2.2 litre, 5 litre
Legal Category	LM (POM from January 2022)

Tribex® 10%

Active	Triclabendazole 10% w/v
Species	Cattle
Description	Oral suspension which treats acute, subacute & chronic fascioliasis caused by early immature, immature and adult stages of liver fluke.
Meat Withdrawal Period	56 days
Milk Withdrawal Period	This product is not permitted for use during lactation in animals producing milk for human consumption. Not intended for use within 41 days of calving in non-lactating cattle, milk for human consumption may only be taken from 84 hours after calving. If calving occurs before 41 days after treatment, milk for human consumption may only be taken after 41 days plus 84 hours after the treatment.
Dosage	12ml/100kg
Pack Sizes	800 ml, 2.2 litre, 5 litre
Legal Category	LM (POM from January 2022)

Zerofen® 2.5%

Active	Fenbendazole 2.5% w/v
Species	Cattle & Sheep
Description	Oral suspension which controls mature & developing immature forms of roundworm & lungworms.
Meat Withdrawal Period	Cattle: 14 days Sheep: 21 days
Milk Withdrawal Period	Cattle 96 hours Sheep: do not use in sheep producing milk for human consumption.
Dosage	Cattle: 30ml/100kg Sheep: 2ml/10kg
Pack Sizes	1 litre, 2.5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

Large Animal Range

ANTHELMINTICS

Zerofen® 10%

Active	Fenbendazole 10% w/v
Species	Cattle
Description	Oral suspension which controls mature & developing immature forms of roundworm & lungworms.
Meat Withdrawal Period	14 days
Milk Withdrawal Period	96 hours
Dosage	10ml/130kg
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

ANTICOCCIDIALS

Chanox Multi®

Active	Toltrazuril 5% w/v
Species	Cattle, Pigs & Sheep
Description	Oral suspension for the prevention of clinical signs of coccidiosis.
Meat Withdrawal Period	Piglets: 77 days Calves: 63 days Lambs: 42 days
Milk Withdrawal Period	Not permitted for use in lactating animals producing milk for human consumption.
Dosage	Calves: 3ml/10kg Lambs: 4ml/10kg Piglets: 0.4ml/kg
Pack Sizes	250 ml, 1 litre
Legal Category	LM (POM from January 2022)

Dycoxan®

Active	Diclazuril 0.25% w/v
Species	Cattle & Sheep
Description	Oral suspension for the prevention of clinical signs of coccidiosis and reduction of oocyst shedding.
Meat Withdrawal Period	0 days
Milk Withdrawal Period	Not applicable
Dosage	Calves: 4ml/10kg Lambs: 4ml/10kg
Pack Sizes	1 litre, 2.5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

ANTIBIOTICS

Fenoflox® 5%

Active	Enrofloxacin 50 mg/ml
Species	Cattle, Pigs, Dogs & Cats
Description	Treatment of respiratory & alimentary tract infections in Cattle and Pigs.
Meat Withdrawal Period	Cattle intravenous: 5 days Cattle subcutaneous: 12 days Pigs :13 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	100 ml
Legal Category	POM

Fenoflox® 10%

Active	Enrofloxacin 100 mg/ml
Species	Cattle & Pigs
Description	Treatment of respiratory & alimentary tract infections. Used for the treatment of local signs associated with pre-acute/acute mastitis in dairy cattle.
Meat Withdrawal Period	Cattle subcutaneous: 12 days Cattle intravenous: 5 days Pigs subcutaneous; 13 days
Milk Withdrawal Period	Cattle subcutaneous 4 days Cattle intravenous 3 days
Pack Sizes	100 ml
Legal Category	POM

Linspec®

Active	Lincomycin
Species	Cattle (pre-ruminating Calves), Pigs, Dogs & Cats
Description	Treatment of respiratory infections, intestinal infections, urinary tract infections, skin infections (including wounds and abscess) and arthritis caused by organisms sensitive to lincomycin and / or spectinomycin.
Meat Withdrawal Period	Cattle: 21 days Pigs: 14 days
Pack Sizes	100ml
Legal Category	POM

Return to Contents Page >>>

Large Animal Range

ANTIBIOTICS

Milbotyl®

Active	Tilmicosin 300 mg/ml, Propylene glycol 250 mg/ml
Species	Cattle & Sheep
Description	For the treatment of pneumonia in cattle and sheep, ovine mastitis and bovine foot rot.
Meat Withdrawal Period	Cattle: 70 days Sheep: 42 days
Milk Withdrawal Period	Cattle 36 days Sheep 18 days
Pack Sizes	50 ml
Legal Category	VPO

SEDATIVES

Sulpha No 2 Powder®

Active	Sulphadimidine
Species	Calves
Description	Sulpha No. 2 Powder for oral solution is indicated for use in calves as an anti-bacterial agent effective against sulfonamide sensitive organisims.
Meat Withdrawal Period	28 days
Pack Sizes	200 x 25g sachet
Legal Category	POM

Chanazine® 2%

Active	Xylazine 20 mg/ml
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle :14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	VPO

Return to Contents Page >>>

Large Animal Range

SEDATIVES

Chanazine® 10%

Active	Xylazine 100 mg/ml
Species	Horses
Description	Sedative with analgesic and muscle relaxant properties. The product is for use in horses only, in cases where sedation is required.
Meat Withdrawal Period	Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	50 ml
Legal Category	VPO

Ketamidor®



Active	Ketamine
Species	Cats, Cattle, Dogs, Horses & Pigs
Description	Ketamine is a dissociative anaesthetic. Its antagonistic action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the transmission of neural impulses.
Meat Withdrawal Period	Zero days
Milk Withdrawal Period	Zero days
Pack Sizes	10 ml, 50ml
Legal Category	VPO

Medesedan®



Active	Detomidine hydrochloride 10 mg/ml
Species	Cattle & Horses
Description	Medesedan injection is an alpha2-drenorecptor agonist, sedative, analgesic & is used as a pre-anaesthetic. Licensed for IV and IM use.
Meat Withdrawal Period	Cattle: 2 days Horses: 2 days
Milk Withdrawal Period	Cattle 12 hours
Pack Sizes	5 ml, 20 ml
Legal Category	VPO

Return to Contents Page >>>

Large Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rifen®

Active Ketoprofen 100 mg/ml

Species Cattle, Horse & Pigs

Description Rifen is a painkiller for large animals. Ketoprofen intervenes in the synthesis of inflammation mediators by inhibiting the enzyme cyclooxygenase and to some degree also lipoxygenase. As a consequence, no prostaglandins and leukotrienes can be synthesised which will lead to quick recovery from inflammation.

Meat Withdrawal Period 4 days

Milk Withdrawal Period Zero hours

Pack Sizes 100 ml

Legal Category POM

Rheumocam® Injection

Active Meloxicam 20 mg/ml

Species Cattle, Horses & Pigs

Description Used in horses for the relief of equine colic, inflammation & pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in combination with oral rehydration therapy in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxaemia and mastitis-metritis-agalactia syndrome.

Meat Withdrawal Period Cattle 15 Days Horses, Pigs 5 days

Milk Withdrawal Period Cattle 5 Days

Pack Sizes 100 ml, 250 ml

Legal Category POM

SUPPLEMENTS

Spasmium® Injection



Active Metamizole sodium 500 mg, Hyoscine butylbromide 4 mg

Species Horses, Cattle, Pigs & Dogs

Description Spasmium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.

Meat Withdrawal Period Horse, Cattle (IV): 12 days Pig (IM): 15 days

Milk Withdrawal Period Cattle (IV) 4 days

Pack Sizes 100 ml

Legal Category POM

Return to Contents Page >>>

Large Animal Range

SUPPLEMENTS

Cobalt B12 & Selenium

Active	Cobalt Acetate 1% w/v Sodium Selenite 0.025% w/v Vitamin B12 200mcg/ml
Species	Cattle & Sheep
Description	Oral supplement, for cattle, calves, sheep and lambs. Provides essential cobalt, selenium and vitamin B12.
Meat Withdrawal Period	0 days
Milk Withdrawal Period	0 days
Dosage	Adult cattle: 20ml Sheep: 5ml, Calves: 5ml Lambs: 2.5ml
Pack Sizes	1 litre, 2.5 litre
Legal Category	LM

Chanatol®

Active	Cobalt sulphate heptahydrate 0.099% w/v Propylene glycol to 100% w/v
Species	Cattle, Sheep & Goats
Description	Oral solution for the treatment of acetonaemia in cattle and pregnancy toxaemia in sheep and goats.
Meat Withdrawal Period	3 days
Milk Withdrawal Period	3 days
Dosage	Sheep and Goats: 100ml daily for 6 days. Cattle: 200ml morning and evening for the first day followed by 100ml twice a day for 3 days.
Pack Sizes	1 litre, 2.5 litre, 5 litre
Legal Category	N/A

ADDITIONAL ANTHELMINTICS

Topimec® Pour-on

Active	Ivermectin 0.5% w/v
Species	Cattle
Description	Treats & controls gastro-intestinal roundworms, lungworms, eye worms, warbles, mange mites & lice.
Meat Withdrawal Period	Cattle: 28 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption or in dairy heifers within 60 days prior to calving.
Dosage	10ml/100kg
Pack Sizes	2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

ADDITIONAL ANTHELMINTICS

Topimec® Super

Active	Ivermectin 1.0% w/v Clorsulon 10% w/v
Species	Cattle
Description	A broad-spectrum injectable endectocide. Treats mixed infestations of adult liver fluke, gastro-intestinal roundworms, lungworms, eyeworms, mites & lice.
Meat Withdrawal Period	66 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Dosage	1ml/50kg
Pack Sizes	250 ml, 500 ml
Legal Category	LM (POM from January 2022)

Zeromectin®

Active	Eprinomectin 0.5% w/v
Species	Cattle
Description	Pour on solution used to treat roundworms, lungworms, warbles, mange mites, lice and horn flies in beef and dairy cattle.
Meat Withdrawal Period	15 days
Milk Withdrawal Period	Zero hours
Dosage	10ml/100kg
Pack Sizes	2.5 litre, 5 litre
Legal Category	LM (POM from January 2022)

Triclaben®

Active	Triclabendazole 10% w/v
Species	Cattle
Description	Oral suspension which treats acute, subacute & chronic fascioliasis caused by early immature, immature and adult stages of liver fluke.
Meat Withdrawal Period	56 days
Milk Withdrawal Period	This product is not permitted for use during lactation in animals producing milk for human consumption. Not intended for use within 41 days of calving in non-lactating cattle, milk for human consumption may only be taken from 84 hours after calving. If calving occurs before 41 days after treatment, milk for human consumption may only be taken after 41 days plus 84 hours after the treatment.
Dosage	12ml/100kg
Pack Sizes	2.2 litre, 5 litre
Legal Category	LM (POM from January 2022)

Return to Contents Page >>>

EUTHANASIA

Euthoxin® Injection



Active	Pentobarbital Sodium 500 mg
Species	Horses, Ponies, Cattle, Swine, Dogs, Cats, Minks, Polecats, Hares, Rabbits, Guinea Pigs, Hamsters, Rats, Mice, Chicken, Pigeons, Birds, Snakes, Tortoises, Lizards, Frogs
Description	Euthanasia.
Meat Withdrawal Period	Do not use in animals intended for human or animal consumption.
Milk Withdrawal Period	Do not use in animals intended for human or animal consumption.
Pack Sizes	100 ml
Legal Category	VPO

EQUINE RANGE

Equine Range

ANTHELMINTICS

Animec® Oral Paste

Active	Ivermectin 18.7 mg/g
Species	Horses
Description	Treats & controls roundworms bloodworms, pinworms, neck threadworms and bots.
Pack Sizes	Display tray of 20's
Legal Category	LM

ANAESTHETICS AND SEDATIVES

Iso-Vet®

Active	Isoflurane 1000 mg/g
Species	Horses, Dogs, Cats, Small Mammals, Ornamental Birds and Reptiles
Description	Induces and maintain anaesthesia in all types of veterinary surgery.
Pack Sizes	250 ml
Legal Category	VPO

Butador®

Active	Butorphanol 10 mg/ml
Species	Horse, Dogs & Cats
Description	Sedative, analgesic and pre-anaesthetic for horses, can be combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be combined with medetomidine and ketamine.
Pack Sizes	10 ml, 5 x 10 ml
Legal Category	POM

Return to Contents Page >>>

Equine Range

ANAESTHETICS AND SEDATIVES

Chanazine® 2%

Active	Xylazine base 20mg
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle 14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	VPO

Chanazine® 10%

Active	Xylazine Base 100mg/ml
Species	Horses
Description	Sedative with analgesic and muscle relaxant properties. The product is for use in horses only, in cases where sedation is required.
Meat Withdrawal Period	Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	50 ml
Legal Category	VPO

Medesedan®

Active	Detomidine hydrochloride 10 mg/ml (equivalent to 8.36mg detomidine)
Species	Horse, Cattle
Description	Medesedan injection is an alpha2-drenorecptor agonist, sedative, analgesic & is used as a pre-anaesthetic. Licensed for IV and IM use.
Meat Withdrawal Period	Cattle: 2 days Horses: 2 days
Milk Withdrawal Period	Cattle 12 hours
Pack Sizes	5 ml, 20 ml
Legal Category	VPO

Return to Contents Page >>>

Equine Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Ketamidor®



Active	Ketamine
Species	Horse, Cattle, Pig, Dog, Cat
Description	Ketamine is a dissociative anaesthetic. Its antagonistic action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the transmission of neural impulses.
Meat Withdrawal Period	Zero days
Milk Withdrawal Period	Zero days
Pack Sizes	10 ml, 50ml
Legal Category	VPO

Rheumocam® Granules

Active	Meloxicam 330mg
Species	Horses
Description	Meloxicam granules are for the alleviation of inflamation and pain in horses.
Pack Sizes	100 x 5g sachet
Legal Category	POM

Rheumocam® Oral Suspension

Active	Meloxicam 15 mg/ml
Species	Horses
Description	Used for the relief of equine colic & inflammation and pain in both acute and chronic musculo-skeletal disorders.
Pack Sizes	100 ml, 250 ml
Legal Category	VPO

Equine Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection

Active	Meloxicam 20 mg/ml
Species	Cattle, Horses & Pigs
Description	Used in horses for the relief of equine colic, inflammation & pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in combination with oral rehydration therapy in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxaemia and mastitis-metritis-agalactia syndrome.
Meat Withdrawal Period	Cattle 15 Days Horses, Pigs 5 days
Milk Withdrawal Period	Cattle 5 Days
Pack Sizes	100 ml, 250 ml
Legal Category	POM

Rifen® Injection

Active	Ketoprofen 100 mg/ml
Species	Horse, Cattle & Swine
Description	Rifen is a painkiller for large animals. Ketoprofen intervenes in the synthesis of inflammation mediators by inhibiting the enzyme cyclooxygenase and to some degree also lipoxygenase. As a consequence, no prostaglandins and leukotrienes can be synthesised which will lead to quick recovery from inflammation.
Meat Withdrawal Period	4 days
Milk Withdrawal Period	Zero hours
Pack Sizes	100 ml
Legal Category	POM

Spasmium® Injection



Active	Metamizole Sodium Monohydrate 500mg Hyoscine butylbromide 4 mg
Species	Horses, Cattle, Pigs & Dogs
Description	Spasmium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.
Meat Withdrawal Period	Horse, cattle (IV): 12 days Pig (IM): 15 days
Milk Withdrawal Period	Cattle (IV): 4 days
Pack Sizes	100 ml
Legal Category	POM

Return to Contents Page >>>

EUTHANASIA

Euthoxin® Injection



Active	Pentobarbital Sodium 500 mg
Species	Horses, Ponies, Cattle, Swine, Dogs, Cats, Minks, Polecats, Hares, Rabbits, Guinea Pigs, Hamsters, Rats, Mice, Chicken, Pigeons, Birds, Snakes, Tortoises, Lizards and Frogs
Description	Euthanasia.
Meat Withdrawal Period	Do not use in animals intended for human or animal consumption.
Milk Withdrawal Period	Do not use in animals intended for human or animal consumption.
Pack Sizes	100 ml
Legal Category	VPO

COMPANION ANIMAL RANGE

ANAESTHETICS AND SEDATIVES

Iso-Vet®

Active	Isoflurane 1000 mg/g
Species	Horses, Dogs, Cats, Small Mammals, Ornamental Birds and Reptiles
Description	Induces and maintain anaesthesia in all types of veterinary surgery.
Pack Sizes	250 ml
Legal Category	VPO

Bupaq®

Active	Buprenorphine 0.3 mg
Species	Dogs & Cats
Description	Bupaq is recommended for pre-and postsurgical analgesia in long lasting interventions with expected moderate to severe pain.
Pack Sizes	10 ml
Legal Category	VPO

Butador®

Active	Butorphanol 10 mg
Species	Horses, Dogs, & Cats
Description	Sedative, analgesic and pre-anaesthetic for horses, can be combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be combined with medetomidine and ketamine.
Pack Sizes	10 ml, 5 x 10 ml
Legal Category	POM

Return to Contents Page >>>

Companion Animal Range

ANAESTHETICS AND SEDATIVES

Chanazine® 2%

Active	Xylazine base 20mg
Species	Cattle, Horses, Dogs & Cats
Description	Sedative with analgesic and muscle relaxant properties.
Meat Withdrawal Period	Cattle 14 days. Not to be used in horses intended for human consumption.
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	25 ml
Legal Category	VPO

Medetor®

Active	Medetomidine hydrochloride 1 mg
Species	Dogs & Cats
Description	Alpha2-drenorecptor agonist, it is a sedative, analgesic and is used as a pre-anaesthetic.
Pack Sizes	10 ml
Legal Category	VPO

Insistor®

Active	Methadone Hydrochloride 10mg (equivalent to 8.9mg Methadone)
Species	Dogs & Cats
Description	Insistor is indicated for analgesia as a premedicant for general anaesthsia or for neuroleptanalgesia in combination with a neuroleptic drug.
Pack Sizes	10 ml
Legal Category	VPO

Return to Contents Page >>>

Companion Animal Range

ANAESTHETICS AND SEDATIVES

Revertor®

Active	Atipamezole hydrochloride 5 mg
Species	Dogs & Cats
Description	Alpha2-antagonist, it is used for the reversal of the sedative effects of medetomidine (Medetor®) and dexmedetomidine. in dogs & cats.
Pack Sizes	10 ml
Legal Category	POM

ANTI-EPILEPTIC DRUG

Epityl®

Active	Phenobarbital 60 mg
Species	Dogs
Description	Phenobarbital is an antiepileptic agent for the prevention of seizures due to generalized epilepsy in dogs.
Pack Sizes	100 tabs, 500 tabs
Legal Category	POM

ANTIBIOTICS

Fenoflox® 5%

Active	Enrofloxacin 50 mg/ml
Species	Cattle, Pigs, Dogs & Cats
Description	Treatment of respiratory & alimentary tract infections in Cattle and Pigs. Treats bacterial infections of the alimentary, respiratory and urogenital tracts, skin, wound infections and otitis externa in dogs & cats.
Meat Withdrawal Period	Cattle intravenous: 5 days Cattle subcutaneous: 12 days Pigs: 13 days
Milk Withdrawal Period	Do not use in animals producing milk for human consumption.
Pack Sizes	100 ml
Legal Category	POM

Return to Contents Page >>>

Companion Animal Range

ANTIBIOTICS

Linspec®

Active	Lincomycin (as lincomycin hydrochloride) 50mg Spectinomycin (as spectinomycin sulfate tetrahydrate) 100mg
Species	Cattle (pre-ruminating Calves), Pigs, Dogs & Cats
Description	Treatment of respiratory infections, intestinal infections, urinary tract infections, urinary infections, skin infections (including wounds and abscess) and arthritis caused by organisms sensitive to lincomycin and/ or spectinomycin.
Meat Withdrawal Period	Cattle: 21 days Pigs: 14 days
Pack Sizes	100 ml
Legal Category	POM

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

NEW! Canidryl® Snap Tab

Active	Carprofen
Species	Dogs
Description	Canidryl flavoured tablets are used for the reduction of inflammation and pain caused by musculoskeletal disorders and degenerative joint disease and as a follow up to parenteral analgesia in the management of post-operative pain following soft tissue surgery in dogs.
Strength	20 mg, 100 mg
Pack Sizes	100 tabs
Legal Category	POM

Rheumocam® Chewable Tablets

Active	Meloxicam 2.5 mg
Species	Dogs
Description	Used to alleviate inflammation and pain in both acute and chronic musculo-skeletal disorders and the management of post-operative pain. following soft tissue surgery in dogs.
Strength	1 mg, 2.5 mg
Pack Sizes	100 tabs
Legal Category	POM

Return to Contents Page >>>

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection

Active	Meloxicam 5 mg/ml
Species	Dogs & Cats
Description	For the alleviation of inflammation and pain in both acute and chronic musculo-skeletal disorders in dogs.
Pack Sizes	10 ml, 20 ml
Legal Category	POM

Rheumocam® Oral Suspension for Dogs

Active	Meloxicam 1.5 mg/ml
Species	Dogs
Description	Alleviation of inflammation and pain in both acute and chronic musculo-skeletal disorders in dogs.
Pack Sizes	15 ml, 42 ml, 100 ml, 200 ml
Legal Category	POM

Rheumocam® Oral Suspension for Cats

Active	Meloxicam 0.5mg/ml
Species	Cats
Description	Description To relieve the pain and inflammation associated with chronic musculoskeletal conditions and acute injury
Pack Sizes	5ml, 15ml
Legal Category	POM

Return to Contents Page >>>

Companion Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Spasmium® Injection



Active	Metamizole sodium mono hydrate 500mg Hyoscine butylbromide 4 mg
Species	Horses, Cattle, Pigs, Dogs
Description	Spasmium is for the treatment of spasms or sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory organs associated with pain.
Meat Withdrawal Period	Horse, cattle (IV): 12 days Pig (IM): 15 days
Milk Withdrawal Period	Cattle (IV): 4 days
Pack Sizes	100 ml
Legal Category	POM

OSTEOARTHRITIS MULTI MODAL TREATMENT

Osteopen®

Active	Pentosan Polysulphate Sodium 100mg/ml
Species	Dogs
Description	For the treatment of lameness and pain of degenerative joint disease/ osteoarthritis (non-infectious arthrosis) in the skeletally mature dogs.
Strength	100 mg/ ml
Pack Sizes	10ml
Legal Category	POM

ECTOPARASITICIDES & ANTHELMINTICS

Fleatix®

Active	Fipronil
Species	Dogs & Cats
Description	Fleatix is an easy to use spot-on solution for the treatment of flea and tick infestations. Fleatix Spot-On Solution has a persistent insecticidal efficacy for up to 5 weeks in fleas and can be used as part of a treatment strategy for Flea Allergic Dermatitis, where a veterinary surgeon has diagnosed this.
Strength	Small Dog, Medium Dog, Large Dog, Extra Large Dog & Cat
Pack Sizes	10 x 3's
Legal Category	LM

Return to Contents Page >>>

Companion Animal Range

ECTOPARASITICIDES & ANTHELMINTICS

NEW Fleatix® Combo

Active	Fipronil (S)-methoprene
Species	Dogs & Cats
Description	Easy to use spot on solution that kills fleas, ticks, biting lice and stops the development of flea eggs, larvae and pupae within the home.
Strength	Small Dog, Medium Dog, Large Dog, Extra Large Dog & Cat
Pack Sizes	10 x 3's
Legal Category	LM

NEW Chanhold®

Active	Selamectin
Species	Dogs & Cats
Description	Treats and prevents infections of heartworms, fleas, ear mites, sarcoptic mange, and certain types of ticks in dogs, and prevents heartworms, fleas, ear mites, hookworms, and roundworms in cats.
Strength	Cats and Dogs less than 2.5 kg, Toy Dogs, Small Dogs, Medium Dogs, Large Dogs. Medium Cat and Large Cat.
Pack Sizes	10 x 3's
Legal Category	POM

Prazitel® Plus

Active	Praziquantel 50 mg/ Pyrantel 144 mg / Febantel 150 mg
Species	Dogs
Description	Flavoured tablets which treats roundworms, hookworms, whipworms, tapeworms and infection in dogs and puppies.
Pack Sizes	24's, 100's, 200's
Legal Category	LM

Return to Contents Page >>>

Companion Animal Range

ECTOPARASITICIDES & ANTHELMINTICS

Prazitel® Plus XL

Active	Praziquantel 175 mg/Pyrantel 504 mg/Febantel 150 mg
Species	Dogs
Description	Flavoured tablets which treat roundworms, hookworms, whipworms and tapeworm infection in dogs and puppies.
Pack Sizes	10's, 50's
Legal Category	LM

Prazitel® Cat

Active	Praziquantel 20 mg/Pyrantel 230 mg3
Species	Cats
Description	Treats roundworms, hookworms, whipworms and tapeworm infections in cats.
Pack Sizes	24's, 104's
Legal Category	LM

EUTHANASIA

Euthoxin® Injection

Active	Pentobarbital Sodium 500 mg
Species	Horses, Ponies, Cattle, Swine, Dogs, Cats, Minks, Polecats, Hares, Rabbits, Guinea Pigs, Hamsters, Rats, Mice, Chicken, Pigeons, Birds, Snakes, Tortoises, Lizards, and Frogs
Description	Euthanasia.
Meat Withdrawal Period	Do not use in animals intended for human or animal consumption.
Milk Withdrawal Period	Do not use in animals intended for human or animal consumption.
Pack Sizes	100 ml
Legal Category	VPO

EQUIPMENT

GLOVES

Albex Milking Gloves

Pack Size	Size	Product Code
100	Medium	XX1624
	Large	XX1623
	X Large	XX1625

Description

Powder and latex free. Ambidextrous. Exceptional comfort and strength. Ideal for milking, hoof trimming and general farm use. Black in colour.

Chanelle Disposable Gloves 100's

Pack Size	Size	Product Code
100	Arm Length	XX0038

Description

Single use. Ambidextrous. Non-sterile. Extra-sensitive. Suitable for calving, lambing and examinations.

Kruse Latex Gloves - Powder Free

Pack Size	Size	Product Code
100	Small	KR1472
	Medium	KR1475
	Large	KR1787

Description

Smooth, durable, elastic latex examination gloves with high sensitivity. Rolled cuff. Non-sterile. Ambidextrous.

Krutex Latex Gloves

Pack Size	Size	Product Code
100	Small	KR1428
	Medium	KR1409
	Large	KR1408
	X Large	KR1069

Description

High quality, latex examination gloves. Smooth, elastic and with high sensitivity. Rolled cuff, non-sterile, ambidextrous. Cornstarch powder. Thickness at the fingers: 0.16 mm. Thickness at the palm: 0.15 mm. AQL: 1.5%

Return to Contents Page >>>

DOSING & INJECTABLE APPLICATORS

Pour On Gun 60ml

Species	Size	Product Code
Cattle	60ml	XX1612

Description

Adjustable volume and easy calibration. Complete with chemical resistant tubing. Impact-resistant, durable hard-plastic casing. Comfortable handle design for easy gripping.

Chanox Dosing Gun 30 ml

Species	Size	Product Code
Cattle/Sheep	10ml	XX3678
Cattle/Sheep	30ml	XX3679

Description

Top quality, specially designed drenching gun for use when treating calves with Chanox product. Also compatible across full Chanelle range. Strenghtened hard-plastic casing and easy calibration.

Hookmatic 80 Drencher 80 ml

Species	Size	Product Code
Cattle	80ml	QT1010

Description

Reinforced steel hook design for easy use with large cattle. High volume delivery system. Comfort grip incorporated into design of both hook and gun hand pieces. Chemical resistant tubing

Chanelle Auto Drencher

Species	Size	Product Code
Cattle/Sheep	20ml	QT1005
Cattle/Sheep	30ml	QT1006

Description

Automatically refills, saving time and labour. Use for both sheep and cattle. Durable hard-plastic design and easily calibrated.

Return to Contents Page >>>

Equipment

DOSING & INJECTABLE APPLICATORS

Dosing Drencher N/Auto

Species	Size	Product Code
Cattle	150ml	AZ1002
Cattle/Sheep	60ml	AZ1003

Description

High volume delivery system. Extra strength hard-plastic design. Easy calibration.

Chanelle Auto Injector

Species	Size	Product Code
Cattle/Sheep	12ml	XX0275

Description

Adjustable volume, durable design. Automatically refills, saving time and labour. Can be used in both cattle and sheep. Comfort-grip handle.

FEEDING TUBES

Lamb Feeding Tube

Species	Product Code
Sheep	XX1087

Description

Syringe and catheter for feeding weak lambs.

Chanelle Calf Feeding Tube & Bag

Species	Product Code
Cattle	XX1006

Description

Stomach tube and feeding bag for feeding colostrum/electrolytes to weak calves. Enlarged, rounded end for animal comfort and ease of use. Stopper valve on tube to control flow.

Return to Contents Page >>>

SYRINGES & NEEDLES

BD Syringes

Product	Pack Size	Size	Product Code
- Syr BD 1ml (300013)	100	1ml	MC1034
- Syr BD 2ml Emerald (307727)	100	2ml	MC1009
- Syr BD 5ml Emerald (307731)	100	5ml	MC1002
- Syr BD 10ml Emerald (307736)	100	10ml	MC1001
- Syr BD Disp 20ml (300613)	120	20ml	MC1012
- Syr BD Disp 30ml (301231)	60	30ml	MC1014
- Syr BD (Inj) 50ml (300866)	60	50ml	MC1007
- Syr BD 2ml with 21G x 5 needle (300325)	100	2ml	MC1033

Description

Single-use. Clear cylinder with a easily readable scale. Complies with international performance standards. CE marked.

Our Mission is to provide affordable medicines that extend and improve the lives of people and animals.

Ireland: Chanelle Pharmaceuticals Manufacturing Ltd | Loughrea | Co. Galway | Ireland
Tel: +353 91 841 788 | **E-mail:** enquiries@chanellegroup.ie
Web: www.chanellepharma.com

chanelle PHARMA