

Chanelle Pharma UK

At Chanelle we pride ourselves in the specialised development, production, marketing and distribution of high quality generic Animal Pharmaceutical products.

Please find below our specialised team of experts who are available to answer any queries you may have.

Jonathon Doyle

- National Sales Manager
- +44 7584 021014 jdoyle@chanellegroup.ie

Jonathan Moore


- Veterinary Technical Services Manager
- +44 7918 298 722 jomoore@chanellegroup.ie

Sally Scott

- Head of National Accounts
- +44 7384 258 350 sscott@chanellegroup.ie

Sophie Edwards

- National Key Account Manager
- +44 7469724083 sedwards@chanellegroup.ie



Business Development Managers

Jonathon Reay

North

+44 7526 824 063 jreay@chanellegroup.ie

Julia Lyons

Central

+44 7749 429176 julyons@chanellegroup.ie

Matthew Oakes

West

+44 7912 180989 moakes@chanellegroup.ie

Lizzie Piggott

East

+44 7584 353 063 lpiggott@chanellegroup.ie

Contents

Large Animal Range Anticoccidial 6 Anthelmintics 6 Nutritional 12 Non-Steroidal Anti-Inflammatory (NSAID)15 **Equine Range** Anthelmintics 20 Anaesthetics and Sedatives......20 Non-Steroidal Anti-Inflammatory (NSAID)22 **Companion Animal Range** Anaesthetics and Sedatives......26 Anti-Epileptic Drug......28 Antibiotics 29 Osteoarthritis......30 Ectoparasiticides & Anthelmintics......30 Non-Steroidal Anti-Inflammatory (NSAID)32 **Equipment**

LARGE ANIMAL RANGE



Large Animal Range

ANTICOCCIDIAL

Dycoxan®

Diclazuril 0.25% w/v **Active**

Species Calves & Lambs

Description Oral suspension for the prevention of clinical signs of

coccidiosis and reduction of oocyst shedding.

Meat Withdrawal Period 0 days

Milk Withdrawal Period Not applicable

Pack Sizes 1 litre, 2.5 litre, 5 litre

Legal Category POM-VPS Dosage 4 ml/10 kg



ANTHELMINTICS

Animec® Injection

Ivermectin 1.0% w/v **Active**

Species Cattle & Pigs

Description Cattle: Treats & controls gastro-intestinal roundworms,

> lungworms, eye worms, warbles, mange mites & lice. Pigs: Treats & controls gastro-intestinal roundworms, lungworms,

mange mites & lice.

Meat Withdrawal Period Cattle: 49 days

Pigs: 28 days

Milk Withdrawal Period Do not use in animals producing milk for human consumption

or in dairy heifers within 60 days prior to calving.

Pack Sizes 500 ml **Legal Category** POM-VPS

Dosage Rate Cattle: 1 ml/50 kg

Pigs: 1 ml/33 kg

Animec® Pour-on

Active Ivermectin 0.5% w/v

Species Cattle

Description Treats & controls gastro-intestinal roundworms,

lungworms, eye worms, warbles, mange mites & lice.

Meat Withdrawal Period

Milk Withdrawal Period Do not use in animals producing milk for human

consumption or dairy heifers within 60 days prior to calving.

Pack Sizes 1 litre, 2.5 litre, 5 litre

POM-VPS **Legal Category Dosage Rate** 10ml/100kg





Animec® Oral



Active Ivermectin 0.08% w/v

Species Sheep

Description Treats and controls 'gastro-intestinal' roundworms,

lungworms and nasal bots.

Meat Withdrawal Period 10 days

Milk Withdrawal Period Sheep must not be treated within 60 days prior

to the commencement of lactation, if milk is to

be used for human consumption

Pack Sizes 2.5 litre, 5 litre, 12.5 litre

POM-VPS **Legal Category Dosage Rate** 2.5ml/10kg



Albex[®] 2.5% SC



Active Albendazole 2.5% w/v

Species Cattle & Sheep

Description Is a broad spectrum multi-purpose oral anthelmintic suspension.

> Treats & controls mature & developing immature forms of gastrointestinal roundworms, lungworms, tapeworms and adult liver fluke. Ovicidal against fluke and roundworm eggs. Contains

supplementary cobalt and selenium.

Meat Withdrawal Period Cattle: 14 days

Sheep: 5 days

Milk Withdrawal Period Cattle: 60 hours

Pack Sizes 1 litre, 2.5 litre, 10 litre,

POM-VPS **Legal Category**

Dosage Rate Sheep: Worm: 2ml/10kg

Sheep: Fluke & worm: 3ml/10kg Cattle: Worm: 30ml/100 kg Cattle: Fluke & worm: 40ml/100kg



Albex® 10%



Albendazole 10% w/v Active

Cattle & Sheep **Species**

Description Is a broad spectrum multi-purpose oral anthelmintic suspension.

Treats & controls mature & developing immature forms of gastrointestinal roundworms, lungworms, tapeworms & adult liver fluke.

Ovicidal against fluke & roundworm eggs.

Meat Withdrawal Period Cattle: 14 days

Sheep: 5 days

Milk Withdrawal Period Cattle 60 hours

Pack Sizes 1 litre, 2.5 litre, 5 litre, 10 litre

POM-VPS **Legal Category**

Dosage Rate Sheep: Worm: 0.5ml/10kg

Sheep: Fluke & worm: 0.75ml/10kg Cattle: Worm: 3.75ml/50 kg Cattle: Fluke & worm: 5ml/50kg



Large Animal Range

ANTHELMINTICS

Bovex®

Active Oxfendazole 2.265% w/v

Species Cattle & Sheep

Description A broad spectrum worm drench for cattle and sheep

for the control of control of mature and immature gastro-intestinal roundworms, lungworms & tapeworms. This product is also ovicidal against roundworm eggs.

Meat Withdrawal Period Cattle: 19 days Sheep: 24 days

Milk Withdrawal Period Cattle: 84 hours

Sheep: Do not use in animals producing milk

for human consumption.

Pack Sizes 5 litre, 10 litre

Legal Category POM-VPS

Dosage Rate Cattle: 20ml/100kg Sheep: 2ml/9kg



Chanaverm® 7.5%



Active Levamisole Hydrochloride 7.5% w/v

Species Cattle & Sheep

Description Oral solution used for the treatment and control of

gastro-intestinal and pulmonary roundworm infections

in cattle and sheep.

Meat Withdrawal Period Cattle: 20 days Sheep: 20 days

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes2.5 litre, 5 litreLegal CategoryPOM-VPS

Dosage Rate Cattle: 10ml/100kg Sheep: 1ml/10kg



Doramax® Pour-On



Active Doramectin 0.5%w/v

Species Cattle

DescriptionFor treatment of infestations of gastrointestinal roundworms, lungworms, eyeworms, warbles, sucking

and biting lice, mange mites and hornfly in cattle.

Meat Withdrawal Period Cattle: 35 days

Milk Withdrawal Period Do not use in pregnant cows or heifers, which are

intended to produce milk for human consumption,

within 2 months of expected calving.

Pack Sizes 1 litre, 3 litre, 5 litre

Legal Category POM-VPS

Dosage Rate Cattle: 10ml/100kg



Epromec®



Eprinomectin 0.5% w/v **Active**

Species Cattle

Description Pour on solution used to treat roundworms,

lungworms, warbles, mange mites, lice and

horn flies in beef and dairy cattle.

Meat Withdrawal Period 15 days Milk Withdrawal Period Zero hours

Pack Sizes 1 litre, 3 litre, 5 litre

POM-VPS **Legal Category Dosage Rate** 10m/100kg



Moxodex® Oral



Active Moxidectin 0.1% w/v

Species Sheep

Description Oral solution which treats and prevents 'gastro-intestinal'

roundworms and lungworms in sheep

Meat Withdrawal Period 14 days

Milk Withdrawal Period 5 days

Pack Sizes 1 litre, 2.5 litre, 5 litre

Legal Category POM-VPS **Dosage Rate** 2ml/10kg



Rumenil®



Active Oxyclozanide 3.4% w/v

Species Cattle

Description Oral suspension which treats and controls

adult liver fluke and tapeworm in cattle.

Meat Withdrawal Period 13 Days

Milk Withdrawal Period 108 hours (4.5 days)

Pack Sizes 5 litre **Legal Category** POM-VPS

Dosage Rate 3ml/10kg up to 350kg. >350kg = 105ml dose



Large Animal Range

ANTHELMINTICS

Tribex[®] 5%

Triclabendazole 5% w/v Active

Species Sheep

Description Oral suspension which treats acute, subacute & chronic

fascioliasis caused by early immature, immature and adult

stages of liver fluke.

Meat Withdrawal Period

Milk Withdrawal Period Do not use within 1 year prior to the first lambing in ewes

intended to produce milk for human consumption.

Pack Sizes 2.2 litre, 5 litre **Legal Category** POM-VPS **Dosage Rate** 2 ml/10 kg



Tribex® 10%

Active Triclabendazole 10% w/v

Species Cattle

Description Oral suspension which treats acute, subacute & chronic fascioliasis

caused by early immature, immature and adult stages of liver fluke.

Meat Withdrawal Period

Milk Withdrawal Period This product is not permitted for use during lactation in animals

producing milk for human consumption. When used in nonlactating cattle: Milk for human consumption may only be taken from 84 hours after calving. Not intended for use within 41 days of calving. If calving occurs before 41 days after treatment, milk for human consumption may only be taken after 41 days plus 84

hours after the treatment.

Pack Sizes 2.2 litre, 5 litre POM-VPS **Legal Category Dosage Rate** 12ml/100kg



NEW! Tribamec Duo®

Active Ivermectin 1mg/ml and Triclabendazole 50mg/ml

Species Sheep

Description A combination worm and liver fluke **oral** drench, indicated for the

treatment of mixed trematode (fluke) and nematode or arthropod infections due to gastrointestinal roundworms, lungworms, liver

fluke and nasal bots.

Meat Withdrawal Period 27 days

Milk Withdrawal Period Not authorised for use in ewes producing milk for human

consumption including during the dry period. Do not use within 1 year prior to the first lambing in ewes intended to produce milk for

human consumption.

Pack Sizes 1 litre, 2.5 litre, 5 litre

POM-VPS **Legal Category Dosage Rate** 2 ml/10 kg



Zerofen® 2.5%

Fenbendazole 2.5% w/v **Active**

Species Cattle & Sheep

Description Oral suspension which controls mature & developing

immature forms of roundworm & lungworms.

Meat Withdrawal Period Cattle: 14 days

Sheep: 21 days

Milk Withdrawal Period Cattle: 132 hours

Sheep: do not use in sheep producing milk for human

consumption.

Pack Sizes 1 litre, 2.5 litre, 10 litre

Legal Category POM-VPS

Dosage Rate Cattle: 30ml/100kg

Sheep: 2ml/10kg



Zerofen® 10%



Active Fenbendazole 10% w/v

Species Cattle & Sheep

Description Oral suspension which controls mature & developing

immature forms of roundworm & lungworms.

Meat Withdrawal Period Cattle: 14 days Sheep: 21 days

Milk Withdrawal Period Cattle: 132 hours

Sheep: do not use in sheep producing milk for

human consumption.

Pack Sizes 1 litre, 2.5 litre, 10 litre

POM-VPS **Legal Category**

Dosage Rate Cattle: 10ml/130kg Sheep: 0.5ml/10kg



Animec[®] Super



Active Ivermectin 1.0% w/v

Clorsulon 10% w/v

Species

Description Is a broad-spectrum injectable endectocide. Treats mixed

infestations of adult liver fluke, gastrointestinal roundworms,

lungworms, eyeworms, mites & lice.

Meat Withdrawal Period 66 days

Milk Withdrawal Period Do not use in animals producing milk for human consumption or

dairy heifers within 60 days prior to calving.

Pack Sizes 250 ml, 500 ml **Legal Category** POM-VPS **Dosage Rate** 1 ml/50 kg



Large Animal Range

NUTRITIONAL

Thrive Extra®

Active Essential vitamins and trace elements

Species Sheep & Lambs

Description A nutritional product containing all common vitamins, amino acids and trace

> elements to maximise growth, performance and thriftiness in sheep and lambs. Ideal for sheep pre tupping, sheep pre-lambing and lambs from one month old. Can be used in feed, drinking water, milk or as an oral drench.

Meat Withdrawal Period Not applicable Milk Withdrawal Period Not applicable **Pack Sizes** 1 litre, 2.5 litre

Legal Category Nutritional

Dosage Rate Lambs <8 weeks: 5ml • Lambs/hoggets >8 weeks: 10ml • Breeding rams: 20ml • Ewes: 15-20ml



Thrive Extra® + Copper

Active Essential vitamins and trace elements

Species Sheep & Lambs

Description A nutritional product containing all common vitamins, amino acids and

trace elements including copper to maximise growth, performance and thriftiness in sheep and lambs. Thrive is ideal for sheep pre tupping, pre-lambing and lambs from one-month old as an energy source. Can be used in feed, drinking water, milk or as an oral drench. Suitable for all

sheep requiring copper supplementation.

Meat Withdrawal Period Not applicable Milk Withdrawal Period Not applicable

Pack Sizes 2.5 litre **Legal Category** Nutritional

Dosage Rate Lambs <8 weeks: 5ml • Lambs/hoggets >8 weeks: 10ml • Breeding rams: 20ml • Ewes: 15-20ml



Thrive Gold®

Essential vitamins and trace elements **Active**

Species Cattle

Description A nutritional product containing all common vitamins, amino acids

& trace elements Ideal for cows pre-calving, cows pre-service and calves from 1 month old. Maximise growth & thriftiness in cattle. Bioavailable multivitamins and chelated trace elements. Suitable for dry cattle. Concentrated Energy source. Can be used as an oral

drench or in feed, drinking water and milk.

Meat Withdrawal Period Not applicable Milk Withdrawal Period Not applicable

Pack Sizes 1 litre, 2.5 litre Nutritional **Legal Category**

Dosage Rate Calves: 20-30ml Breeding bulls: 100ml

Beef cows: 100ml Dairy cows (high-yielding): 120ml (140ml)



ANTIBIOTICS

Milbotyl®

Tilmicosin 300 mg/ml, Propylene glycol 250 mg/ml **Active**

Species Cattle & Sheep

Description For the treatment of pneumonia in cattle and

sheep, ovine mastitis and bovine foot rot.

Meat Withdrawal Period Cattle: 70 days Sheep: 42 days

Milk Withdrawal Period Cattle 36 days Sheep 18 days

Pack Sizes 50 ml **Legal Category** POM-V



Fenoflox® 10%

Active Enrofloxacin 100 mg/ml

Species Cattle & Pigs

Description Treatment of respiratory & alimentary tract infections. Used

for the treatment of local signs associated with pre-acute/

acute mastitis in dairy cattle.

Meat Withdrawal Period Cattle Subcutaneous: 12 days

Cattle Intravenous: 5 days Pigs Subcutaneous: 13 days

Milk Withdrawal Period Cattle Subcutaneous: 4 days

Cattle Intravenous: 3 days

Pack Sizes 100 ml **Legal Category** POM-V



Fenoflox® 5%

Enrofloxacin 50 mg/ml **Active**

Cattle, Pigs, Dogs & Cats **Species**

Description Treatment of respiratory & alimentary tract

infections in Cattle and Pigs.

Meat Withdrawal Period Cattle Intravenous: 5 days

Cattle subcutaneous: 12 days

Pigs:13 days

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes 100 ml POM-V **Legal Category**



To A A



Large Animal Range

SEDATIVES

Chanazine® 2%

Active Xylazine 20 mg/ml

Species Cattle, Horses, Dogs & Cats

Description Sedative with analgesic and muscle relaxant properties.

Meat Withdrawal Period Cattle:14 days.

Not to be used in horses intended

for human consumption.

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes 25 ml POM-V **Legal Category**



MATHE

Ketamidor[®]

Active Ketamine

Species Cats, Cattle, Dogs, Horses & Pigs

Description Ketamine is a dissociative anaesthetic. Its antagonistic

action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the

transmission of neural impulses.

Meat Withdrawal Period Zero days Milk Withdrawal Period Zero days **Pack Sizes** 10 ml, 50ml **Legal Category** POM-V



Medesedan®

Active Detomidine hydrochloride 10 mg/ml

Species Cattle & Horses

Description Medesedan injection is an alpha2-drenorecptor agonist,

sedative, analgesic & is used as a pre-anaesthetic. Licensed

for IV and IM use.

Meat Withdrawal Period Cattle: 2 days

Horses: 2 days

Milk Withdrawal Period Cattle: 12 hours

Pack Sizes 5 ml, 20 ml **Legal Category** POM-V



Sedanol®



Active Azaperone 40mg

Species Pigs

Description A neuroleptic sedative for pigs. For the use in animals with

aggressive behaviour. For the use in animals with stress and

prevention of stress.

Meat Withdrawal Period Meat and offal: 14 days

Pack Sizes100mlLegal CategoryPOM-V



NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Rheumocam® Injection - 20mg/ml



Active Meloxicam 20 mg/ml Species Cattle, Horses & Pigs

Description Used in horses for the relief of equine colic, inflammation

& pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in combination with oral rehydration therapy in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxaemia and mastitis-metritis-agalactia syndrome.

Meat Withdrawal Period Cattle: 15 Days

Horses, Pigs: 5 days

Milk Withdrawal Period Cattle: 5 Days

 Pack Sizes
 100 ml

 Legal Category
 POM-V



Spasmium® Injection



Hyoscine butylbromide 4 mg

Species Horses, Cattle, Pigs & Dogs

Description Spasmium is for the treatment of spasms or

sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory

organs associated with pain.

Meat Withdrawal Period Horse, Cattle (IV): 12 days

Pig (IM): 15 days

Milk Withdrawal Period Cattle (IV) 4 days

Pack Sizes100 mlLegal CategoryPOM-V



Large Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Spasmipur[®]

Active Hyoscine Butylbromide

Species Horse, Cattle, Sheep & Pigs

Description Spamipur is indicated for the treatment of acute spasms

of the gastrointestinal tract (colic) and of the urinary tract.

Meat Withdrawal Period Cattle: 2 days

Horses: 3 days Pigs: 9 days Sheep: 18 days

Milk Withdrawal Period12 hoursPack Sizes50 mlLegal CategoryPOM-V



MARK

EQUINE RANGE



Equine Range

ANTHELMINTICS

Animec® Oral Paste

Active Ivermectin 18.7 mg/g

Species Horses

Description Treats & controls roundworms, bloodworms,

pinworms, neck threadworms and bots.

Pack Sizes Display tray of 20's

Legal Category POM-VPS



ANAESTHETICS AND SEDATIVES

Iso-Vet®

Active Isoflurane 1000 mg/g Inhalation vapour, liquid

Species Horses, Dogs, Cats, Small Mammals, Ornamental Birds and Reptiles

Description Induces and maintain anaesthesia in all types of veterinary surgery.



Butador®

Active Butorphanol 10 mg/ml

Species Horse, Dogs & Cats

Description Sedative, analgesic and pre-anaesthetic for horses, can be

combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be

combined with medetomidine and ketamine.

Pack Sizes 10 ml, 5 x 10 ml

Legal Category POM-V



Chanazine® 2%

Active Xylazine 20 mg/ml

Species Cattle, Horses, Dogs & Cats

Description Sedative with analgesic and muscle relaxant properties.

Meat Withdrawal Period Cattle 14 days. Not to be used in horses intended for

human consumption.

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes 25 ml **Legal Category** POM-V



Chanazine® 10%

Species



Cattle & Horses Description Sedative with analgesic and muscle relaxant properties. The

product is for use in horses only, in cases where sedation is

required.

Pack Sizes 50 ml POM-V **Legal Category**



Medesedan®

Detomidine hydrochloride 10 mg/ml **Active**

Cattle & Horses **Species**

Description Medesedan injection is an alpha2-drenorecptor agonist,

sedative, analgesic & is used as a pre-anaesthetic. Licensed

for IV and IM use.

Meat Withdrawal Period Cattle: 2 days

Horses: 2 days

Milk Withdrawal Period Cattle: 12 hours

Pack Sizes 5 ml, 20 ml **Legal Category** POM-V



Equine Range

ANAESTHETICS AND SEDATIVES

Ketamidor®

MARAN

Active Ketamine

Species Cats, Cattle, Dogs, Horses & Pigs

Description Ketamine is a dissociative anaesthetic. Its antagonistic

action on the NMDA-receptors inhibits the neurotransmitter glutamate. The glutamate coupled acetylcholine release blocks the excitability of the neurons and therefore the transmission of

neural impulses.

Meat Withdrawal Period Zero days **Milk Withdrawal Period** Zero days **Pack Sizes** 10 ml, 50ml **Legal Category** POM-V



NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Chanazone®

Active Phenylbutazone

Species Horses

Description For the treatment of musculoskeletal conditions in the horse

where relief from pain and a reduction in the associated

inflammation is required.

Meat Withdrawal Period Not for use in horses intended for human consumption. Milk Withdrawal Period Not for use in horses intended for human consumption.

Pack Sizes 100 x 5g sachet

Legal Category POM-V



Rheumocam® Oral Suspension – 15mg/ml

Active Meloxicam 15 mg/ml

Species Horses

Description Used for the relief of equine colic & inflammation and pain

in both acute and chronic musculo-skeletal disorders.

Meat Withdrawal Period Horse meat and offal: 3 days

Milk Withdrawal Period Not authorised for use in lactating animals producing

milk for human consumption.

Pack Sizes 100 ml. 250 ml

Legal Category POM-V



Rheumocam® Injection - 20mg/ml



Active Meloxicam 20 mg/ml

Species Cattle, Horses & Pigs

Description Used in horses for the relief of equine colic, inflammation

& pain in both acute and chronic musculoskeletal disorders. Used in cattle for acute respiratory infection & acute mastitis. Used for diarrhoea in combination with oral rehydration therapy in calves of over one week of age & young, non-lactating cattle. Used in pigs to reduce the symptoms of lameness & inflammation in non-infectious locomotor disorders. Treats puerperal septicaemia, toxaemia and mastitis-metritis-agalactia syndrome.

Meat Withdrawal Period Cattle: 15 Days

Horses, Pigs: 5 days

Milk Withdrawal PeriodCattle: 5 DaysPack Sizes50 ml, 100 ml

Legal Category POM-V



Spasmium® Injection



Hyoscine butylbromide 4 mg

Species Horses, Cattle, Pigs & Dogs

Description Spasmium is for the treatment of spasms or

sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile excretory

organs associated with pain.

Meat Withdrawal Period Horse, cattle (IV): 12 days

Pig (IM): 15 days

Milk Withdrawal Period Cattle (IV): 4 days

Pack Sizes 100 ml
Legal Category POM-V



Spasmipur® Injection

Active Hyoscine Butylbromide

Species Horse, Cattle, Sheep & Pigs

Description Spamipur is indicated for the treatment of acute spasms

of the gastrointestinal tract (colic) and of the urinary tract.

Meat Withdrawal Period Cattle: 2 days

Horses: 3 days Pigs: 9 days Sheep: 18 days

Milk Withdrawal Period12 hoursPack Sizes50 mlLegal CategoryPOM-V





COMPANION ANIMAL RANGE



Companion Animal Range

ANAESTHETICS AND SEDATIVES

Sevohale®

Active Sevoflurane 100 % v/v inhalation vapour

Species Dogs & Cats

Description For the induction and maintenance of anaesthesia.

Recovery from sevoflurane anaesthesia is usually

smooth and rapid.

Pack Sizes 250 ml **Legal Category** POM-V



Iso-Vet®

Active Isoflurane 1000 mg/g Inhalation vapour, liquid

Species Horses, Dogs, Cats, Small Mammals,

Ornamental Birds and Reptiles

Description Induces and maintain anaesthesia in all types

of veterinary surgery.

Pack Sizes 250 ml POM-V **Legal Category**



Bupaq[®]

Active Buprenorphine 0.3 mg/ml

Dogs & Cats **Species**

Description Bupaq is recommended for pre-and postsurgical

analgesia in long lasting interventions with expected

moderate to severe pain.

Pack Sizes 10 ml **Legal Category** POM-V



Butador®



Butorphanol 10 mg/ml **Active**

Species Horses, Dogs, & Cats

Description Sedative, analgesic and pre-anaesthetic for horses, can

be combined with xylazine, detomidine and romifidine. Sedative, analgesic and pre-anaesthetic for dogs and cats, can be combined with medetomidine

and ketamine.

Pack Sizes 10 ml, 5 x 10 ml

POM-V **Legal Category**



Chanazine® 2%



Species Cattle, Horses, Dogs & Cats

Description Sedative with analgesic and muscle relaxant properties.

Meat Withdrawal Period Cattle 14 days. Not to be used in horses intended for

human consumption.

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes 25 ml **Legal Category** POM-V



Medetor®



Species Dogs & Cats

Description Alpha2-drenorecptor agonist, it is a sedative,

analgesic and is used as a pre-anaesthetic.

Pack Sizes 10 ml POM-V **Legal Category**





Companion Animal Range

ANAESTHETICS AND SEDATIVES

Insistor®

Active

Methadone Hydrochloride 10 mg

Species Dogs & Cats

Description Insistor is indicated for analgesia as a premedicant for general

anaesthsia or for neuroleptanalgesia in combination with a

neuroleptic drug.

Meat Withdrawal Period Not applicable Milk Withdrawal Period Not applicable **Pack Sizes** 5 ml, 10 ml POM-V **Legal Category**



Revertor®

Active Atipamezole hydrochloride 5 mg/ml

Species Dogs & Cats

Description Alpha2-antagonist, it is used for the reversal of the sedative

effects of medetomidine (Medetor®) and dexmedetomidine

in dogs & cats.

Pack Sizes 10 ml POM-V **Legal Category**



ANTI-EPILEPTIC DRUG

Epityl®

Active Phenobarbital 60 mg

Species Dogs

Description Phenobarbital is an antiepileptic agent for the prevention of

seizures due to generalized epilepsy in dogs.

Pack Sizes 100 tabs, 500 tabs

POM-V **Legal Category**



ANTIBIOTICS

Fenoflox® 5%

A MAN

Active Enrofloxacin 50 mg/ml **Species** Cattle, Pigs, Dogs & Cats

Description Treatment of respiratory & alimentary tract infections in

Cattle and Pigs. Treats bacterial infections of the alimentary,

respiratory and urogenital tracts, skin, wound infections and

otitis externa in dogs & cats.

Meat Withdrawal Period Cattle Intravenous: 5 days

Cattle subcutaneous: 12 days

Pigs: 13 days

Milk Withdrawal Period Do not use in animals producing milk

for human consumption.

Pack Sizes 100 ml **Legal Category** POM-V



Clinacin® – Now available in convenient Snap Tabs!



Active Clindamycin

Species Dogs

Description Clinacin tablets are indicated in dogs for the treatment of

infected wounds, abscesses, superficial pyoderma and oral cavity/dental infections. Clinacin tablets can also be used to help provide antimicrobial cover during dental procedures.

Pack Sizes 25 mg, 300 mg

Legal Category POM-V



ANTI-NAUSEA

NEW! Vominil

Maropitant (as maropitant citrate monohydrate) 10 mg **Active**

Species Dogs and Cats

Description Dogs; For the treatment and prevention of nausea induced by

chemotherapy, for the prevention of vomiting except that induced by motion sickness, for the treatment of vomiting, in combination with other supportive measures, for the prevention of perioperative nausea and vomiting and improvement in recovery from general anaesthesia after use of the μ -opiate receptor agonist morphine.

Cats; For the prevention of vomiting and the reduction of nausea, except that induced by motion sickness, for the treatment of vomiting, in combination with other supportive measures.

Pack Sizes 25 ml **Legal Category** POM-V



Companion Animal Range

OSTEOARTHRITIS

Osteopen®

Active Pentosan Polysulphate Sodium

Species

Description For the treatment of lameness and pain of degenerative

joint disease/osteoarthritis (non-infectious arthrosis) in

the skeletally mature dogs.

Strength 100 mg/ml

Pack Sizes 10 ml

Legal Category POM-V



ECTOPARASITICIDES & ANTHELMINTICS

NEW! Imoxat

Active Imoxat for small and large cats and ferrets contains 100 mg/ml

imidacloprid and 10 mg/ml moxidectin.lmoxat for dogs contains

100 mg/ml imidacloprid and 25 mg/ml moxidectin.

Species Dogs, Cats and Ferrets

Description For dogs suffering from, or at risk from, mixed parasitic infections:

flea infestation, biting lice, ear mite infestation and heartworm

For cats suffering from, or at risk from, mixed parasitic infections:

flea infestation, ear mite infestation, lungworm, heartworm

disease

For ferrets suffering from, or at risk from, mixed parasitic

 $infections: flea \, infestation, heartworm \, disease.$ *For full range of cover indications for each species please refer to SPC

Strength Small Cat & Ferret, Large Cat, Small Dog, Medium Dog,

Large Dog, XL Dog

Pack Sizes 24 x 3's **Legal Category** POM-V

Fipnil® Plus

Active Fipronil (S)-methoprene

Species Dogs & Cats

Description Easy to use spot on solution that kills fleas, ticks, biting lice

and stops the development of flea eggs, larvae and pupae

within the home.

Strength Small Dog, Medium Dog, Large Dog, Extra Large Dog & Cat

Pack Sizes 10 x 3's **Legal Category** AVM-GSL





Prazitel® Plus



Active Praziguantel 50mg, Pyrantel Embonate 144mg,

Febantel 150mg

Species Dogs

Description Flavoured tablets which treat roundworms, hookworms,

whipworms and tapeworm infection in dogs.

Pack Sizes 24's, 104's NFA-VPS **Legal Category**



Prazitel® Cat



Active Praziguantel 20mg, Pyrantel Embonate 230mg

Species

Description Treats roundworms and tapeworm infections in cats.

Pack Sizes 24's, 104's **Legal Category** NFA-VPS



Prazitel® Plus XL



Active Praziquantel 175mg, Pyrantel Embonate 504mg,

Febantel 525mg

Species Dogs

Description Flavoured tablets which treat roundworms, hookworms,

whipworms and tapeworm infection in dogs.

Pack Sizes 10's, 50's NFA-VPS **Legal Category**



Imidaflea®



Active Imidacloprid

Species Dogs, Cats & Rabbits

Description Easy to use spot on solution that kills fleas, flea larvae/pupae

> and biting lice. It will prevent fleas for up to four weeks for cats and dogs and one week for rabbits. Protects your home against infestations by stopping development of flea larvae..

Strength Small Cat, Dog & Rabbit, Medium Dog, Large Dog, Extra Large

Dog & Large Cat & Rabbit

Pack Sizes 10 x 3's AVM-GSI **Legal Category**



Companion Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Canidryl® – Now available in convenient Snap Tabs!



Active Carprofen

Species Dogs

Canidryl flavoured tablets are used for the **Description**

reduction of inflammation and pain caused by musculoskeletal disorders and degenerative joint disease and as a follow up to parenteral analgesia in the management of post-operative pain

following soft tissue surgery in dogs.

Strength 20 mg, 100 mg

Pack Sizes 100 tabs POM-V **Legal Category**



Caniphedrin



Species Dog

Description Used for the treatment of urinary

incontinence caused by urethral sphincter mechanism incompetence in ovariohysterectomised female dogs.

Pack Sizes 20mg, 50mg

Legal Category POM-V



Rheumocam® Chewable Tablets



Active Meloxicam

Species Dogs

Description Used to alleviate inflammation and pain in both acute and

chronic musculo-skeletal disorders and the management of

post-operative pain. following soft tissue surgery in dogs.

Strength 1 mg, 2.5 mg **Pack Sizes** 100 tabs **Legal Category** POM-V



Rheumocam® Injection - 5mg/ml



Active Meloxicam 5 mg/ml

Species Dogs & Cats

Description Dogs: Alleviation of inflammation and pain in both acute

and chronic musculo-skeletal disorders. Reduction of

post-operative pain and inflammation following

orthopaedic and soft tissue surgery.

Cats: Reduction of post-operative pain after ovariohysterectomy and minor soft tissue surgery.

Pack Sizes 10 ml POM-V **Legal Category**



Rheumocam® Oral Suspension for Dogs - 1.5mg/ml



Active Meloxicam 1.5 mg/ml

Species Dogs

Description Alleviation of inflammation and pain in both acute and

chronic musculo-skeletal disorders.

Pack Sizes 15 ml, 42 ml, 100 ml, 200 ml

POM-V **Legal Category**



Rheumocam® Oral Suspension for Cats - 0.5mg/ml



Active Meloxicam 0.5mg/ml

Species

Description Description To relieve the pain and inflammation

associated with chronic musculoskeletal conditions

and acute injury

Pack Sizes 5ml, 15ml POM-V **Legal Category**



Companion Animal Range

NON-STEROIDAL ANTI-INFLAMMATORY (NSAID)

Spasmium® Injection



Species Horses, Cattle, Pigs, Dogs

Description Spasmium is for the treatment of spasms or

sustained increased tonus of smooth muscles of the gastrointestinal tract or the urine and bile

excretory organs associated with pain.

Meat Withdrawal Period Horse, cattle (IV): 12 days

Pig (IM): 15 days

Milk Withdrawal Period Cattle (IV): 4 days

Pack Sizes100 mlLegal CategoryPOM-V



EQUIPMENT

Equipment

DOSING

Chanelle Dosing Gun 10 ml

Species	Size	Product Code
Cattle & Sheep	10 ml	XX1720

Description

Ultra-durable drenching gun. Smooth-curved tube with rounded endpiece for optimal animal welfare. Comfort-grip handle for



Dycoxan Dosing Gun

Species	Size	Product Code
Cattle/Lambs	10 ml	XX3790
Cattle/Lambs	30 ml	XX3791

Description

 $\label{thm:curved} \mbox{ Ultra-durable drenching gun. Smooth-curved tube with rounded}$ endpiece for optimal animal welfare. Comfort-grip handle for ease of use. Complements Dycoxan and available in calf and lamb sizes.



Moxodex Dosing Gun 10 ml

Species	Size	Product Code
Sheep	10 ml	XX3231

Description

 $\label{thm:curved} \mbox{ Ultra-durable drenching gun. Smooth-curved tube with rounded}$ endpiece for optimal animal welfare. Comfort-grip handle for ease of use. Complements Moxodex.



POUR ON GUN

Pour on Gun 40 ml

Species	Size	Product Code
Cattle	40 ml	XX1616

Description

 $\label{thm:condition} \mbox{Durable, hard plastic pour on gun. Automatically refills resulting}$ in reduced labour.



DRENCHERS

Hookmatic 80 ml Drencher

Species	Size	Product Code
Cattle	80 ml	XX1700

Description

Reinforced steel hook design for easy use with large cattle. High volume delivery system. Comfort grip incorporated into design of both hook and gun hand pieces. Chemical resistant tubing.



Chanelle Auto Injector

Species	Size	Product Code
Cattle/Sheep	10 ml	XX1699

Description

Adjustable volume, durable design. Automatically refills, saving time and labour. Can be used in both cattle and sheep. Comfort grip handle.



Our Mission is to provide affordable medicines that extend and improve the lives of people and animals.

E-mail: ukenquiries@chanellegroup.ie **Web:** www.chanellepharma.com

Use Medicines Responsibly

