

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** RTV 116

**Other means of identification**

**Synonyms:** FLOWABLE ACETOXY SEALANT (red), Silicone Rubber Sealant

**Recommended use and restriction on use**

**Recommended use:** Silicone Elastomer

**Restrictions on use:** For industrial use only.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**  
**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Skin Corrosion/Irritation Category 2

Toxic to reproduction Category 2

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Warning

**RTV 116**

**Hazard Statement:** H315; Causes skin irritation.  
H361f; Suspected of damaging fertility.

**Precautionary Statements**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

**Response:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Hazard(s) not otherwise classified (HNOC):** None.

**Substance(s) formed under the conditions of use:** Generates acetic acid during cure.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
(1) Silica	7631-86-9	10 - <20%	# This substance has workplace exposure limit(s).
Red iron oxide	1309-37-1	1 - <5%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	No data available.

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**4. First-aid measures**

**RTV 116**

<b>General information:</b>	No action shall be taken involving any personal risk or without suitable training.
<b>Ingestion:</b>	If swallowed, do NOT induce vomiting. Give a glass of water.
<b>Inhalation:</b>	If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.
<b>Skin Contact:</b>	To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.
<b>Eye contact:</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** In case of fire, carbon monoxide and carbon dioxide may be formed. Use water spray to keep fire-exposed containers cool.

**Special protective equipment and precautions for fire-fighters**

**Special fire-fighting procedures:** Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

**RTV 116**

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Avoid contact with skin and eyes. Use only in well-ventilated areas. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases acetic acid during application and curing. Keep out of reach of children. See Section 8 of the SDS for Personal Protective Equipment.

**Methods and material for containment and cleaning up:** Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

**7. Handling and storage**

**Precautions for safe handling:** Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.

**Conditions for safe storage, including any incompatibilities:** Keep away from heat, sparks and open flame. Keep container tightly closed in a cool, well-ventilated place.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
(1) Silica - Respirable particles.	TWA	3 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Silica - Inhalable particles.	TWA	10 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (01 2021)
(1) Silica	REL	6 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	IDLH	3,000 mg/m <sup>3</sup>	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
(1) Silica - Total dust.	TWA	15 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
(1) Silica - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

**RTV 116**

(1) Silica - Total dust.	TWA	15 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
(1) Silica - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
	TWA PEL	5 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Silica - Total dust.	TWA PEL	10 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
(1) Silica - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
(1) Silica - Total dust.	TWA	15 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
(1) Silica - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Red iron oxide - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values, as amended (03 2015)
Red iron oxide - Dust and fume. - as Fe	REL	5 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Red iron oxide - Fume.	PEL	10 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	10 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (06 2008)
	TWA PEL	5 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (01 2015)
Red iron oxide - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide - Respirable fraction.	TWA	5 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide - Total dust.	TWA	15 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Red iron oxide	IDLH	2,500 mg/m <sup>3</sup>	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**Appropriate Engineering Controls**

Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**General information:**

No data available.

**RTV 116**

<b>Eye/face protection:</b>	Safety glasses with side shields
<b>Skin Protection</b>	
<b>Hand Protection:</b>	Use chemical-resistant, impervious gloves.
<b>Other:</b>	Wear suitable protective clothing and eye/face protection.
<b>Respiratory Protection:</b>	If inhalation exposure is expected, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
<b>Hygiene measures:</b>	Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	Paste
<b>Color:</b>	Red
<b>Odor:</b>	Acetic acid.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	Not applicable
<b>Initial boiling point and boiling range:</b>	Not applicable
<b>Flash Point:</b>	> 94 °C (Closed Cup) Product does not flash below 93.3C (200F) during test; no actual flash point >93.3 C was determined.
<b>Evaporation rate:</b>	< 1
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper:</b>	No data available.
<b>Explosive limit - lower:</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	ca. 1.09 g/cm3
<b>Relative density:</b>	ca. 1.09
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Insoluble

**RTV 116**

<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.
<b>VOC:</b>	31.9 g/l ;

## 10. Stability and reactivity

<b>Reactivity:</b>	Reacts with water.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous polymerization will not occur.
<b>Conditions to avoid:</b>	Keep away from moisture.
<b>Incompatible Materials:</b>	Strong Acids, Strong Bases Water.
<b>Hazardous Decomposition Products:</b>	Carbon dioxide Acetic acid. Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

RTV 116

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

(1) Silica LD 50 (Rat): > 15,000 mg/kg

Octamethylcyclotetrasiloxane LD 50 (Rat): > 4,800 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Octamethylcyclotetrasiloxane LD 50 (Rat): > 2,375 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Octamethylcyclotetrasiloxane LC50 (Rat): 36 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Irritating to skin. The health hazard evaluation is based on the toxicological properties of a similar material.

**Serious Eye Damage/Eye Irritation**

**Product:** OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating. The health hazard evaluation is based on the toxicological properties of a similar material.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** No data available.



RTV 116

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)  
Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

**In vivo**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane  
Chromosomal aberration (OECD 475) Inhalation (Rat, male and female): negative

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** Acetic acid released during curing. No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**RTV 116**

**Fish**

**Product:** No data available.

**Specified substance(s):**

(1) Silica LC0 (Brachydanio rerio, 96 h): 5,000 mg/l

Octamethylcyclotetrasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0.022 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane EC50 (Daphnia magna, 48 h): > 0.015 mg/l

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

(1) Silica LC0 (Brachydanio rerio, 4 d): 5,000 mg/l

Octamethylcyclotetrasiloxane NOEC (Oncorhynchus mykiss, 93 d): >= 0.0044 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane NOEC (Daphnia magna, 21 d): > 0.015 mg/l

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane ErC50 (Selenastrum capricornutum, 96 h): > 0.022 mg/l

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane 3.7 % (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels (Headspace Test)) Not readily biodegradable.

**BOD/COD Ratio**

**Product:** No data available.

RTV 116

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Octamethylcyclotetrasiloxane Bioconcentration Factor (BCF): 12,400

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** Log Kow: No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

(1) Silica No data available.  
Red iron oxide No data available.  
Octamethylcyclotetrasiloxane No data available.

**Other adverse effects:** No data available.

**13. Disposal considerations**

**General information:** The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

RTV 116

**Special precautions for user:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

**Chemical Identity**

Siloxanes and Silicones,  
di-Me hydroxy terminated  
Red iron oxide

**OSHA hazard(s)**

No OSHA Hazards

Causes mild skin irritation.; Respiratory hazard.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Skin Corrosion or Irritation  
Reproductive toxicity

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

**SARA 311/312 Hazardous Chemical**

**Chemical Identity**

**Threshold Planning Quantity**

**US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

---

RTV 116

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

Siloxanes and Silicones, di-Me hydroxy terminated

(1) Silica

Methyltriacetoxysilane

Red iron oxide

Polyalkylsiloxane

**US. Massachusetts RTK - Substance List**

**Chemical Identity**

Red iron oxide

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

(1) Silica

Red iron oxide

**US. Rhode Island RTK**

**Chemical Identity**

Red iron oxide

**RTV 116**

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: Please contact your supplier for further information on the inventory status of this material.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	*	2
<b>Flammability</b>		1
<b>Physical Hazards</b>		1
<b>PERSONAL PROTECTION</b>		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not

---

RTV 116

possible; \*Chronic health effect

**Issue Date:** 06/02/2022  
**Revision Date:** No data available.  
**Version #:** 2.1  
**Further Information:** Attention: Not for injection into humans.  
**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.  
Attention: Not for injection into humans.  
Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.