

PRICE LIST 06 - 2021



FOREST AND INDUSTRIAL EQUIPMENT



INDEX

Forest	3
SF75 XX	4
SF80 XX	5
SF100 XX	6
SF110 XX	7
SF130 XX	8
SF180 XX	9
TT600	10
BSF315	11
LOG SPLITTERS ACCESSORIES	12

Forest Winch	13
NEW WINCHES ACCESSORIES	14
VF80 BOLT - VF105 RED IRON - VF900-4 NIPPON	15
VF150 MODELS	16
VF155 ULTRALIGHT MODELS	17
WINCHES ACCESSORIES	18

CUTMAC	21
SVG650 - SVG700	22
SVG750 - SVG1000	23
SVG1400	24
TTG500 - TTG700	25
LOG SPLITTER & MORE	26
CHAIN SHARPENER & MORE	27





SF75 XX

The basic quality line for home use

Cylinder capacity	500 mm
Cutting height	545 mm
Oil quantity	7 l
Wedge stroke	Adjustable
Dimensions	60x56x110 cm
Weight	102 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
910060	SF75 220 XX	EL. HP3 (2,2 kW) – 220 V – PS	7,00	€ 1.070,00
910061	SF75 380 XX	EL. HP3 (2,2 kW) – 380 V – PS	7,50	€ 1.130,00
910062	SF75 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP	8,00	€ 1.250,00
910063	SF75 RAPID 380 XX	EL. HP3 (2,2 kW) – 380 V – DP	8,00	€ 1.310,00


CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES



SF80 XX

The line for the demanding user

Cylinder capacity	500 mm
Cutting height	545 mm
Oil quantity	8 l
Wedge stroke	Adjustable
Dimensions	72x64x112 cm
Weight	122 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
910066	SF80 220 XX	EL. HP3 (2,2 kW) – 220 V – PS	7,00	€ 1.240,00
910067	SF80 380 XX	EL. HP3 (2,2 kW) – 380 V – PS	7,50	€ 1.280,00
910068	SF80 380/4 XX	EL. HP4 (3,0 kW) – 380 V – PS	8,00	€ 1.310,00
910069	SF80 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP	8,00	€ 1.415,00
910070	SF80 RAPID 380 XX	EL. HP3 (2,2 kW) – 380 V – DP	8,00	€ 1.455,00
910071	SF80 RAPID 380/4 XX	EL. HP4 (3,0 kW) – 380 V – DP	8,00	€ 1.485,00
910075	SF80 BENZ RATO XX	SC. RATO HP6,7 – 212 cc – PS	7,50	€ 1.495,00
910076	SF80 RAPID BENZ RATO XX	SC. RATO HP6,7 – 212 cc – DP	8,00	€ 1.670,00



CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES



SF100 XX

Professional performances

Cylinder capacity	500 mm
Cutting height	545 mm
Oil quantity	13 l
Wedge stroke	Adjustable
Dimensions	74x66x114 cm
Weight	157 kg



CE EN 609-1:2017

CODE	VERSION	TECNICAL DATA	TONS	PRICE
920023	SF100 220 XX	EL. HP3 (2,2 kW) – 220 V – PS	8,15	€ 1.430,00
920024	SF100 380 XX	EL. HP3 (2,2 kW) – 380 V – PS	8,15	€ 1.470,00
920025	SF100 380/4 XX	EL. HP4 (3,0 kW) – 380 V – PS	8,15	€ 1.500,00
920026	SF100 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP	8,15	€ 1.605,00
920027	SF100 RAPID 380 XX	EL. HP3 (2,2 kW) – 380 V – DP	8,15	€ 1.645,00
920028	SF100 RAPID 380/4 XX	EL. HP4 (3,0 kW) – 380 V – DP	8,15	€ 1.675,00
920029	SF100 PTO F XX	PTO FM – PS	8,15	€ 1.420,00
920030	SF100 PTO XX	PTO MS – 3P – PS	8,15	€ 1.545,00
920031	SF100 220+PTO XX	EL. HP3 – 220 V – PS – PTO MS – 3P	8,15	€ 1.870,00
920032	SF100 380+PTO XX	EL. HP3 – 380 V – PS – PTO MS – 3P	8,15	€ 1.910,00
920033	SF100 380/4+PTO XX	EL. HP4 – 380 V – PS – PTO MS – 3P	8,15	€ 1.940,00
920034	SF100 RAPID 220+PTO XX	EL. HP3 – 220 V – DP – PTO MS – 3P	8,15	€ 2.045,00
920035	SF100 RAPID 380+PTO XX	EL. HP3 – 380 V – DP – PTO MS – 3P	8,15	€ 2.085,00
920036	SF100 RAPID 380/4+PTO XX	EL. HP4 – 380 V – DP – PTO MS – 3P	8,15	€ 2.115,00
920040	SF100 BENZ RATO XX	SC. RATO HP6,7 – 212 cc – PS	8,15	€ 1.715,00
920041	SF100 RAPID BENZ RATO XX	SC. RATO HP6,7 – 212 cc – DP	8,15	€ 1.890,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

SF110 XX

The reliable and professional line

Cylinder capacity	500 mm
Cutting height	545 mm
Oil quantity	18 l
Wedge stroke	Adjustable
Dimensions	90x66x222 cm
Weight	220 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
930050	SF110 220 XX	EL. HP3 (2,2 kW) – 220 V – PS	8,15	€ 1.775,00
930051	SF110 380 XX	EL. HP3 (2,2 kW) – 380 V – PS	8,15	€ 1.815,00
930052	SF110 380/4 XX	EL. HP4 (3,0 kW) – 380 V – PS	8,15	€ 1.845,00
930053	SF110 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP	8,15	€ 1.950,00
930054	SF110 RAPID 380 XX	EL. HP3 (2,2 kW) – 380 V – DP	8,15	€ 1.990,00
930055	SF110 RAPID 380/4 XX	EL. HP4 (3,0 kW) – 380 V – DP	8,15	€ 2.020,00
930056	SF110 PTO F XX	PTO FM – 3P – PS	8,15	€ 1.915,00
930057	SF110 PTO XX	PTO MS – 3P – PS	8,15	€ 1.885,00
930058	SF110 220+PTO XX	EL. HP3 – 220 V – PS – PTO MS – 3P	8,15	€ 2.180,00
930059	SF110 380+PTO XX	EL. HP3 – 380 V – PS – PTO MS – 3P	8,15	€ 2.220,00
930060	SF110 380/4+PTO XX	EL. HP4 – 380 V – PS – PTO MS – 3P	8,15	€ 2.250,00
930061	SF110 RAPID 220+PTO XX	EL. HP3 – 220 V – DP – PTO MS – 3P	8,15	€ 2.355,00
930062	SF110 RAPID 380+PTO XX	EL. HP3 – 380 V – DP – PTO MS – 3P	8,15	€ 2.495,00
930063	SF110 RAPID 380/4+PTO XX	EL. HP4 – 380 V – DP – PTO MS – 3P	8,15	€ 2.525,00
930065	SF110 RAPID BENZ RATO XX	SC. RATO HP6,7 – 212 cc – DP	8,15	€ 2.260,00




CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES



SF130 XX

Strong structure and high quality

Cylinder capacity	1000 mm
Cutting height	1210 mm
Oil quantity	21 l
Wedge stroke	Adjustable
Dimensions	110x95x265 cm
Weight	302 kg




CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
940030	SF130 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP – 3P	13,00	€ 2.555,00
940031	SF130 380 XX	EL. HP5,5 (4,1 kW)– 380 V – PS – 3P	13,00	€ 2.540,00
940032	SF130 PTO F XX	PTO FM – 3P – PS	13,00	€ 2.335,00
940033	SF130 PTO XX	PTO MS – 3P – PS	13,00	€ 2.310,00
940034	SF130 RAPID 220+PTO XX	EL. HP3 – 220 V – DP+PTO MS – 3P	13,00	€ 2.815,00
940035	SF130 380+PTO XX	EL. HP5,5– 380 V – PS+PTO MS – 3P	13,00	€ 2.765,00
940046	SF130 RAPID BENZ RATO XX	SC. RATO HP9 – 301 cc – DP	13,00	€ 3.125,00
940037	SF130 ST XX	CONNECTION WITH HYDRAULIC PIPES	13,00 *	€ 2.075,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

*MAXIMUM PRESSURE



SF180 XX

Maximum quality and extreme strength

Cylinder capacity	1000 mm
Cutting height	1210 mm
Oil quantity	21 l
Wedge stroke	Adjustable
Dimensions	110x95x265 cm
Weight	360 kg





CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
940038	SF180 RAPID 220 XX	EL. HP3 (2,2 kW) – 220 V – DP – 3P	16,00	€ 2.815,00
940039	SF180 380 XX	EL. HP5,5 (4,1 kW)– 380 V – PS – 3P	18,00	€ 2.790,00
940040	SF180 PTO F XX	PTO FM – 3P – PS	18,00	€ 2.605,00
940041	SF180 PTO XX	PTO MS – 3P – PS	18,00	€ 2.585,00
940042	SF180 RAPID 220+PTO XX	EL. HP3 – 220 V – DP+PTO MS – 3P	16 - 18	€ 3.070,00
940043	SF180 380+PTO XX	EL. HP5,5– 380 V – PS+PTO MS – 3P	18,00	€ 3.035,00
940047	SF180 RAPID BENZ RATO XX	SC. RATO HP9 – 301 cc – DP	18,00	€ 3.430,00
940045	SF180 ST XX	CONNECTION WITH HYDRAULIC PIPES	18,00*	€ 2.240,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

*MAXIMUM PRESSURE



TT600

Practicality in complete safety

Cutting capacity	270 mm
Blade size	600 mm
Transmission	2 Belts
Wheels	2 x 230 mm
Dimensions	80x120x116 cm
Weight	108 kg



CE EN 1870-6:2018

CODE	VERSION	TECHNICAL DATA	PRICE
990004	TT600 220	EL. HP3 (2,2 kW) – 220 V – WIDIA 600 mm	€ 1.095,00
990005	TT600 380	EL. HP3 (2,2 kW) – 380 V – WIDIA 600 mm	€ 1.115,00
990006	TT600 380/4	EL. HP4 (3,0 kW) – 380 V – WIDIA 600 mm	€ 1.135,00
990007	TT600 PTO	PTO MS – 3P – WIDIA 600 mm	€ 1.030,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

BSF315

Strong bench and belt transmission

Cutting capacity	120 mm
Blade size	315 mm
Transmission	2 Belts
Wheels	2 x 100 mm
Dimensions	77x109x107 cm
Weight	88 kg



CE CE MAC032AT106 07-17

CODE	VERSION	TECHNICAL DATA	PRICE
990021	BSF315 220	EL. HP3 (2,2 kW) – 220 V – WIDIA 315 mm	€ 965,00
990022	BSF315 380	EL. HP3 (2,2 kW) – 380 V – WIDIA 315 mm	€ 1.005,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES




CODE	DESCRIPTION	PRICE
210007	CROSS WEDGE SF60/80/81/100	€ 56,00

CODE	DESCRIPTION	PRICE
210002	3 LINKS (FOR MODELS FOR WHICH IT IS NOT PLANNED)	€ 180,00



CODE	DESCRIPTION	PRICE
190016	WIDIA BLADE CL mm 315 x 30	€ 49,00
190012	WIDIA BLADE CL mm 600 x 30	€ 125,00

CODE	DESCRIPTION	PRICE
110010	OIL TANK 2 l	€ 23,00
110006	OIL TANK 5 l	€ 44,00





It allows to hook the winches (and accessories) supporting their weight and preventing them from rotating downwards.

NEW

CODE	DESCRIPTION	PRICE
310500	LOOP HOOK WITH VERTICAL HOLE	€ 62,00

It allows the anchoring of the winches and the "U" shaped frame to all vertical walls, both flat and of other shapes, to poles and trees. Connects through the loop hook with vertical hole.



CODE	DESCRIPTION	PRICE
310501	ANCHOR FOR VERTICAL SURFACES AND POLES	€ 197,00

Designed for different uses, fixed to the ground, to concrete for horizontal pulls or for second-hand shots, deviations or lifts.

CODE	DESCRIPTION	PRICE
310504	ANCHOR FOR HORIZONTAL SURFACES	€ 178,00
310505	ACCESSORY FOR DOWN SHOTS	€ 209,00
310004	TEXTILE ROUND SLING mm 1000 – 2 TONS	€ 16,50




Additional accessory that can be connected to the anchor for horizontal surfaces, useful for down shots.



Anchor to connect the winch to the tow hook.

CODE	DESCRIPTION	PRICE
310502	ANCHOR FOR TOW HOOK	€ 197,00



It allows you to perform direct pulls and lifts up to 200kg. Equipped with emergency brake.

CODE	DESCRIPTION	PRICE
310503	"U" SHAPED FRAME FOR LIFTING	€ 410,00




VF80 BOLT

MAXIMUM TRACTION 815 - 1630 kg

CODE	980005
Drum capacity	Unlimited
Drum speed	26m/m
Accelerator	Adjustable
Brake system	Automatic
Dimensions	346x350x253 mm
Weight	10,50 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	10 - 12 mm

€ 1.250,00*



VF105 RED IRON

MAXIMUM TRACTION 1050 - 2100 kg

CODE	980006
Drum capacity	Unlimited
Drum speed	20m/m
Accelerator	Adjustable
Brake system	Automatic
Dimensions	346x350x253 mm
Weight	10,50 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	10 - 12 mm

€ 1.345,00*



VF900-4 NIPPON

MAXIMUM TRACTION 865 - 1730 kg

CODE	980007
Drum capacity	Unlimited
Drum speed	14m/m
Accelerator	Adjustable
Brake system	Automatic
Dimensions	350x350x290 mm
Weight	10,85 kg
Engine	Honda 4 Tempi GX50
Rope diameter	10 - 12 mm

€ 1.430,00*

*** PRICES DO NOT INCLUDE THE ROPE**



VF150 MANUAL

MAXIMUM TRACTION 1420 - 2840 kg

CODE	980012
Drum capacity	m 80 x 5 mm / m 60 x 6 mm
Drum speed	20m/m
Rope rewinding	Manual
Brake system	Automatic
Dimensions	550x385x360 mm
Weight	23,00 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	5 mm - 6 mm

€ 1.390,00*

VF150 AUTOMATIC

MAXIMUM TRACTION 1420 - 2840 kg

CODE	980002 - 980008
Drum capacity	m 80 x 5 mm / m 60 x 6 mm
Drum speed	20m/m
Rope rewinding	Automatic
Brake system	Automatic
Dimensions	590x385x360 mm
Weight	28,00 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	5mm (980002) - 6mm (980008)

€ 1.695,00*



CE



VF150 AUTO-4 GX50

MAXIMUM TRACTION 1210 - 2420 kg

CODE	980009 - 980014
Drum capacity	m 80 x 5 mm / m 60 x 6 mm
Drum speed	19m/m
Rope rewinding	Automatic
Brake system	Automatic
Dimensions	590x385x360 mm
Weight	28,35 kg
Engine	Honda 4 Tempi GX50
Rope diameter	5mm (980009) - 6mm (980014)

€ 1.790,00*



VF155 MANUAL

MAXIMUM TRACTION 1485 - 2970 kg

CODE	980013
Drum capacity	m 80 x 5 mm
Drum speed	20m/m
Rope rewinding	Manual
Brake system	Automatic
Dimensions	560x385x360 mm
Weight	21,50 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	5 mm

€ 1.660,00*



CE

VF155 AUTOMATIC

MAXIMUM TRACTION 1485 - 2970 kg

CODE	980004
Drum capacity	m 80 x 5 mm
Drum speed	20m/m
Rope rewinding	Automatic
Brake system	Automatic
Dimensions	595x385x360 mm
Weight	25,00 kg
Engine	Solo by Al-Ko 50,80 cc
Rope diameter	5 mm

€ 1.890,00*

VF155 AUTO-4 GX50

MAXIMUM TRACTION 1260 - 2520 kg

CODE	980010
Drum capacity	m 80 x 5 mm
Drum speed	19m/m
Rope rewinding	Automatic
Brake system	Automatic
Dimensions	595x385x360 mm
Weight	25,35 kg
Engine	Honda 4 Tempi GX50
Rope diameter	5 mm

€ 2.020,00*





CODE	DESCRIPTION	PRICE
310001	TEXTILE ROUND SLING mm 3000 – 2 TONS	€ 19,00
310002	TEXTILE ROUND SLING mm 4000 – 2 TONS	€ 22,50

CODE	DESCRIPTION	PRICE
310003	TEXTILE EYES SLING mm 2000 - 2 TONS	€ 36,00



CODE	DESCRIPTION	PRICE
310012	SLING WITH PAWL mm 2000 - 2 TONS	€ 25,50



CODE	DESCRIPTION	PRICE
310211	DOUBLE HOOK FOR VF80 BOLT / VF105 RED IRON	€ 52,00



CODE	DESCRIPTION	PRICE
310210	HOOK WITH SAFETY 1,6 TONS	€ 7,00
310204	REVOLVING HOOK WITH SAFETY 1,6 TONS	€ 11,00
310205	SHACKLE 2000 kg	€ 10,00

CODE	DESCRIPTION	PRICE
310011	STEEL PULLEY 26 kN– 4-6,5 mm (VF150)	€ 92,00



CODE	DESCRIPTION	PRICE
310202	INOX PULLEY 16 Kn – 8-13 mm (VF80 BOLT)	€ 94,00

CODE	DESCRIPTION	PRICE
310050	ALUMINIUM PULLEY BLACK 40 kN – 4-6,5 mm (VF150/VF155)	€ 114,00



CODE	DESCRIPTION	PRICE
310051	ALUMINIUM PULLEY RED 40 kN – 8-13 mm (VF80-VF105 R.I.)	€ 114,00



CODE	DESCRIPTION	PRICE
310245	TEXTILE ROPE DY-FOREST mm 5x80 m WITH SAFETY HOOK (VF155)	€ 212,00



CODE	DESCRIPTION	PRICE(m)
310201	HIGHT TENACITY TEXTILE ROPE mm 10 RED (VF80-VF900-4)	€ 1,22
310207	HIGHT TENACITY TEXTILE ROPE mm 12 RED	€ 1,68

CODE	DESCRIPTION	PRICE(m)
310209	HIGHT TENACITY TEXTILE ROPE mm 10 GREY (VF105 RED IRON)	€ 1,36



CODE	DESCRIPTION	PRICE
310005	STEEL WIRE ROPE mm 5 x 80 m WITH SAFETY HOOK (VF150 - 5 -)	€ 112,00
310025	STEEL WIRE ROPE mm 6 x 60 m WITH SAFETY HOOK (VF150 - 6 -)	€ 112,00

CODE	DESCRIPTION	PRICE
310022	STEEL WIRE ROPE mm 5x80 m WITH REVOLVING SAFETY HOOK (VF150–5)	€ 116,00
310029	STEEL WIRE ROPE mm 6x60 m WITH REVOLVING SAFETY HOOK (VF150–6)	€ 116,00



CODE	DESCRIPTION	PRICE
310007	CHOCKER SLING WITH ROPE mm 10 x 2,0 m	€ 56,00
310008	CHOCKER SLING WITH ROPE mm 10 x 2,5 m	€ 62,00

CODE	DESCRIPTION	PRICE
310009	CHAIN SLING mm 7 x 2,5 m	€ 78,00
310010	CHAIN SLING mm 7 x 3,0 m	€ 84,00



CODE	DESCRIPTION	PRICE
310247	ELASTIC ROPE mm 1000 WITH ADJUSTABLE HOOKS	€ 4,90
310249	SPRING BUCKLE STRAP mm 2000 x 35	€ 6,90



CODE	DESCRIPTION	PRICE
310026	WINCH RUCKSACK (VF150 / VF155)	€ 220,00
310048	WINCH RUCKSACK (VF80 BOLT / VF105 / VF900-4)	€ 226,00

CODE	DESCRIPTION	PRICE
310085	FOREST WINCH CART (VF150 / VF155)	€ 158,00



CODE	DESCRIPTION	PRICE
310220	SAIL BACKPACK FOR TEXTILE ROPE (VF80 BOLT / VF105 RED IRON)	€ 72,00

CODE	DESCRIPTION	PRICE
310240	SLEIGH ECLECTIC100 BASIC VERSION	€ 169,00



CODE	DESCRIPTION	PRICE
310241	SLEIGH ECLECTIC100 MULTI-PURPOSE VERSION	€ 259,00

CODE	DESCRIPTION	PRICE
310244	WINCHES SUPPORT ON SLEIGH ECLECTIC100 (VF80/VF105 RED I)	€ 98,00





SVG650 PLUS

Practical model, suitable for the family

Cylinder capacity	500 mm
Cutting height	540 mm
Oil quantity	5 l
Wedge stroke	Adjustable
Dimensions	70x64x112 cm
Weight	94 kg





CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
810040	SVG650 220 PLUS	EL. HP3 (2,2 kW) - 220 V - PS	6,50	€ 635,00

SVG700 PLUS

Designed for a demanding user

Cylinder capacity	500 mm
Cutting height	540 mm
Oil quantity	5 l
Wedge stroke	Adjustable
Dimensions	70x65x112 cm
Weight	120 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
810041	SVG700 220 PLUS	EL. HP3 (2,2 kW) - 220 V - PS	7,00	€ 735,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

SVG750 POWER ENGINE

Internal-combustion engine version

Cylinder capacity	500 mm
Cutting height	540 mm
Oil quantity	5 l
Wedge stroke	Adjustable
Dimensions	85x75x112 cm
Weight	122 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
810044	SVG750 POWER ENGINE	SC. LONCIN HP6,5 - 196 cc - PS	8,00	€ 1.120,00



SVG1000 PLUS

Professional performances

Cylinder capacity	500 mm
Cutting height	540 mm
Oil quantity	13 l
Wedge stroke	Adjustable
Dimensions	72x66x118 cm
Weight	162 kg



CE EN 609-1:2017

CODE	VERSION	TECHNICAL DATA	TONS	PRICE
810042	SVG1000 220 PLUS	EL. HP3 (2,2 kW) - 220 V - PS	8,15	€ 1.020,00
810043	SVG1000 220 RAPID PLUS	EL. HP3 (2,2 kW) - 220 V - DP	8,15	€ 1.240,00


CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES



SVG1400 PTO

Suitable for meter logs

Cylinder capacity	960 mm
Cutting height	1000 mm
Oil quantity	12 l
Log filter	Standard
Dimensions	115x123x250 cm
Weight	214 kg



CE EN 609-1:2017




CODE	VERSION	TECHNICAL DATA	TONS	PRICE
810054	SVG1400 PTO	PTO MS - 3P - PS	14,00	€ 1.520,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES

TTG500 PLUS

Great quality, convenient price

Cutting capacity	200 mm
Blade size	500 mm
Trasmission	Direct
Wheels	2 x 200 mm
Dimensions	110x80x110 cm
Weight	79 kg



CODE	VERSION	TECHNICAL DATA	PRICE
810028	TTG500 220 PLUS	EL. HP3 (2,2 kW) - 220 V - WIDIA 500 mm	€ 760,00

CE EN 609-1:2017



TTG700 PTO

Strong machine, belt transmission

Cutting capacity	250 mm
Blade size	700 mm
Trasmission	2 Belts
Wheels	2 x 200 mm
Dimensions	134x120x168 cm
Weight	164 kg



CE EN 609-1:2017



CODE	VERSION	TECHNICAL DATA	PRICE
810036	TTG700 PTO	PTO MS - 3P - WIDIA 700 mm	€ 1.450,00

CAPTION: PS = SINGLE PUMP, DP = DOUBLE PUMP, EL = ELECTRIC MOTOR, SC = ENGINE POWERED, PTO FM = PTO FEMALE JUNCTION TO TRACTOR, PTO MS = PTO MALE JUNCTION TO TRACTOR, 3P = 3 LINKS, ST = CONNECTION WITH HYDRAULIC PIPES



SOG650 220

CODE	810050
Log length	520 mm
Technical data	HP3 (2,2 kW) – 220 V
Tons	6,50
Weight	73 kg
Dimensions	41x147x62 cm

€ 455,00



TTG400 220 PLUS

CODE	810034
Cutting capacity	120 mm
Technical data	1800 W
Blade size	Widia 400 mm
Weight	43 kg
Dimensions	86x80x99 cm

€ 360,00



BSG315 220

CODE	810005
Cutting capacity	83 mm
Technical data	2000 W - 220 V
Blade size	Widia 315 mm
Weight	45 kg
Dimensions	99x61x107 cm

€ 355,00



CODE	VERSION	TECHNICAL DATA	PRICE
810017	ALG120	EL.85 W - 220 V - DISCO mm 108	€ 56,00



CODE	VERSION	TECHNICAL DATA	PRICE
810046	ALG125 LION	BATTERY 18 V/2 Ah – DISCO mm 108	€ 97,00



CODE	VERSION	TECHNICAL DATA	PRICE
810035	ALG135 220	EL.160 W – 220 V – DISCO mm 145	€ 98,00



CODE	VERSION	TECHNICAL DATA	PRICE
810008	ALG145 220	EL.230 W – 220 V – DISCO mm 145	€ 129,00



CODE	VERSION	TECHNICAL DATA	PRICE
810031	ALG150 220 PRO	EL.230 W – 220 V – DISCO mm 145	€ 143,00



CODE	VERSION	TECHNICAL DATA	PRICE
810060	TACKLE 2000	TRACTION WITH PULLEY 2000 kg	€ 32,00

CODE	VERSION	TECHNICAL DATA	PRICE
810061	TACKLE 4000	TRACTION WITH PULLEY 4000 kg	€ 47,00



CODE	VERSION	TECHNICAL DATA	PRICE
810062	WINCH 360-10	TRACTION 360 kg – CABLE 10 m	€ 28,00

CODE	VERSION	TECHNICAL DATA	PRICE
810063	WINCH 700-20	TRACTION 700 kg – CABLE 20 m	€ 49,50





docma.it

DOCMA[®]
Made in Italy

Docma Srl
Via dell'Artigianato, 14
37057 San Giov. Lupatoto VR - Italia

Tel. +39 (0)45 8732006
Fax +39 (0)45 8739889

info@docma.it

Forest[®]
Winch^{Forest}
CUTMAC[®]