

# HALO

CONFERENCE

power & data operation



# HALO

## Power / Data Introduction

HALO provides beautiful new aesthetics and connectivity paired with the revolutionary Halo soft edge. Perimeter power drawers are now seamlessly integrated into the Halo edge, providing patented protection for table and chair and delivering even more technology and accessory storage. HALO DS features gorgeous wood table bases in any veneer species and finish with concealed wire pathways to invisibly integrate technology needs.

Patent US10506874B2



Best on NeoCon  
Best of Competition



Best on NeoCon  
Gold Award | Height Adjustable Tables



Best on NeoCon  
Gold Award | Conference Room Furniture



Interior Design Magazine  
Best of Year Winner | Contract Tables

### > table of contents

#### P 03 standard power options

#### P 04 drawers

Drawer details & placement

#### P 05 drawers specification

Halo power duplex

Extron® AAP plates

Cables for data connectivity

#### P 06 edge power specification

Halo duplex power module

Quickport® Adapters

Cord Retractors

Cables for data connectivity

#### P 07 pathways


Table wiring overview

Perimeter Power




Drawer Power







- Each Halo drawer contains four (4) configurable tech slots. One Extron® AAP - Architectural Adaptor Plate can occupy one (1) tech slot (1-4). Standard power includes two simplex, USB-C & USB-A.




- As one Halo drawer typically supplies power and data for two seated users, a typical drawer configuration might look like this:





### 1 | Supplied by HALCON

> Halo Duplex Power Module (UL Listed)





Consult an electrician to verify local electrical codes for suitability of available power options.

Halo Duplex with 10' AC Plug-in Cord  
Product #SCPGMS2P-PL




Halo Duplex with 12' Hardwire Conduit  
Product #SCPGMS2P-HW



### 2 | Available from HALCON or third-party

> Extron® AAP - Architectural Adaptor Plates

A wide-range of data plates are available from HALCON or can alternately be purchased by a third-party (furniture dealer, IT/AV consultant, etc.) [www.Extron.com](http://www.Extron.com)




### 3 | Supplied by third-party

> Cables for Data Connectivity

Any data cables required to connect Extron® AAP Architectural Adaptor Plates to floor box terminations, peripherals, or other devices are not supplied by HALCON and must be supplied and installed by a third-party (furniture dealer, IT/AV consultant, etc.)

### 1 | Supplied by HALCON

- > Halo Duplex Power Module (UL Listed) with two (2) tech slots and USB-A+C or Dual USB-A or Dual USB-C slots




### 2 | Available from HALCON or third-party

- > Quickport® Adapters


HDMI



RJ45/Cat 6




Blank (included)




- > Cord Retractors


HDMI



RJ45/Cat 6




USB-A



- > Infeed

15 amp corded infeed, 15/20 amp hardwire infeed  
note: one infeed will support up to 8 power modules.




### 3 | Supplied by third-party

- > Cables for Data Connectivity


Any data cables required to connect Halo powder/data modules to floor box terminations, peripherals, or other devices are not supplied by HALCON and must be supplied and installed by a third-party (furniture dealer, IT/AV consultant, etc.)

Halo's engineered substructure is IT & A/V friendly, featuring integrated cable management

### > 60" x 120" Metal Y-Base



### > 60" x 120" Wood Loop Base or Wood Y-Base



### > 60" x 120" Continuous Base

