Patriot VX Series 256GB MicroSDXC V30 Class 10 UHS-I U3 4K UHD Memory Card - PSF256GLX31MCH

As another addition to Patriot Viper's memory card family, the Patriot VX V30 is a high-capacity MicroSDXC storage solution designed for getting the best performance out of your camera. Backed by V30 Video Speed Class and UHS-I U3 Speed Class 10 ratings, the Patriot VX V30 series offers supreme performance with high sequential read and write speeds.

The Patriot VX V30 also offers a wide range of compatibility options that allow for full 4K video support and quick transfer times for any camera or system in use. The Patriot VX V30 is fully compliant with SDA 6.X/5.X/3.0 and supported by Windows, Linux and Mac systems.

Built with best-in-class materials able to withstand the elements and backed by a 2 year warranty, the Patriot VX V30 offers the perfect balance of performance, compatibility and reliability needed to capture high-definition photos and videos.

PRODUCT INFORMATION

PATRIOT INV. NUMBER:	PSF256GLX31MCH
DESCRIPTION:	Patriot VX Series MicroSDXC V30 256GB
CERTIFICATIONS/SAFETY:	CE/FCC/UKCA/BSMI/RoHS
PRODUCT WARRANTY:	2 Year Warranty
UNIT EAN/UPC:	4711378427110
UNIT WEIGHT:	0.001 lbs / 0.3 g
UNIT DIMENSIONS:	0.04" (L) x 0.58" (W) x 0.42" (H) 0.1 cm (L) x 1.5 cm (W) x 1.1 cm (H)
PACKAGING TYPE:	Hang Card
PACKAGING WEIGHT:	0.02 lbs / 10.3 g
PACKAGING DIMENSIONS:	0.24" (L) x 3.94" (W) x 5.2" (H) 0.6 cm (L) x 10 cm (W) x 13.2 cm (H)
MASTER CARTON WEIGHT:	23.8 lbs / 10.8 kg
MASTER CARTON DIMENSIONS:	20.9" (L) x 11.5" (W) x 12.2" (H) 53 cm (L) x 29 cm (W) x 31 cm (H)
UNITS PER INNER CARTON:	100
UNITS PER MASTER CARTON:	1000

FEATURES:

• 4K Video Recording
• Shock Proof, Dust Proof, Waterproof and Weatherproof
• 2 Year Warranty

SPECIFICATIONS:

• Capacity: 256GB
• Form Factor: MicroSD
• Ratings: V30 C10 UHS-I U3 A1
• Sequential Read (CDM): up to 90MB/s
• Sequential Write (CDM): up to 80MB/s
• Complies with SDA 6.X/ 5.X/ 3.0
• O/S Supported: Windows® 11 Windows® 10, Windows® 8, Windows® 7 and later, Linux 2.4 and later, Mac® OSX 10.6 and later
• Operating Temperature: -25 ~ 85°C
• Storage Temperature: -40 ~ 85°C
• Operating Voltage: 2.7 - 3.6 V