

FY2021 Annual Plan

For More Information Contact:

Jennifer Boie

(509) 332-4101

JenniferB@PalouseCD.org

Organization of the Palouse Conservation District

The Palouse Conservation District is a political subdivision of the State of Washington with authorities, powers and structure contained in RCW 89.08. The District was established in 1940 and is currently led by a locally elected and appointed Board of Supervisors. The volunteer five-member Board is joined by Associate Supervisors, staff and other volunteers to carry out District activities.

Palouse Conservation District Summary

Land Classification:

PCD Total Acreage 368,519 acres

Cropland 310,519 acres

Rangeland 45,400 acres

Woodland 2,970 acres

Population:

District Ag. Cooperators 728

Small Rural Landowners 5,000

City of Pullman 34,019 (WSU 20,976)

Colton 467, Uniontown 345,

Garfield 618, Albion 587, Palouse 1,074



Mission

Fostering the voluntary conservation of natural resources by providing the tools, education, technical expertise, and financial assistance to support our local community.

Vision

Be the trusted resource for voluntary conservation of natural resources resulting in healthy ecosystems.

Values

The following values guide our work:

- Community driven
- Wise use of natural resources
- Quality education and technical assistance
- Collaborative approaches for problem solving to reach conservation goals
- Local government that is responsive & responsible
- Efficient and effective use of public resources
- Alignment of land manager goals with conservation needs
- Respect all voices and perspectives
- Trust through transparent communication
- Be of service to our community

Criteria for Selecting Conservation Priorities

- Community supported
- Science based data
- Willing participants
- Innovative conservation trends
- Local ordinances
- Economic feasibility
- Is any other entity primarily addressing need?
- Partnership opportunities
- Fit within the district mission
- Contributes to production systems
- Data-driven decision making
- Return on investment



Priority Natural Resource Concerns and Conservation Needs *(Refer to Appendix A for detailed information on each resource concern)*

- Soil Health & Erosion Control
- Water Quality (all sources)
- Replenishing the Landscape (habitat, vegetation, prairie, pollinators, aesthetics)
- Water Quantity
- Climate Change
- Urban Development – Protection of habitat and working lands
- Small Acreage Issues
- Weed Control – invasive species
- Anadromous Fish Recovery and Aquatic Passage
- Air Quality
- Energy Conservation

Priority Geographic Areas

South Fork Palouse River Watershed and North Fork Palouse River Watershed will be the primary focus of our efforts with the Middle Snake River Watershed being secondary. Also include: Spring Flat Creek, Union Flat Creek, Palouse Prairie, and Middle Snake River tributaries.

Program Areas

Palouse Conservation District contains four program areas:

- Resource Conservation
- Research & Monitoring
- Education & Outreach
- Operations

This Annual Plan compiles anticipated activities and deliverables within each program area. The tables below also include the anticipated quantity of each proposed activity as well as funding agencies and partners who will be contributing to outcomes throughout the 2021 fiscal year.



Resource Conservation

Natural Resource Objective: Natural resource objectives met within Palouse CD’s resource conservation program area include: Soil Health & Erosion Control, Water Quality (all sources), Replenishing the Landscape (habitat, vegetation, prairie, pollinators, aesthetics), Water Quantity, Climate Change, Urban Development – Protection of habitat and working lands, Small Acreage Issues, Weed Control – Invasive Species, Anadromous Fish Recovery and Aquatic Passage, Air Quality, and Energy Conservation.

Funding Sources: Funding sources supporting Palouse CD’s resource conservation program area include: Washington Department of Ecology (all), Washington State Conservation Commission, Natural Resources Conservation Service Regional Conservation Partnership Program (NRCS RCPP), Washington State Department of Transportation, Washington Recreation and Conservation Office (RCO), Farm Service Agency, Airport Mitigation, Landfill, and United States Fish and Wildlife Service.

Planning			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Site Visits (number)	246	ECY (all), NRCS RCPP, WSCC-RCPP, DOT, WSCC-NRI	ECY, WSCC, NRCS, PRLCD, WCD, SCD
Cost Share Agreements (number)	58	ECY (all), NRCS RCPP, WSCC-RCPP, DOT, WSCC-NRI	ECY, WSCC, NRCS, PRLCD, WCD, SCD
CREP Contracts (number)	7	WSCC, FSA	FSA, WSCC, ECY,
EQIP Contract Management (number)	5	NRCS RCPP	NRCS, PRLCD, WCD, SCD, ACD, LCD
Conservation Plans (number)	10	ECY (all), NRCS RCPP, WSCC-RCPP, NRCS RCPP	ECY, NRCS, WSCC

Riparian Restoration			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Riparian Buffer Implementation (acres)	129.85	ECY (all), NRCS RCPP, WSCC-RCPP, DOT, WSCC-NRI	ECY, NRCS, WSCC, Whitman County, WA FWS, Palouse Rock Lake CD
Stream Bank Stabilization (linear feet)	3200	ECY (all), WSCC-RCPP	ECY, NRCS, WSCC, Whitman County, WA FWS, Pomeroy CD, Palouse Rock Lake CD
PALS (number)	225	RCO	Pomeroy CD
Commodity Buffers (stream miles)	10	WSCC, NRCS RCPP	WSCC, NRCS



Riparian Buffer Maintenance (acres)	15	WSCC-RCPP	WSCC, PRLCD, WCD
Wetland Restoration (acres)	2	WSCC-RCPP	ECY, NRCS, WSCC
Vegetation Monitoring (project sites)	20	ECY (all), CREP	ECY, NRCS
Crew Coordination for FY21 field season (number)	1	ECY (all), DOT, WSCC, Airport Mitigation, Landfill	ECY, NRCS, DOT, WSCC, Airport Mitigation, Landfill

Direct Seed/ Precision Ag			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Direct Seed Implementation (acres)	13,085	ECY (all), RCPP EQIP	NRCS, ECY
Cover Crop (acres)	750	RCPP EQIP and ECY FY20 Direct Seed	ECY, NRCS
Integrated Pest Management (acres)	320	RCPP EQIP	NRCS
Nutrient Management (acres)	1,125	RCPP EQIP and ECY FY19 Direct Seed & Prec. Ag.	ECY, NRCS

Livestock			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Fencing Implementation (feet)	11,500	WSCC-NRI, ECY (all)	ECY, WSCC
Heavy Use Protection Areas (sq. ft.)	500	WSCC-NRI	WSCC, ECY
Livestock TA (plans)	4	WSCC	WSCC, ECY
Stream Crossings (number)	2	WSCC-NRI, ECY FY20 TMDL	WSCC, ECY
Off-stream watering systems (number)	3	WSCC-NRI, ECY FY20 TMDL	WSCC, ECY

Palouse Prairie			
Activity/Deliverable	Quantitative	Funding Sources	Partners
SISP Monitoring and maintenance at other remnants (plants)	130	USFWS CRI	USFWS
SISP monitoring and maintenance at Steptoe Butte (plants)	1,700	USFWS CRI	USFWS



Field Maintenance			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Crew Coordination (ongoing)	1	ECY (all), WSCC RCPP, DOT, NRCS, WSCC-NRI	ECY, NRCS, WSCC
Equipment Maintenance (ongoing)	1	ECY (all), WSCC RCPP, DOT	ECY, NRCS, WSCC
Inventory (ongoing)	1	ECY (all), WSCC RCPP, DOT	N/A



Research and Monitoring

Natural Resource Objective: Natural resource objectives met within Palouse CD’s research and monitoring program area include: Soil Health & Erosion Control, Water Quality (all sources), Water Quantity, Climate Change, Urban Development – Protection of habitat and working lands, and Fish Recovery and Aquatic Passage.

Funding Sources: Funding sources supporting Palouse CD’s research & monitoring program area include: Washington Department of Ecology (all), Washington State Conservation Commission, Washington State Department of Agriculture, USDA Western SARE (WSARE) Farmer Rancher, and NRCS National Water Quality Initiative (NWQI)

Activity/Deliverable	Quantitative	Funding Sources	Partners
Calculate nitrogen use efficiencies for participating farmers (number of farmers)	4	ECY FY19 DS Precision Ag	ECY, WSCC
Cover crop strip trial experiment (number of sites)	1	WSARE Farmer Rancher, WSCC	Farmers, WSCC, NRCS
Critical source area modeling for the Palouse River watershed (number of sites)	1	ECY BMP Placement	WSU, ECY
Data management and analysis (ongoing)	1	WSCC, ECY Grants (all)	WSCC, WSU, U of I
Design and implement a drone and streambank erosion study (number of studies)	1	ECY Paradise Creek	ECY
Facilitating the 4th Annual Palouse Alternative Cropping Symposium (number of events)	1	ECY (all)	ECY
Monthly water quality monitoring (samples collected)	2868	ECY (all), WSCC, WSDA	ECY, WSCC, WSDA
Monthly water quality monitoring (number of sites)	27	ECY FY18 Palouse Basin, ECY FY19 Riparian, ECY FY20 Paradise Creek, WSCC RCPP	ECY, NRCS, WSCC
Pesticide Sampling on Dry Creek (number of sites)	1	WSDA	WSDA, The Public



Presentations to the public and partner agencies (number of events)	2	WSCC	The public
QAPP Development (number of plans)	2	ECY (all)	ECY, WSCC, WSARE
Soil Samples (samples collected)	160	ECY (all)	ECY, WSCC
Union Flat-Spring Creek watershed assessment plan (number of plans)	1	NWQI	NRCS, ECY
Vegetation Monitoring (number of sites)	6	WSCC	WSCC, USFWS



Education and Outreach

Natural Resource Objective: Natural resource objectives met within Palouse CD's education and outreach program area include: Soil Health & Erosion Control, Water Quality (all sources), Replenishing the Landscape (habitat, vegetation, prairie, pollinators, aesthetics), Water Quantity, Climate Change, Urban Development – Protection of habitat and working lands, Small Acreage Issues, Weed Control – Invasive Species, Anadromous Fish Recovery and Aquatic Passage, Air Quality, and Energy Conservation.

Funding Sources: Funding sources supporting Palouse CD's education and outreach program area include: Washington Department of Ecology (all), Washington State Conservation Commission, National Association of Conservation Districts, Snake River Salmon Recovery Board, Verle Kaiser, Franklin Conservation District, Asotin Conservation District, City of Pullman, and the Volunteer Stewardship Program.

Events			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Educational Events (number of events)	50	ECY (all), WSCC, NACD, SRSRB, Verle Kaiser, Franklin CD, Asotin CD, City of Pullman	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Workshops / Public Meetings (number of events)	20	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Event, Program, & Service Marketing (number of events)	60	ECY (all), WSCC, NACD, SRSRB, Verle Kaiser, Franklin CD, Asotin CD, City of Pullman	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Exhibit Displays (number of displays)	15	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, NACD, SRSRB
Conservation Tours (number of events)	1	ECY FY18 Direct Seed, WSCC	ECY, NRCS, WSCC, VSP, SRSRB
Tree Sale (number of events)	1	ECY FY18 Palouse Basin, ECY FY19 Riparian, ECY FY20 Paradise Creek, WSCC RCPP	ECY, NRCS, WSCC
Legislative education and outreach (number of events)	4	WSCC IM	WSCC; WACD



Educational Programs			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Lesson Development (number of plans)	10	ECY (all), WSCC, NACD, SRSRB, Verle Kaiser, Franklin CD, Asotin CD, City of Pullman	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Supply & Maintain Pet Waste Stations (number of site visits)	85	City of Pullman	City of Pullman, ECY
Producer Education (number of producers)	60	ECY FY18 Direct Seed, ECY FY19 Direct Seed & Prec. Ag., ECY FY20 Direct Seed, ECY FY21 Rip. Rest. & Direct Seed	ECY, PNDSA, CDs
Maintain Adopt-A-Stream Program (number of plans)	25	City of Pullman	City of Pullman, ECY

Outreach Materials			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Assessments / Surveys (number)	25	ECY FY18 Palouse Basin, WSCC	ECY, NRCS, WSCC, VSP, SRSRB
Newsletters (number of editions)	4	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Publications (number)	25	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Website Design (number)	20	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, Verle Kaiser, NACD, SRSRB, Franklin CD, Asotin CD, City of Pullman
Signage & Interpretation (number)	8	ECY FY20 TMDL, ECY FY20 Paradise Creek, ECY FY20 Direct Seed, NACD, City of Pullman, WSCC	ECY, NRCS, WSCC, NACD, SRSRB, City of Pullman
Additional Outreach Initiatives & Marketing Strategies (number)	10	ECY (all), WSCC, VSP, NACD, SRSRB	ECY, NRCS, WSCC, VSP, NACD, SRSRB



Volunteer Coordination			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Volunteer Engagement (number of events)	60	ECY (all), WSCC, NACD, City of Pullman	ECY, NRCS, WSCC, NACD, City of Pullman
Volunteer Engagement (number volunteers)	700	ECY (all), WSCC, NACD, City of Pullman	ECY, NRCS, WSCC, NACD, City of Pullman

Work Group Coordination			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Whitman VSP Work Group Coordination (meetings)	4	WVSP	Whitman County
Garfield VSP Work Group Coordination (meetings)	4	GVSP	Garfield County
SRSRB Lead Entity E & O (number of outreach events)	3	SRSRB Lead Entity	SRSRB Lead Entity; Whitman County CDs
SRSRB Lead Entity Meetings (number of meetings)	3	SRSRB Lead Entity	SRSRB Lead Entity; Whitman County CDs
SRSRB Lead Entity Coordination (number of updates with CDs and citizen members)	6	SRSRB Lead Entity	SRSRB Lead Entity; Whitman County CDs
ECY Ag BMP Advisory Committee (number of meetings)	6	ECY (all)	ECY
SRFB WRIA #35 (number of meetings)	8	SRFB	
WA CDs Manager/Executive Directors Forum planning committee and participation (number of meetings)	4	WSCC IM	WSCC



Operations

Natural Resource Objective: Natural resource objectives met within Palouse CD’s operations program area include: Soil Health & Erosion Control, Water Quality (all sources), Replenishing the Landscape (habitat, vegetation, prairie, pollinators, aesthetics), Water Quantity, Climate Change, Urban Development – Protection of habitat and working lands, Small Acreage Issues, Weed Control – Invasive Species, Anadromous Fish Recovery and Aquatic Passage, Air Quality, and Energy Conservation.

Funding Sources: Funding sources supporting Palouse CD’s operations program area include: Overhead, Washington Department of Ecology (all), Washington State Conservation Commission, Natural Resource Conservation Service, National Association of Conservation Districts, Snake River Salmon Recovery Board, Verle Kaiser, Franklin Conservation District, Asotin Conservation District, City of Pullman, and Volunteer Stewardship Program.

Grant, Partnership and Procurement Management			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Grant Administration & Portfolio Management (number of contracts)	38	All funding sources	All funding sources
Deliverable Tracking for grants, annual and long-term goals (ongoing)	1	All funding sources	All funding sources
Project progress and financial reporting across all funding sources (number of reports)	210	All funding sources	All funding sources
Partnership & procurement facilitation (number of partners and contractors)	25	All funding sources	All funding sources
Maintain transparency and positive status with funding sources (ongoing)	1	All funding sources	All funding sources
Maintain transparency and positive status with partners (ongoing)	1	All funding sources	All funding sources
Project risk assessment and monitoring (ongoing)	1	All funding sources	All funding sources
Project quality assessment and monitoring (ongoing)	1	All funding sources	All funding sources



New contract agreements (number)	8	All funding sources	All funding sources
Burn Permits (number)	30	ECY Burn Program	ECY

District Planning			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Workload Allocation (months)	12	All funding sources	All funding sources
Strategic Planning (ongoing)	1	All funding sources	All funding sources
Annual PCD activities calendar (number of months)	12	Overhead; WSCC IM	WSCC
Annual and long-range plan development (ongoing)	12	WSCC IM	WSCC
PCD Annual Meeting (number of events)	1	WSCC IM	WSCC
Budget projection 2020-20205 (number of reports)	4	Overhead; WSCC IM	WSCC
Attend WADE, WACD, NACD, WSCC meetings, conferences (number of meetings)	6	WSCC IM	WSCC; WACD; WADE

Program Development			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Funding Development (number grant proposals submitted)	10	All funding sources	All funding sources
New partnership engagement (number of new partners)	5	All funding sources	All funding sources

Human Resources			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Personnel & human resources management (ongoing)	1	Overhead; WSCC IM	
Benefits management (ongoing)	1	Overhead; WSCC IM	
Payroll (Number of pay periods)	26	Overhead; WSCC IM	
Recruitment & hiring (ongoing)	1	Overhead; WSCC IM	



Annual employee evaluations to include consideration of accurate and appropriate position description, work load, compensation and benefits (number of evaluations)	15	Overhead; WSCC IM	WSCC
---	----	-------------------	------

District Policies & Procedures			
Activity/Deliverable	Quantitative	Funding Sources	Partners
WSCC CAPP (ongoing)	12	Overhead; WSCC IM	WSCC
Audits (ongoing)	12	Overhead; WSCC IM	WSCC
Drafting SOP's (number)	5	Overhead; WSCC IM	
Policy manual update (number of sections updated)	9	Overhead; WSCC IM	WSCC
Policy manual maintenance (ongoing)	1	Overhead; WSCC IM	WSCC

Board of Supervisors Coordination			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Board Meeting Prep (number of months)	11	Overhead	
Board Meeting support and process improvements (number of meetings)	15	Overhead; WSCC IM	WSCC
Governance work (ongoing)	1	Overhead; WSCC IM	WSCC

Office Administration			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Office Coordination (ongoing)	1	Overhead; WSCC IM	WSCC
IT Coordination (ongoing)	1	Overhead; WSCC IM	WSCC
Maintain Records & Contracts (ongoing)	1	Overhead; WSCC IM	WSCC
Update technology and equipment to enable District to optimize services (number of work stations)	30	Overhead; WSCC IM	WSCC



Implementing operations processes (ongoing)	1	Overhead; WSCC IM	WSCC
Facilities management (ongoing)	1	Overhead; WSCC IM	WSCC
Vehicle Maintenance (ongoing)	1	Overhead; WSCC IM	WSCC

Trainings			
Activity/Deliverable	Quantitative	Funding Sources	Partners
Training plans for all employees (number of plans)	15	WSCC IM	WSCC; WACD; CTD
Professional Development training for all employees and supervisors (number of trainings)	40	WSCC IM, ECY (all), WSCC RCPP, EQIP RCPP	WSCC; WACD; CTD, ECY, NRCS
Develop and maintain an effective Board Member and staff development program including identification of training opportunities, attendance at regional and state conferences, and maintain or expand staff resources to meet demand. (ongoing)	1	WSCC IM	WSCC; WACD; CTD

Special Projects			
Activity/Deliverable	Quantitative	Funding Sources	Partners
BIAS	1	Overhead; WSCC IM	Other CD's, WSCC
10,000 Feet development & maintenance (ongoing)	1	Overhead; WSCC IM	Smartsheet
Project and operations management development (ongoing)	1	Overhead; WSCC IM	Other CD's, WSCC
Additional Special Projects (number of projects)	10	Overhead; WSCC IM	



FY2021 Annual Budget

Revenues FY2020	FY21 Funding Amount	Expenses FY 2021	FY21 Expenses Cost Estimate
Basic FY19	\$12,500.00	Payroll, Retirement and Fringe Benefits	\$1,305,906.68
WSCC IM FY19	\$95,600.00	Office Supplies	\$24,233.37
Ecology FY18 Direct Seed	\$142,712.67	IT Purchase & Repair	\$17,000.00
Ecology FY18 Palouse River	\$166,297.22	Trainings & Meetings	\$40,198.63
Ecology FY18 BMP Placement	\$83,333.33	Communication	\$34,112.90
Ecology FY19 Direct Seed	\$172,349.00	Employee Travel	\$23,262.73
Ecology FY19 Riparian BMP	\$170,859.80	Advertising	\$6,627.74
Ecology FY20 Direct Seed	\$166,667.10	Rentals & Leases	\$56,152.79
Ecology FY20 TMDL	\$88,295.25	Insurance/Bond (Enduris)	\$39,360.70
Ecology FY20 Paradise Creek	\$83,334.25	Misc.	\$40,264.05
Ecology FY21 Direct Seed	\$83,433.33	Dues/Admin Services	\$6,128.33
NACD - Urban Agriculture	\$33,300.00	Maintenance	\$11,456.17
NRCS - National Water Quality Initiative (NWQI)	\$47,257.50	Education & Marketing	\$26,719.64
WSDOT Mitigation	\$10,000.00	All Grants - Field Supplies (Expendable)	\$60,684.09
Burn Program	\$5,000.00	Fuel	\$8,655.33
Franklin/Asotin CD	\$10,000.00	Contracted Services	\$106,289.39
City of Pullman Stormwater Education	\$20,000.00	Purchase for Resale	\$7,266.35
Verle Kaiser	\$2,600.00	Burn Permits	\$5,000.00
SRSRF Lead entity	\$8,000.00	Cost Share Financial Assistance	\$630,000.00
NRCS RCPP Extension	\$131,000.00	Cost Share Federal Direct	\$870,000.00
NRCS RCPP Renewal	\$258,961.60	Lab Processing	\$86,340.42
WSCC RCPP	\$377,973.03	Partner Technical Assistance	\$68,893.60
WSCC CREP TA	\$65,715.76	Equipment - Retail Value & Minor	\$45,722.56
Ecology FY18 BMP Placement	\$110,766.33		
SRSRF WRIA 35	\$19,000.00		
SRSRF PALS in Alpowa	\$3,000.00		
Garfield VSP	\$45,500.00		
Garfield Ecology Flow Implementation	\$14,000.00		
Whitman VSP	\$115,000.00		
WSCC NRI	\$87,819.33		
Contract Planting and Maintenance	\$10,000.00		
Cooperative Recovery Initiative F&W funds	\$10,000.00		
Cost Share Federal Direct (RCPP EQIP & CREP)	\$870,000.00		
Total Amount	\$3,520,275.47		\$3,520,275.47



Appendix A- Natural Resource Data & Information

Palouse Conservation District Summary

- Many of the streams in the District are on WA Dept. of Ecology's 303(d) List as water quality impaired.
- Most of the cropland in the District is classified as Highly Erodible Land (HEL) that without conservation measures in place can experience annual soil erosion rates of up to 10-20 tons per acre.
- The primary deep-water aquifer, the Grande Ronde, is in decline.
- Air quality continues to be a concern for Pullman residents & others.
- Urban stormwater runoff, discharge, and soil erosion continues to be a concern as well.
- Less than 1% of the original Palouse Prairie remains
- 84.3% of district is in acres that are in production

Land Classification:

- PCD Total Acreage 368,519 acres
- Cropland 310,519 acres
- Rangeland 45,400 acres
- Woodland 2,970 acres

Population:

- District Ag. Cooperators 728
- Small Rural Landowners 5,000
- City of Pullman 34,019 (WSU 20,976),
- Colton 467, Uniontown 345,
- Garfield 618, Albion 587, Palouse 1,074

Priority Resource Background Information

Soil Health & Erosion Control

Description: sheet, rill and wind erosion are caused by the detachment and transportation of soil particles caused by rainfall runoff or splash, irrigation runoff, or by wind. Vast areas of cropland in Palouse Conservation District have soil and slopes vulnerable to sheet, rill and/or wind erosion. Soils not protected by adequate crop cover, crop residues or other conservation practices, will have soil detachment and movement by water or wind.

Sheet and Rill Erosion. Sheet and rill erosion are caused primarily from rainfall from late fall through spring, and especially from rain on snow events when the soils are frozen. Estimates of tens of tons of soil loss per acre per year from sheet and rill erosion, in addition to more visible channel and gully erosion, has been well documented. The soils where the erosion occurs are degraded and become less productive. The detached soil, or sediment, is carried across fields with the runoff until it is either deposited on land, on roads, in culverts, or carried into streams and rivers. When the sediment deposition occurs on growing crops, economic damage



occurs to the local producer. When it is deposited on roads or into culverts then transportation departments must pay for removal of the safety hazard and clogged waterways. When it is carried into a stream or river it degrades fish and wildlife habitat and affects water quality.

Wind Erosion. Wind erosion occurs when the soils are not protected by adequate crop cover, crop residues or other conservation practices, and the wind picks up enough velocity to detach the finer soil particles on the land. The soils where the wind erosion occurs are degraded and become less productive. The eroded soil particles become airborne affecting air quality, visibility and health. In some cases, visibility is so poor that highways have been closed to avoid vehicular accidents and loss of life.

Priority level(s): local, regional, and state natural resource priority

Source of data: Washington NRCS State Resource Assessment 2011: Priority Resource Concerns

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, Pacific NW Direct Seed Association, WA Dept. Fish and Wildlife, Department of Ecology, City of Pullman Stormwater Services, local agricultural consultants, local agricultural associations, local non-profit organizations, UI REACCH Extension, Palouse RCPP.

Water Quality (all sources)

Description: Waterways within the Palouse Conservation District have been degraded due to a combination of sources including urban stormwater and agricultural run-off.

Urban stormwater. A majority of the storm drains throughout Palouse Conservation District are classified as a municipal separate storm sewer system. The storm drain system is separate from and therefore does not convey stormwater to local wastewater treatment plants. Stormwater runoff has been identified by Department of Ecology as the “number one water pollution problem in the urban areas of our state.” Pollutants commonly found in stormwater include fertilizers, pesticides, vehicle fluids, trash, sediment and pet waste. Stormwater can also contribute to problems associated with flooding. The polluted runoff drains into nearby gutters and storm drains and into local waterways. In most areas, stormwater runoff enters these waters without being cleaned of pollutants.

Agricultural runoff. The off-site transport of sediment from sheet, rill, gully, and wind erosion into surface water threatens to degrade surface water quality and limit use for intended purposes. The vast amount of cropland with erosive soil and exposed streambanks in Palouse Conservation District are seeing erosion that has effects far beyond where the land is eroded. Unprotected areas have soil detachment and movement by water, primarily from rain. This is especially true from rain on snow events when soils are frozen, with studies documenting tens of tons of soil loss per acre. When sediment enters the water column it increases turbidity and carries



pollutants such as nutrients and pesticides. When sediment is deposited on roads or into culverts, the sediment becomes a safety hazard and causes clogged waterways and aquatic passage barriers requiring costly removal. In canals and shipping facilities, the sediment requires expensive mechanical removal and transport.

Nutrients (organics and inorganics) are a resource concern when transported to receiving waters through surface runoff, leaching into shallow ground waters, or both in quantities that degrade water quality and limit use for intended purposes.

On cropland, nitrogen and phosphorus can be over applied and degrade plant health and vigor. Over application of nitrogen and phosphorus may lead to excess nutrients in surface and ground water. The excess nutrients cause algae and other aquatic plants to grow in lakes, which deprive aquatic life of vital oxygen. Pesticides may be over applied or applied near water bodies leading to surface water contamination. In addition, this resource concern is a priority as it relates to the livestock industry and the lack of adequate animal waste management. Animal waste is a point source of nutrients and pathogens into our waterways that degrade and threaten water quality and aquatic habitat.

Priority level(s): local, regional, and state natural resource priority

Source of data: Washington NRCS State Resource Assessment 2011: Priority Resource Concerns; City of Pullman Stormwater Services

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, Pacific NW Direct Seed Association, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, City of Pullman Stormwater Services, City of Palouse, local agricultural consultants, local agricultural associations, local non-profit organizations, Adams CD, Palouse RCPP.

Replenishing the Landscape (habitat, vegetation, prairie, pollinators, aesthetics)

Description of Components:

Habitat. Habitat is degraded when the quantity, quality, or connectivity of food, cover, space, shelter, and/or water is inadequate to meet requirements of identified fish, wildlife, and invertebrate species. Plant communities may have insufficient composition and structure to achieve ecological functions and management objectives. This concern also addresses loss or degradation of wetland habitat and unique plant communities.

Vegetation/Prairie. Since 1870, 94% of the grasslands and 97% of the wetlands in the Palouse bioregion have been converted to crops, hay, or pasture. Most of the remaining small patches of grassland and riparian vegetation disappeared between 1940 and 1989. Today, some once common fauna and endemic flora survive only in small areas of grassland, shrub, and forest, and these remnants are threatened by weed invasion, herbicide drift, and introduced species.



Of the once-continuous native prairie dominated by mid-length perennial grasses, only little more than 1% remains. It is one of the most endangered ecosystems in the United States, and all remaining parcels of native prairie are subject to weed invasions and occasional drifts of aerially applied agricultural chemicals. Two of the native plant communities, bluebunch wheatgrass-snowberry and bluebunch wheatgrass-rose, are globally rare, and several local plant species are threatened globally. Many once-intermittent streams are now farmed; many perennial streams with large wet meadows adjacent to them are now intermittent or deeply incised, and the adjacent meadows are seeded to annual crops. Few areas of camas bloom in the spring. Clean farming practices (field burning, herbicide use, and roadbed-to-roadbed farming) leave few fences and fewer fencerows, negatively impacting even those edge species which can flourish in agricultural areas.

With the virtual elimination of native prairies, species dependent on grassland ecosystems have declined or disappeared as well.

At the same time, new land uses offer habitats for a different suite of species. Humans have intentionally introduced non-native and sometimes invasive plant and animal species. Grazing, agriculture, and accidents have introduced a variety of exotic plants, many of which are vigorous enough to earn the title "noxious weed".

Changes in biodiversity in the canyonlands follow a parallel track, though from slightly different causes. Due to steep slopes and infertile soils, the canyonlands have been used for grazing instead of farming. Intense grazing and other disturbances have resulted in undesirable changes, with the native grasses being largely replaced by nonnative annual brome grasses and noxious weeds, particularly star thistles.

Pollinators. Despite their small size and isolation, Palouse prairie remnants support a diverse native flora of over 350 plant species (Lichthardt and Moseley 1997; Hanson et al. 2008), some of which are listed as globally imperiled or federally threatened (Lichthardt and Moseley 1997; Weddell and Lichthardt 1998). Though limited, studies indicate that rich invertebrate communities also persist in this resilient ecosystem (Hatten et al. 2006; Looney et al. 2009; Pocewicz et al. 2009; Sánchez de-León and Johnson-Maynard 2009; Looney and Eigenbrode 2011). Although the Palouse faunae remain poorly known, conserving invertebrates and their ecological functions and services is essential for sustaining the health of remnant habitats (Samways 2005). Insects have numerous functions in ecosystem processes, as part of natural predator/prey relationships, as decomposers or detritivores, and critically as pollinators.

Bees are the most ubiquitous and diverse insect pollinators, and bumble bees, *Bombus Latreille* (Hymenoptera: Apoidea), are the most species rich and abundant group of social bees native to temperate North America (Kearns and Thomson 2001). Bumble bees have structural and behavioral adaptations for pollen collection and transport, and forage on pollen to feed developing larvae (Michener 2007). Unlike many solitary bees, bumble bees forage throughout the season, pollinating a diverse flora. Native bees provide lucrative pollination services for production agriculture, potentially totaling over \$3 billion per year in the USA alone (Losey



and Vaughn 2006), and their pollination of non-cultivated plants is of inestimable value. Bees play a critical role in plant conservation, thus local or regional extinctions of bees can impact plant communities (Biesmeijer et al. 2006; Vamosi et al. 2006).

Despite the importance of bumble bees to native plant communities and agriculture, several North American species are in decline (Cane and Tepedino 2001; Colla and Packer 2008; Grixti et al. 2009; Cameron et al. 2011). Habitat loss and fragmentation contribute significantly to such declines, as do pesticide use and exposure to novel pathogens (Goulson et al. 2008; Cameron et al. 2011). Significant changes in bumble bee community composition and loss of genetic diversity have occurred in Illinois, as tall grass prairie was lost to agriculture (Grixti et al. 2009; Lozier and Cameron 2009). Bumble bee communities associated with small, isolated habitat remnants such as those found across the Palouse Prairie may be at similar risk, yet little is known about the bumble bee community in this habitat. Bee communities of remnant habitats are influenced by numerous factors, including the composition and quality of the surrounding landscape (i.e., the matrix) (Steffan-Dewenter and Tscharntke 1999; Steffan-Dewenter et al. 2002; Hines and Hendrix 2005; Hendrix et al. 2010). Bumble bees can travel up to 1.2 km (Knight et al. 2005) and routinely fly 450 m to 750 m between nest sites and floral patches (Walther-Hellwig and Frankl 2000). Hence, while floral diversity within habitats can be a strong predictor of bumble bee diversity, so too can density and diversity of floral resources in adjoining matrix habitats (Steffan-Dewenter et al. 2002; Hines and Hendrix 2005).

Aesthetics. Resource conservation in agricultural settings has focused on enhancing ecosystem services that directly support production, while consideration of cultural services (aesthetic, spiritual, educational, and recreational amenities) has been missing, or secondary at best (MEA 2005; Scherr and McNeely 2008). This neglect is partly due to difficulty measuring the often subjective and intangible character of these amenities (MEA 2005). Additionally, cultural services are usually perceived, experienced, and appreciated at larger spatial scales and traditionally associated with more pristine or minimally disturbed natural environments. However, at spatial scales larger than a single farm, landscape restructuring strategies will likely have a greater potential to more fully regard the cultural dimensions of sustainability and ecosystem services (see Lovell and Johnston 2009; Musacchio 2009). Concurrently, researchers from landscape disciplines with common interests in sustainability have emphasized the complementarity and co-dependency of ecological sustainability and cultural sustainability (Thayer 1989; Naveh 2000; Décamps 2001; Tress et al. 2005; Wu 2006; Barrett et al. 2009). That is, landscapes must sustain not only vital natural resources, but also basic needs and quality of life for humans (Naveh 2000; Blaschke 2006; Barrett et al. 2009). Practically, creating and maintaining these landscapes will require human effort and care (Dubos 1976; Nassauer 1997; Décamps 2001; Merchant 2003; Meyer 2008). Several researchers contend that motivating land-use behavior toward sustainability and conservation goals may ultimately depend on understanding the underlying mechanisms affecting human aesthetic response and attachment to landscapes (e.g., Mozingo 1997; Nassauer 1997; Linehan and Gross 1998; Parsons and Daniel 2002; Décamps 2001; Gobster et al. 2007; Meyer 2008).



In environmental psychology, perception-based assessments generally interpret human preference for a particular landscape as a measure of its aesthetic quality, which in turn, is interpreted as having high visual aesthetic quality (Kaplan 1987; Nassauer 1995; Daniel 2001). Human evolutionary history, biologically-based perception theory, and neurobiological evidence tell us that our visual aesthetic preferences are not frivolous, capricious, or superficial. Rather, aesthetic preferences result from inseparable perceptual, cognitive, and deep-rooted emotional processes that inform decisions having personal or social consequence (Parsons and Daniel 2002; Meyer 2008).

Within the Palouse Region, recent research has demonstrated that a relatively small amount of structural change communicates and supports improved ecological function. Simultaneously, this improved ecological structure is compatible and indicative of enhanced aesthetic appeal. Research results support the view that agricultural landscapes can be designed to accommodate both cultural and ecological benefits. These results may translate into inspiring human behavior toward landscape conservation and sustainability.

Priority level(s): local, regional, and state natural resource priority

Source of data: Washington NRCS State Resource Assessment 2012: Priority Resource Concerns; USGS The Land Use History of North America (LUHNA) Biodiversity and Land-use History of the Palouse Bioregion: Pre-European to Present; Hatten TD, Looney C, Strange JP, Bosque-Pérez NA. 2013. Bumble bee fauna of Palouse Prairie: Survey of native bee pollinators in a fragmented ecosystem. *Journal of Insect Science* 13:26. Available online: <http://www.insectscience.org/13.26>; Linda Ruth Klein. 2013. Quantifying relationships between ecology and aesthetics in agricultural landscapes. Linking ecology and aesthetics in agricultural landscapes: A case study from the Palouse region of Washington State, U.S.A. May 2013 dissertation, Washington State University.

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, Pacific NW Direct Seed Association, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, local agricultural consultants, local agricultural associations, local non-profit organizations, Palouse Prairie Foundation, IWJV, Whitman County, Palouse Wind, Snake River Salmon Recovery, Palouse Land Trust, Adams CD, Palouse RCPP.

Water Quantity


Description: The Palouse groundwater basin is the sole source of water for over 60,000 residents of Pullman, Washington and Moscow, Idaho and outlying areas in both Whitman County (Washington) and Latah County (Idaho). Also included among our groundwater users are Washington State University and the University of Idaho. Ground water is pumped in the basin by five major water suppliers (Pullman, Moscow, Colfax, Washington State University and the University of Idaho), several smaller cities and towns,



and many businesses and rural residents residing in the unincorporated areas of Whitman County, Washington and Latah County, Idaho. Ground water levels in the deep aquifer system have been declining since measurement began in the late 19th century. Growth in the area following World War II led to increased pumping from the aquifer system, and by the late 1950's a serious decline in water levels was recognized by the cities, state institutions and regulatory agencies. Concerns regarding long term water supplies in the area led to the 1967 formation of an informal committee, known then as the Pullman-Moscow Water Resource Committee (PMWRC), to study the problem and make recommendations to the administrative and elected representatives of the major pumping entities. In time membership in the committee was expanded to include Whitman and Latah counties and then Colfax, Washington. And although not a formal PBAC member, since 2006 the City of Palouse has at times contributed funding toward the administration of the Committee. In 1998, to reflect its expanded membership and the regional nature of the resource, the committee name was changed to the Palouse Basin Aquifer Committee (PBAC). In 1992, the PMWRC, with the support of Washington and Idaho state regulatory agencies, enacted a Ground Water Management Plan (GWMP) for the basin. The Ground Water Management Plan and an associated Intergovernmental Agreement include requirements to report accomplishments, pumpage and water level information. The 2013 total combined ground water pumpage by the primary pumping entities within the basin was 2.61 billion gallons. In aggregate (Pullman, Moscow, WSU, UI, Colfax, Palouse), pumping for 2013 was approximately 1% less than in 2012, and 15.5% less than in 1992, the first year the Ground Water Management Plan took effect.

The precise boundaries of the basin have not been delineated (see working boundary below). Ground water in the basin is pumped primarily from two aquifer systems: the upper Wanapum and the lower Grande Ronde. The Wanapum and Grande Ronde Formations are part of the Columbia River Basalt Group, which consists of thousands of feet of lava flows that covered much of eastern Washington, northern Oregon, and portions of western Idaho during eruptions that occurred between 17 and 6 million years ago. The nature of the emplacement of the basalts over time resulted in significant differences in geology from west to east across the basin. The eastern end of the basin is characterized by thick sedimentary interbeds that thin west of Moscow. The Grande Ronde basalts are thicker beneath Pullman.





Working Boundary for the Palouse Ground Water Basin

The primary municipal drinking water source in the basin is the lower Grande Ronde aquifer system. In Pullman, all of the municipal residents obtain their drinking water from the Grande Ronde. Rural basin residents in Whitman County pump from both the upper and lower aquifers. In Moscow, 31% of the 2013 supply came from the upper Wanapum, and many of the rural residents in Latah County also tap the upper aquifer. In general, the Grande Ronde wells are more productive and contain higher quality water than those in the Wanapum. Water levels in the Grande Ronde have historically declined at a rate of between 0.6 and 1.5 feet per year for 70 or more years. Water levels in the upper aquifer dropped drastically in the late 1950s and early '60s, but recovered in the 1970s and '80s when much of the pumping switched to the lower aquifer. Although absolute values are still uncertain, it is thought that there is limited recharge to both the Wanapum and the Grande Ronde aquifer systems.

Priority level(s): local and regional

Source of data: 2013 Palouse Ground Water Basin Water Use Report, Palouse Basin Aquifer Committee, 2014.

Engaged entities: Palouse Conservation District, Palouse Basin Aquifer Committee (PBAC), WSU, UI, City of Pullman, City of Moscow, City of Colfax, City of Palouse, Whitman County, Latah County, Department of Ecology, Idaho Department of Water Resources, local non-profit organizations, Palouse Water Summit, Palouse RCPP.



Climate Change

Description: The response of arid lands to climate change will be strongly influenced by interactions with non-climatic factors such as land use at local scales. Livestock grazing, conversion to agriculture, urbanization, energy and natural resource development, habitat treatment, and even restoration activities have had both direct and indirect consequences. Land use change over the past 200 years has had a much greater effect on these ecosystems than has climate change, and the vast majority of land use changes have little to do with climate or climate change. Today's arid lands reflect a legacy of historic land uses, and future land use practices will arguably have the greatest impact on arid land ecosystems in the next two to five decades. In the near-term, climate fluctuation and change will be important primarily as it influences the impact of changes in land use on ecosystems, and how ecosystems respond to land use. In addition to traditional land uses such as agriculture and grazing, arid land response to future climate will be mediated by growing environmental pressures such as air pollution and nitrogen deposition, energy development, motorized off-road vehicles, feral pets, and invasion of non-native plants. Some of these factors may reinforce and accentuate climate effects (e.g., livestock grazing); others may constrain, offset or override climate effects (e.g., atmospheric CO₂ enrichment, fire, non-native species).

Slight changes in temperature and precipitation can substantially alter the composition, distribution, and abundance of species in arid lands, and the products and services they provide. For example, observed and projected decreases in the frequency of freezing temperatures, lengthening of the frost-free season, and increased minimum temperatures can alter plant species ranges and shift the geographic and elevational boundaries of many arid lands. The extent of these changes will also depend on changes in precipitation and fire. Increased drought frequency could also cause major changes in vegetation cover. Losses of vegetative cover coupled with increases in precipitation intensity and climate-induced reductions in soil aggregate stability will dramatically increase potential erosion rates. Transport of eroded sediment to streams coupled with changes in the timing and magnitude of minimum and maximum flows can affect water quality, riparian vegetation, and aquatic fauna. Major climate change effects on Washington's shrub-steppe and grassland ecosystems include:

- Changes in species composition, distribution, and community dynamics
- Changes in ecosystem productivity
- Changes in disturbance regimes

Although climate change can potentially impact arid land river and riparian ecosystems through a variety of mechanisms and pathways, three are particularly important. The first is the impact of climate change on water budgets. The second is competition between native and non-native species in a changing climate; and the third is the role of extreme climate events (e.g., flood and droughts) in a changing climate. Extreme events have always shaped ecosystems, but the interactions of a warmer climate with a strengthened and more variable hydrologic cycle are likely to be significant structuring agents for riverine corridors in arid lands.



Priority level(s): local, regional, and global

Source of data: Summary of Climate Change Effects on Major Habitat Types in Washington State: Shrub-Steppe and Grassland Habitats. Washington Department of Fish and Wildlife and the National Wildlife Federation. July, 2011.

http://wdfw.wa.gov/conservation/climate_change/

Engaged entities: Palouse Conservation Districts, NRCS, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, local non-profit organizations, Palouse Prairie Foundation, Palouse RCPP, Regional Approaches to Climate Change for Pacific Northwest Agriculture (REACCH).

Urban Development

Description: There have been permanent losses of Palouse habitats to urban and rural residential growth. Resource managers are concerned by the growing number of ranchettes, subdivisions, subdivided cropland, and floodplain encroachment. Rural development often occurs near wooded areas, lakes, or streams. The increasing number of dwellings poses a threat to water quality due to the increased amount and dispersion of potential nutrient sources immediately adjacent to waterways, displaces habitat and wildlife. According to Knick et al. (2003), urbanization, roads, and powerlines continue to fragment ecological systems. This loss represents a major challenge for restoration because essential components of the system may be disrupted or lacking entirely. Knick et al. (2003) claims this loss of continuous habitat reaches, as a result of urbanization and agricultural conversion, may be irreversible.

The lower reaches of the North Fork and South Fork Palouse Rivers are confined to a concrete lined channel for nearly 0.5 miles as the stream enters the town of Colfax. This results in a loss of riparian habitat and channelizes the stream which contributes to hydrograph modifications. Ferguson et al. (2001) discuss effects of urbanization on wildlife and habitats, and state that predation rates on wildlife are higher in urban areas in comparison to similar exurban areas; with an increase in edge comes an increase in nest predation and brood parasitism. Their research suggests that increased predation in urban areas may be attributed to human pets—cats and dogs. Building and barren ground reduce and simplify vegetation within patches, and provide hunting areas for domestic cats and dogs that may effectively reduce the local abundance of vertebrate prey. Additional concerns related to urban development include:

- septic systems- rural residents are on individual septic systems for domestic waste treatment. Improperly installed or failing septic systems are a source of water quality impairments.
- road development- the transportation system within the Palouse River subbasin is a potential limiting factor to wildlife populations. Road densities and placement can have a negative impact on wildlife use of important habitat. More than 65 species of terrestrial vertebrates in the interior Columbia River basin have been shown to be negatively affected by roads (Ashley and Stovall 2004). Roads can negatively affect terrestrial vertebrate habitats and populations as well as water quality



and fish populations. Habitat fragmentation, due to road construction and improper culvert placement, has also prevented migration of fish and amphibian species within and/or between some subbasin tributaries. Increasing road densities can reduce big game habitat effectiveness and increase vulnerability to harvest. Motorized access facilitates firewood cutting and commercial harvest, which can reduce the suitability of habitats surrounding roads to species that depend on large trees, snags, or logs. Roads also aid the spread of noxious weeds. Road construction and maintenance has contributed to channelization and relocation of natural streams, causing a loss of fisheries habitat, and has negatively impacted the subbasin's hydrograph.

- roadway erosion- Approximately 200 miles of unsurfaced roadways exist within the watershed. Unsurfaced (graveled and unmaintained) roadways contribute an estimated 12 tons/acre/year of sediment at a 60% sediment delivery ratio (Rasmussen et al. 1995).

Priority level(s): local and regional

Source of data: Gilmore, S., Resource Planning Unlimited, Inc. Palouse Subbasin Management Plan. May 2004.

Engaged entities: Whitman County Conservation Districts, NRCS, Department of Ecology, City of Pullman Stormwater Services, Whitman County Public Works, local non-profit organizations, Palouse Land Trust, Palouse RCPP.

Small Acreage Issues

Description: Conversion of agricultural lands to suburban homesites provides a new set of natural resource issues of concern within the Palouse Conservation District. Changes in wildlife habitat availability and populations can result. Suburbanization of agricultural lands does not necessarily favor native wildlife or plant species. Additionally, the keeping of livestock on small acreage provides challenges for soil erosion, water quality, and weed control. Dust resulting from added traffic on unpaved roads (due to an increase in population and pressure from additional housing development) can affect air quality.

Priority level(s): local and regional

Source of data: Washington NRCS State Resource Assessment 2011: Priority Resource Concerns; USGS The Land Use History of North America (LUHNA) Biodiversity and Land-use History of the Palouse Bioregion: Pre-European to Present



Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, City of Pullman Stormwater Services, local non-profit organizations, Palouse Prairie Foundation, Adams CD, Palouse RCPP.

Weed Control- Invasive Species

Description: The rapid spread of invasive plants threatens natural resources across the Palouse Conservation District. Invasive species displace natural plant communities and have the following impacts:

- Degraded and destroyed wildlife habitat
- Reduced plant and animal diversity
- Impaired land productivity
- Obstructed waterways and reduced water levels
- Erosion
- Fire hazards
- Restricted recreational activities
- Reduced land values
- Need for costly restoration

Priority level(s): local, regional, and state natural resource priority

Source of data: Invasive Weeds of Eastern Washington- WSU Extension Manual EM005; Washington NRCS State Resource Assessment 2011: Priority Resource Concerns

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, Whitman County Weed Board, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, local agricultural consultants, local agricultural associations, local non-profit organizations, Palouse Prairie Foundation, Adams CD, Palouse RCPP.

Anadromous Fish Recovery and Aquatic Passage

Description: Salmon recovery plans have been implemented in order to sustain and reverse the decline of endangered salmon species, preserving them for future generations. These species include Chinook salmon and steelhead trout. Salmon populations have been declining for a long period of time. Discerning the factors that contributed to this decline has been and is a lengthy process.



Local, state, tribal and federal governments have been studying the processes that have contributed to dwindling salmon populations for over a decade and are currently implementing strategies for protecting and recovering salmon.

Priority level(s): local and regional

Source of data: Snake River Salmon Recovery Plan (SRSRP)

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; local non-profit organizations, local consulting firms, Whitman County, Snake River Salmon Recovery, Palouse RCPP.

Air Quality

Description: Air quality affects public health, the environment, and quality of life. Air pollution causes lung disease, makes existing heart and lung disease worse, and is associated with cancer. Breathing elevated levels of air pollutants can adversely affect human health, especially among sensitive populations such as children, the elderly, and those with heart or lung diseases. Potential health problems include lung damage, birth defects, nerve damage, reduced immunity, and an increased risk of developing cancer. An air pollutant is any substance in the air that can cause harm to humans or the environment. Pollutants may be natural or human made and may take the form of solid particles, liquid droplets, or gases. Natural sources of air pollution include smoke from wildfires, dust, and even volcanic ash. Human made sources of air pollution include emissions from vehicles and factories; dust from unpaved roads, agriculture, or construction sites; and smoke from human-caused fires.

Priority level(s): local and regional priority

Source of data: Washington Department of Ecology Air Quality Program

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, Department of Ecology, local non-profit organizations, Palouse RCPP.

Energy

Description: Inefficient use of energy in the farm operation increases dependence on non-renewable energy sources that can be addressed through improved energy efficiency and the use of on-farm renewable energy sources.

Priority level(s): local, regional, and state natural resource priority



Source of data: Washington NRCS State Resource Assessment 2011: Priority Resource Concerns

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, local agricultural consultants, local agricultural associations, local non-profit organizations, Palouse RCPP.

Education / Outreach

Description: Education and outreach to the public including landowners and residents within the Palouse Conservation District is essential to increase the community's awareness of local natural resource conservation issues and needs. Benefits of education and outreach include enhanced community involvement, increased public input into the District's planning processes, increased awareness of the District's programs (including availability of technical and financial assistance) and increased conservation practice implementation.

Priority level(s): local and regional priority

Source of data: WRIA 34-Palouse Watershed Detailed Implementation Plan

Engaged entities: Whitman County Conservation Districts, NRCS, FSA, WSU Extension, Pacific NW Direct Seed Association, WA Dept. Fish and Wildlife, US Fish and Wildlife Service; Department of Ecology, City of Pullman Stormwater Services, City of Palouse, local agricultural consultants, local agricultural associations, local non-profit organizations, Palouse Prairie Foundation, UIREACCH Extension, Franklin CD-Wheat Week and Water on Wheels, Palouse RCPP.

